KWC-B-5L

LOUD WEED KILLER

READY TO USE LIQUID

1 gallon contains 0.05 lbs. bromacil **ACTIVE INGREDIENTS:**

Bromacil (5-bromo-3-sec-butyl-6-methyluracil) INERT INGREDIENTS

100.00%

EPA Est. No.

Ш

Keep out of reach of children

Precautionary Statements Hazards to Humans and Domestic Animals

CAUTION: Harmful if availowed. Do not get in eyes, on skin or on clothing. Avoid inhalation of apray mist.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center, Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an uncouscious person.

If on skin: Wash with plenty of soap and water.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If in eyes: Flush with plenty of water. Get medical attention.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

IMPORTANT- injury to or loss of desirable trees or other plants may result from failure to observe the following. Do not apply except as recommended or drain or flush equipment on or near desirable trees or other plants, or on areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. Do not use on lawns, walks, driveways, tennis courts, or similar areas. Prevent drift of spray to desirable plants. Keep from contact with fertilizers, insecticides, fungicides, and seeds.

Thoroughly clean all traces of 8 \$4 from application equipment immediately after use. Flush tank, pump, hoses and boom with several changes of water after removing nozzle tips and screens (clean these parts separately).

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Personal Procedures. Conservation and Recovery Act.

Net Contents:

Manufactured Ry RAILROAD WEED CONTROL, TO. Westfield, Mass.

Westerville. Ohio

Alexandria, Va.

Rwc B-SL Liquid Weed Killer is a solution to spray on non-cropland areas.

3-54 is an effective general herbicide for the and grasses to keep areas free of vegetation and prior to topping with asphalt or pavement. May h location as around warehouses, storage yards, cam recreational areas, fence lines and other similar is no danger to valuable plants, or where unprodu objectionable. The degree of control and duration vary with the amount of chemical applied, rainfal soil texture and other conditions.

NOTICE OF WARRANTY

RWC. warrants that this product conforms to the chemical description of reasonably fit for purposes stated on such label only when used in accorda normal use conditions. It is impossible to eliminate all risks inherently associated duct. Ineffectiveness or other unintended consequences may result because conditions, presence of other materials, or the manner of use or application. control of RWC. All such risks shall be assumed by the Buyer. RWC MA MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR A IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

DIRECTIONS FOR USE

It is in violation of Federal law to use this pro inconsistent with its labeling.

GENERAL SPRAYING: Spray to wet plants thoroughly, and apply of infested area. Applications should be made while weeds are small. As weather, as the killing action of B-5L is through both roots and moisture is necessary after application to take the chemical into the

Fall applications may be made in areas of 20 inches or, less rainfall rainfall (20 inches or more) apply in the spring as the chemical is ap Retreatment may be necessary under some conditions to keep areas frequency ing weed growth early in the year, fire hazard from dead and dry ved

Annual Weeds & Grasses—To control annuals use 2 or 3 pints of solution page thoroughly.

Perennial Weeds & Grasses - Use 5 to 6 pints per 100 sq. ft. and ang For control of weeds with creeping rootstalks, treat soil 6 ft, beyon

Local conditions may affect the use of this chemical Consult Sta specialists for specific recommendations as to dosage and time of applications

Note: Do not use on right-of-ways or other sites where marketable to mediately adjacent to the treated area. Do not apply to plants stand treated ditches for Irrigation.

DOCUMENT AVAILABLE

LIQUID

omacil

utyl-6-methyluracil) 〇・62 100.00%

ш

each of children

ry Statements and Domestic Animals

d. Do not get in eyes, on skin or f spray mist.

ACTICAL TREATMENT

Control Center, Drink 1 or 2 glasses of water coat with finger. Do not induce vomiting or rson. ster.

f not breathing, give artificial respiration, :ention.

et medical attention.

L HAZARDS

uply where runoff is likely to occur. f equipment or disposal of wastes.

es or other plants may result from failure to recommended or drain or flush equipment on or as where their roots may extend, or in locations contact with their roots. Do not use on lawns, Prevent drift of spray to desirable plants. s, fungicides, and seeds.

cation equipment immediately after use. Flush of water after removing nozzle tips and screens

d Disposal -

by storage or disposal. Pesticide, spr according to label instructions must be storage or disposal. Pesticide, spray or local procedures under the Resource

tured Ry CONTROL. TIC. Mass.

Alexandria, Va.

RWC B-SL Liquid Weed Killer is a solution to be applied as a spray on non-cropland areas.

3-54 is an effective general herbicide for the control of weeds and grasses to keep areas free of vegetation and for treating soil prior to topping with asphalt or pavement. May be used in such location as around warehouses, storage yards, camping places, recreational areas, fence lines and other similar uses where there is no danger to valuable plants, or where unproductive soil is not Objectionable. The degree of control and duration of effect will vary with the amount of chemical applied, rainfall, temperature, soil texture and other conditions.

NOTICE OF WARRANTY

RWC warrants that this product conforms to the chemical description on the label thereof and Is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is Impossible to eliminate all risks Inherently associated with use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of RWC. All such risks shall be assumed by the Buyer, RWC. MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

DIRECTIONS FOR USE

It is in violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL SPRAYING: Spray to wet plants thoroughly, and apply chemical uniformly over infested area. Applications should be made while weeds are small. Avoid applications in hot, dry weather, as the killing action of B-5L is through both roots and tops of plants, and therefore moisture is necessary after application to take the chemical into the soil to kill deep-rooted perennials.

Fall applications may be made in areas of 20 inches or less rainfall in areas of heavy winter rainfall (20 inches or more) apply in the spring as the chemical is apt to be lost by leaching. Retreatment may be necessary under some conditions to keep areas freed of plant growth. By preventing weed growth early in the year, fire hazard from dead and dry vegetation later on is avoided.

Annual Weeds & Grasses—To control annuals use 2 or 3 pints of solution per 100 sq. ft, and spray to wet plants

Perennial Weeds & Grasses - Use 5 to 6 pints per 100 sq ft. and apply in sufficient water for uniform coverage. For control of weeds with creeping rootstalks, treat soil 6 ft. beyond visible vegetation to get creeping roots.

Local conditions may affect the use of this chemical Consult State agricultural extension or experiment station specialists for specific recommendations as to dosage and time of application and for the control of other weeds.

Note: Do not use on right-of-ways or other sites where marketable timber or other desirable plants are immediately adjacent to the treated area. Do not apply to plants standing in water. Do not use water from treated ditches for irrigation.