- PM 25 517-5 EPA REGISTRATION NO DATE OF ISSUANC US ENVIRONMENTAL PROTECTION AGENCY 49517-5 ΜΔΥ \mathcal{O} ICC: OFFICE OF PESTICIDES PROGRAMS TERM OF ISSUANCE **REGISTRATION DIVISION (75-767)** WASHINGTON, DC 20460 conditional NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: PICK-MOR (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) **____** Moore Agricultural Products Co., Inc. 11521 Excelsior Avenue Hanford, CA 93230 I _1 NGTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you: Submit and/or cite all data required for registration/ 1. reregistration of your product under FIFRA sec. 3(C)(5) and sec. 4 when the Agency requires all registrants of similar products to submit such data. Add the phrase, "EPA Registration No. 49517-5" and submit 2. five (5) copies of your final printed labeling before you release the product for shipment. Add the following to your label under the appropriate 3. headings; "Wear chemical resistant gloves (such as Nitrile, Butyl, Neoprene, and/or Barrier Laminate" and "IF ON SKIN: Wash with plenty of soap and water. Get medical attention." A stamped label is enclosed for your records. ACHMENT IS APPLICABLE APPAQVING OFFICIAL REOF 8570-6 (Re PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS

2/4 M.A.P.CO. BRAND ACCEPTED with COMMENTS In EPA Letter Dated PICK-MOR Under the Federal Insecticide, Fundicide, and Rodenticide ActLIQUID DEFOLIANT-DESICCANT as amended, for the pesticide registered under EPA Reg. No. HARVEST AID .49.51.7-5 **ACTIVE INGREDIENTS:**

17

Total arsenic, all in water soluble form, expressed as elemental = 1.94%.


This product contains a fire retardant.

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements and directions for use.

Net contents:

EPA Registration No. 49517-EPA Establishment No. 49517-CA-001 EPA Establishment No. 49517-TX-002



STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists. IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

For exposure in enclosed areas, a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G). For exposure outdoors, dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as

possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Clean and wash spray equipment before and after use and do not allow washwater to contact desirable plants.

PHYSICAL AND CHEMICAL HAZARDS

To avoid fire or explosion, do not mix with insecticides.

CHEMIGATION PROHIBITION

Do not apply this product through any type of irrigation system.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170, This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about Personal Protective Equipment (PPE) and restricted-entry notification. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of A flours. PPE. required for early entry to treated areas that is permitted under the Worker Protection Standards and that involves contact with anything that has been treated such as plants, soil, or water is:

- Coveralls over short-sleeved shirt and short pants
- Waterproof gloves
- Chemical-resistant footwear plus socks
- Protective eyewear

AS A COTTON DEFOLIANT: Air Application - Low Volume: Apply 3 to 5 quarts of *PICK-MOR* per acre without water dilution. Apply when conditions favor good defoliation and when wind speed and direction do not facilitate drift to non-target areas.

4/1

DO NOT APPLY LATER THAN 7 TO 10 DAYS PRIOR TO HARVEST

High Volume - Apply 3 to 5 quarts of *PICK-MOR* per acre in enough water to adequately cover the plant. Apply when conditions favor good defoliation and wind speed and direction do not facilitate drift to non-target areas.

Ground Application - Apply 3 to 5 quarts *PICK-MOR* per acre with enough water to adequately cover the plant (and enough water to insure proper calibration of the ground application machine). Apply when wind speed and direction do not facilitate drift to non-target areas.

SUGGESTIONS FOR USE AND GENERAL INFORMATION

TIMING: Apply spray when conditions for defoliation are as favorable as possible and when the youngest bolls expected to make cotton are at least 30 days old. DO NOT APPLY WITHIN 7 DAYS OF HARVEST.

AS A COTTON DEFOLIANT: IMMATURITY AND DROUGHT OF THE COTTON PLANT ARE THE MOST FREQUENT CAUSES OF UNSATISFACTORY DEFOLIATION. Under most growing conditions, proper maturity is indicated by the green foliage color becoming lighter and tinged with red, and by a definite reddening of the stems. Maturity often varies with a field, making uniform defoliation difficult to obtain. Second growth sometimes appears after plants are mature. This is difficult to defoliate, and may cause staining of matching-picked cotton. Apply *PICK-MOR* 8 to 16 days before anticipated picking date. Cotton suffering from alkali should not be defoliated. Thorough coverage of the plant is essential, whether applied by airplane or ground sprayer. In airplane application, swath width should not exceed wing spread. This had been found to be extremely important for satisfactory defoliation and drying. For best results, nozzles should be small orifice, fan spray type.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

.

÷ 1

STORAGE INSTRUCTIONS: Storage should be in cool, dry areas away from any heat or ignition source. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop which the product is applied may result from occurrence of extraordinary or unusual weather conditions, the failure to follow the label directions, or good application practices, all of which are beyond the control of Moore Agricultural Products Co., Inc. (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above of any kind, expressed or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law. The exclusive remedy against the Company for any cause of action relating to the handling or use of this product is a claim for damage and in no event shall damages or any other recovery of any kind against the Company exceed the price of the product which causes the alleged loss, damage, injury, or other claim. The Company shall not be liable and any and all claims against the Company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but , not limited to, loss of profits or income.

The Company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

e se se