

1005  
1000  
1000000

Front Panel

PHENYL MERCURIC ACETATE

A Powder Designed to Provide Films  
Protection of Water-Based Paints and Coatings  
For Exterior Use Only

For Manufacturing Use Only

EPA Reg. No. 49549-R

EPA Establishment No. 49549-IL-1

Active Ingredient :

Phenylmercuric Acetate ..... 98.5%

(Mercury as metal - 58.7%)

Inert Ingredients: ..... 1.5%  
Total 100.0%

Keep Out of Reach of Children

(12 pt)



DANGER



(18 pt)

POISON

First Aid

If swallowed: Induce vomiting immediately by giving two glasses of water and sticking finger down throat. Call a physician immediately. Never give anything by mouth to an unconscious person.

If on skin: Wash immediately with soap and water.

If in eyes: Flush with water for at least 15 minutes. Call a physician.

See Side Panel for Additional Precautionary Statements

Net Contents: \_\_\_\_\_

Klatt Chemical Company  
Evanston, IL 60201

ACCEPTED  
MAY 19 1986  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 49549-1

Left Panel

PRECAUTIONARY STATEMENTS  
Hazards to Humans  
and Domestic Animals

DANGER

(18 pt)

Harmful or fatal if swallowed. May cause delayed chemical burns. Phenyl mercuric acetate is toxic and a skin irritant. Avoid skin contact. Wear protective clothing and an approved dust mask when handling. Do not breath dust. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

Environmental Hazards

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water, food or feed by storage or disposal.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


Storage and Disposal

(12 pt)

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



Right Panel

Phenyl Mercuric Acetate is designed for use as a preservative and mildew inhibitor in emulsion paints and is generally compatible with all emulsion coating systems,

- (1) As an in-can preservative in water-based paints and coatings
- (2) As a fungicide in water-based paints and coatings for exterior use only.

It is recommended that 0.10 to 0.15 pounds of Phenylmercuric Acetate per 100 gallons of paint be used for in-can preservation and 1.0 to 3.0 pounds per 100 gallons be used for mildew resistance.

It can be incorporated into the pigment grind or, if the manufacturing procedure of the coating indicates otherwise, Phenyl Mercuric Acetate can be incorporated at any point, providing there is sufficient agitation to ensure complete dispersion.

Phenyl Mercuric Acetate is packaged in pre-measured water soluble bags protected by an outer, water-proof polyethylene bag that is easily opened. In this form, there is protection against moisture and maximum protection is provided plant personnel.

Use of Phenyl Mercuric Acetate will not affect the freeze thaw stability of the paint nor will it discolor or stain white paints or tints.

Phenyl Mercuric Acetate may be used in polyvinylacetate, butadiene styrene, acrylic, and vinyl-acrylic paints as a preservative and mildew inhibitor.

Do not use in paints containing Lithopone. Do not use in paints intended for use in greenhouses.

Seller makes no warranty, expressed or implied, concerning the use of this product other than that indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to instructions.

