

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE
Redline Coumat
Duster

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Redline Products
P.O. Box 690954
Houston, TX 77269-0954

160 / 184281
181

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, at his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 49550-5."
- b. Change ACTIVE INGREDIENTS to singular.
- c. Add a hyphen after "2H."
- d. Change INERT INGREDIENTS to plural
- e. Revise Net Weight/Phosphorus to:

BEST AVAILABLE COPY

Note to Physician: Coumatphos is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL



DATE 6/29/87

is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

- f. Please provide the density of the product on the Confidential Statement of Formula.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

REDLINE
COUMAPHOS
LIVESTOCK DUSTER

Controls Screwworms and Ear Ticks
on
Dairy & Beef Cattle, Sheep, Goats, Swine and Horses

ACTIVE INGREDIENTS:

O,O-Diethyl O-(3-chloro-4-methyl-2-oxo-2H
1-benzopyran-7-yl) phosphorothioate 5.0%

INERT INGREDIENT: 95.5%

KEEP OUT OF REACH OF CHILDREN

WARNING

See Back Panel For Additional Precautionary Statements

Net Weight: 5 OZ.

Manufactured By
REDLINE PRODUCTS
Houston, TX. 77269

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 29 1987

Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

49560-5

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if inhaled. Harmful if absorbed through skin. Avoid inhalation of dust. Avoid contact with skin or eyes. Wash after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center Immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if necessary.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with soap and water. Remove contaminated clothing.

NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before using. Open nozzle by turning tip up. Keep nozzle closed when not in use. Squeeze container to expel dust in short, light cloud. Hold nozzle 2 to 4 inches from area to be treated.

SCREWWORM TREATMENT: Treat infested wounds with light but thorough coverage. Be sure all parts of wound are completely coated. New wounds from docking, dehorning, etc. should be dusted at once with light uniform coat to avoid infestation. Repeat as necessary.

EAR TICK TREATMENT: Dust into ear and also treat the adjacent head area. Use short, sharp pressure on container. Repeat as necessary.

For external insecticidal use only on above-specified animals. Do not contaminate feed, troughs, water, or water utensils. Provide thorough ventilation while dusting. Use caution when dusting in area of face to avoid exposure to eyes.

STORAGE & DISPOSAL

Do not contaminate food, feedstuffs or water during storage. Store in original container, in cool locked storage area. Do not reuse container. Wrap container and dispose in trash collection.