

49585-2

12/21/84

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

111 Jack & Fernway
423 Appleton Street
Elmwood, NJ 08170

DEPT. OF AGRICULTURE

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. (c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration or reregistration of your product under FIFRA sec. (c)(2) when the Agency requests all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 49585-2"
 - b. Add directions for use to the label of all containers of this product and "Pre-harvest Interval" of 14 days and "Pre-harvest interval for use on citrus fruit" of 14 days.
 - c. Add the phrase "Do not use on citrus fruit" to the label of all containers of this product.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/RB-Job:85021:RD-59:Ellenberger:cap;Kendrick:898-1270:12/19/84:del.12/31/84

Registration is... the Administrator... The acceptance... of the product...

[Stamp]

ORIGINAL COPY

SUPER
K-GRO

DEC 21 1984

TOMATO
VEGETABLE DUST

49585-2

Controls Insects and Diseases

NEW
IMPROVED
DUSTER

Active Ingredients:

- *Cap'tan 5.00%
- **Methoxychlor, Technical..... 5.00%
- Rotenone 0.75%
- Other Cube Resins..... 1.50%
- Inert Ingredients:87.75%

*N - [(trichloromethyl) thio]-4-Cyclohexene-1, 2-dicarboximide.
 **Equivalent to 4.4% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and 0.6% other isomers and related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

NET WT. 10 oz.

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

SUPER K-GRO TOMATO VEGETABLE DUST has been formulated for the control of many insects and diseases on tomatoes and vegetables.

APPLICATION: Before using, shake bottle and tap bottom lightly to loosen any settled product. Hold this container so that the discharge nozzle is pointed away from the face and body, then squeeze. Avoid standing in the path of the dust. For successful control of insects and diseases apply dust to all exposed plant parts, including the upper and lower leaf surfaces. For best results, apply dust in early morning or late evening when the temperature is low and the air is calm.

If the dust mixture being discharged becomes too "airy", we recommend the following steps: 1) shake the container lightly, 2) hold the container in a different position or angle and, 3) squeeze. NOTE: Be sure that the discharge nozzle is pointed away from the face and body.

SUPER K-GRO TOMATO VEGETABLE DUST can be used on POTATOES up to 1 day of harvest, on BEANS up to 3 days of harvest, on RASPBERRIES up to 14 days of harvest, and on OTHER LISTED FOOD CROPS up to 7 days of harvest. Any residue on food crops should be washed off before use. For effective insect control, apply dust when insects first appear. Repeat application every 5 to 10 days or as necessary. For best protection against plant diseases, start a regular preventive program by dusting as soon as foliage appears and repeat at 1 to 2 week intervals.

CROPS	GARDEN PESTS	PLANT DISEASES
Tomatoes	Aphids, Thrips, Leafhoppers, Flea Beetles, Blister Beetles, Tomato Fruitworms, Colorado Potato Beetles, Cucumber Beetles, Mexican Bean Beetles	Septoria Leaf Spot, Anthracnose
Beans	Aphids, Thrips, Leafhoppers	
Squash	Aphids, Squashbugs (Nymphs), Leafhoppers, Blister Beetles, Squash Vine Borers	
Eggplant	Aphids, Flea Beetles, Blister Beetles	Phomopsis, Alternaria, Anthracnose
Watermelons Cantaloupes	Aphids, Thrips, Squashbugs (Nymphs) Leafhoppers, Blister Beetles, Fleahoppers, Japanese Beetles Helps to control damage caused by Melon and Pickleworms	
Raspberries	Aphids, Raspberry Fruitworms	Spur blight, Fruit Rot, Anthracnose
Strawberries	Aphids, Leafhoppers, Omnivorous Leaf Tiers, Spittle Bugs	Botrytis Rot
Peppers	Aphids, Leafhoppers, Flea Beetles, Blister Beetles, Tomato Fruitworms, Colorado Potato Beetles, Cucumber Beetles, Mexican Bean Beetles	
Peppers	Thrips, Flea Beetles	Anthracnose, Cercospora

STORAGE & DISPOSAL

Keep in original container. Store in cool, dry place preferably in a locked area.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAL ON: May be harmful if swallowed. Avoid breathing of dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Keep children and pets out of treated areas.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 to 2 glasses of water and induce vomiting by touching finger to back of throat.

IF INHALED: Remove victim to fresh air.

IF IN EYES: Flush with plenty of water.

IF ON SKIN: Wash with soap and water.

NOTE TO PHYSICIAN: Active ingredients contain a cholinesterase inhibitor. Atropine is antidotal. Emergency information - call 1-800-858-7378.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

MANUFACTURED IN U.S.A. FOR K-MART CORPORATION, TROY, MICHIGAN 48064

REGISTERED AND MANUFACTURED BY ALLJACK & COMPANY, PLYMOUTH, MICHIGAN 48170

EPA Est. No. 49585-MI-1

EPA Reg. No.