

4, 5, 6 - 4

1 of 3

JAN 12 1993

Mr. Keith Trombley
Alljack and Company
377 Amelia Street
Plymouth, Michigan 48170

Subject: Revised and Expanded Labeling
Super K-Gro Sevin Brand Carbaryl Insecticide Garden
Dust
EPA Registration Number 49585-4
Your Application Dated September 17, 1992

Dear Mr. Trombley:

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), sec. 3(c)(7)(A), is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the following changes before you release the product for shipment: Change the term "wetlands" in the Environmental Hazards statement to "areas where surface water is present or to intertidal areas below the mean high water mark."
3. According to PR Notice 91-7 the term "Super" implies an efficacy claim and therefore cannot be used as a part of the product name. Since you have not included "super" in product name of proposed label, we shall accept this label, but we suggest that you amend the basic name of this product to remove "super" from it. This can be done via notification.
4. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the

amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (H7505C)



Sevin Garden Dust

IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets out of treated areas.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious person. **IF ON SKIN:** Wash thoroughly with soap and water. Get medical attention if irritation develops. **IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists. **NOTE TO PHYSICIAN:** Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. Emergency information — call 1-800/858-7378

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION: Hold this container away from the face and body. Avoid standing in the path of the dust. Apply dust to all exposed plant parts, including upper and lower leaf surfaces. Apply dust in early morning or late evening when the temperature is low and the air is calm. Always wash off any residue on food crops before use. **FOR BEST RESULTS:** Apply dust when insects first appear or when damage to foliage is first noticed. Repeat as necessary. Reapply after rainfall or watering with a sprinkler. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

CROPS	GARDEN PESTS	COMMENTS
Tomatoes	Fla Beetle, Leafhopper, Tomato Fruitworm, Fall Armyworm, Tomato Hornworm, European Corn Borer	May be used up to harvest
Beans	Mexican Bean Beetle, Beanleaf Beetle, Flea Beetle, Cucumber Beetle, Western Bean Cutworm, Japanese Beetle, Corn Earworm, Armyworm, Velvetbean Caterpillar, Stink Bug	May be used up to harvest
Cabbage, Broccoli, Brussels Sprouts, Cauliflower	Flea Beetle, Harlequin Bug, Corn Earworm, Armyworm, Cabbage Caterpillar	May be used up to 3 days before harvest
Corn	European Corn Borer, Fall Armyworm, Japanese Beetle, Sap Beetle, Flea Beetle, Leafhopper	May be used up to harvest
Cucumbers, Melons, Pumpkin, Squash	Meatworm, Pickworm, Cucumber Beetle, Flea Beetle, Leafhopper, Squash Bug	May be used up to harvest. Do not use on watermelons in Florida. Avoid excessive applications.
Lettuce (head & leaf), Carrots	Flea Beetle, Harlequin Beetle, Leafhopper, Armyworm, Cabbage Caterpillar, Corn Earworm, Spittlebug, Turn-should Plant Bug, Lygus Bug, Stink Bug	May be used on head lettuce up to 3 days before harvest, on leaf lettuce up to 14 days before harvest. Carrots — up to harvest.
Peppers, Potatoes, Eggplants	Colorado Potato Beetle, Flea Beetle, Leafhopper, Fall Armyworm, Tomato Hornworm, Tomato Fruitworm, European Corn Borer, Stink Bugs, Lygus Bug, Turn-should Plant Bug, Lace Bug	May be used up to harvest
Strawberries	Strawberry Leafhopper, Leafhopper (Spittlebug), Lygus Bug, Flea Beetle	May be used up to 1 day before harvest
Collards, Mustard, Greens, Spinach, Swiss Chard	Flea Beetle, Stink Bug, Corn Earworm, Leafhopper, Armyworm	May be used up to 14 days before harvest
Grapes	Grape Leafhopper, Grape Leaf Folder, Grape Berry Moth, Grape Leaf Skeletonizer, Japanese Beetle, June Beetle	May be used up to harvest

To control fleas and ticks in home lawns, apply uniformly at the rate of one (1) pound per 250 sq. ft.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

STORAGE AND DISPOSAL

STORAGE: Keep in original container. Store in a cool, dry place, preferably in a locked storage area inaccessible to children. **DISPOSAL:** Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

REGISTERED & MANUFACTURED BY
KROGER AND COMPANY
P.O. BOX 11111
CINCINNATI, OH 45211

EPA Reg. No. 49586-4
EPA Est. No. 28060-001-1



MADE IN THE
USA
FOR FARM CORPORATION
TULY, MICHIGAN 48864



Sevin Garden Dust

brand
carbaryl
insecticide

KILLS ARMYWORMS, TOMATO HORNWORMS, LEAFHOPPERS AND MANY OTHER LISTED PESTS.



ACTIVE INGREDIENT:
CARBARYL (1-NAPHTHYL N-METHYL-CARBAMATE)..... 5.00%
INERT INGREDIENTS..... 95.00%
TOTAL..... 100.00%

*Sevin is a registered trademark of Rhona-Poulenc for carbaryl insecticides.

Keep out of reach of children

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. READ ENTIRE LABEL.

NET WT 1 LB