

FRONT PANEL

Sevin® brand carbaryl insecticide Garden Dust

[Kills: Armyworms, tomato Hornworms, Leafhoppers, and many other listed pests.]

Optional Art Work of Target Pests:

[Caterpillar]

[Armyworm]

[Leafhopper]

[Beetle]

ACTIVE INGREDIENTS:

\*Carbaryl: 1-naphthyl N-methylcarbamate ..... 5.00%

INERT INGREDIENTS: ..... 95.00%

[TOTAL: ..... 100.00%]

[\*Sevin® is a registered trademark of Rhône-Poulenc for carbaryl insecticides.]

Keep Out Of Reach Of Children

CAUTION

See back panel for additional precautionary statements.

Read entire label.

NET WT. [MASS] [1] LB. [(453 g)]

ACCEPTED  
AUG 25 1994  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 49585-4

BACK PANEL

IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ AND FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets out of treated areas.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. Get medical attention immediately.

If on Skin: Wash thoroughly with soap and water. Get medical attention if irritation develops.

If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

Note to Physician: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. Emergency information - call 1-800-858-7378.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**APPLICATION:** Apply dust to all exposed plant parts, including upper and lower leaf surfaces. Apply dust in early morning or late evening when the temperature is low and the air is calm. Always wash off any residue on food crops before use. **FOR BEST RESULTS:** Apply dust when insects first appear or when damage to foliage is first noticed. Repeat as necessary. Reapply after rainfall or watering with a sprinkler. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

<b>CROPS</b>	<b>Days between application and harvest</b>	<b>GARDEN PESTS</b>
Tomatoes	0	Flea Beetle, Leafhopper, Tomato Fruitworm, Fall Armyworm, Tomato Hornworm, European Corn Borer.
Beans	0	Mexican Bean Beetle, Beanleaf Beetle, Flea Beetle, Cucumber Beetle, Western Bean Cutworm, Japanese Beetle, Corn Earworm, Armyworm, Velvetbean Caterpillar, Stink Bug.
Cabbage, Broccoli, Brussel Sprouts, Cauliflower	3	Flea Beetle, Harlequin Bug, Corn Earworm, Armyworm, Cabbage Caterpillar.
Corn	0	European Corn Borer, Fall Armyworm, Japanese Beetle, Sap Beetle, Flea Beetle, Leafhopper.
Cucumbers, Melons, Pumpkin, Squash	0	Melonworm, Pickleworm, Cucumber Beetle, Flea Beetle, Leafhopper, Squash Bug.
Do not use on watermelons in Florida. Avoid excessive applications.		
Lettuce: head	3	Flea Beetle, Harlequin Beetle, Leafhopper,
leaf	14	Armyworm, Cabbage Caterpillar, Corn Earworm,
Carrots	0	Spittlebug, Tarnished Plant Bug, Lygus Bug, Stink Bug.
Peppers, Potato, Eggplant	0	Colorado Potato Beetle, Flea Beetle, Leafhopper, Fall Armyworm, Tomato Hornworm, Tomato Fruitworm, European Corn Borer, Stink Bugs, Lygus Bug, Tarnished Plant Bug, Lace Bug.
Strawberries	1	Strawberry Leafroller, Leafhopper, Spittlebug, Lygus Bug, Flea Beetle.
Collards, Mustard Greens, Spinach, Swiss Chard	14	Flea Beetle, Stink Bug, Corn Earworm, Leafhopper, Armyworm.
Grapes	7	Grape Leafhopper, Grape Leaf Folder, Grape Berry Moth, Grape Leaf Skeletonizer, Japanese Beetle, June Beetle.



To control fleas and ticks in home lawns, apply uniformly at the rate of one (1) pound per 250 sq. ft.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

**STORAGE AND DISPOSAL**

**Storage:** Keep in original container. Store in a cool, dry place, preferably in a locked storage area inaccessible to children.

**Disposal:** Do not reuse empty container. Securely wrap container in several layers of newspaper and discard in trash.

Made in the USA for KMart Corporation, Troy, Michigan 48084

Registered and Manufactured by Alljack & Company, Plymouth, Michigan 48170

EPA Reg. No.: 49585-4

EPA Est. No.: 49585-MI-1 A, 769-GA-1 C, 42056-IL-1 E, 44616-MO-1 H, 42761-MS-1 N,  
9591-OH-1 O

Superscript used is first letter of lot number.

