

**IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.**

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.**

**SUPER K-GRO ROSE & FLORAL DUST** has been formulated for the control of many insects and diseases on Roses and other flowers such as Chrysanthemums, Phlox, Gladioluses, Snapdragons, Irises, Carnations, Zinnias, Marigolds and Asters.

**APPLICATION:** Before using, shake bottle and tap bottom lightly to loosen any settled product. Hold this container so that the discharge nozzle is pointed away from the face and body, then squeeze. Avoid standing in the path of the dust. For successful control of insects and diseases apply dust to all exposed plant parts, including the upper and lower leaf surfaces. For best results, apply dust in early morning or late evening when the temperature is low and the air is calm.

If the dust mixture being discharged becomes too "airy," the following steps are recommended: 1) shake the container lightly, 2) hold the container in a different position or angle and, 3) squeeze.

**CONTROL OF INSECTS:** Apply dust when insects first appear or when damage to foliage is first noticed. Repeat application as necessary.

**CONTROL OF DISEASES:** Start a regular preventive program by dusting as soon as foliage appears. Under normal conditions, apply every 7 to 10 days during the growing season. Applications should be made twice a week during periods of rapid growth or during severe infection caused by frequent summer rains or high humidity. Treat at least once a week during periods of moderate infection. Reapply after rainfall or watering with sprinkler.

**IMPORTANT:** Do not use on Boston Ivy or Japanese Maple. Do not use on certain species of Crassula (example: Jade Plant) or certain ferns including Boston, Maidenhair and Pteris. Do not use within 2 weeks of an oil spray treatment.

**INSECTS & DISEASES CONTROLLED ON ROSES & OTHER FLOWERS:** Aphids, Japanese Beetles, Rose Chaffer, Rose Leafhoppers, Leaf Rollers, Rose Slugs, Lacebugs, Boxwood Leaf Miner, Bagworms, Scale Crawlers, Powdery Mildew, Leaf Spot and Black Spot.

### STORAGE & DISPOSAL

Keep in original container. Store in a cool, dry place preferably in a shaded area.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, inhaled or absorbed through the skin. May cause eye irritation. Avoid contact with the eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Keep children and pets off treated areas.

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF ON SKIN:** Wash thoroughly with soap and water. Get medical attention if irritation persists.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

**NOTE TO PHYSICIAN:** Active ingredients contain a cholinesterase inhibitor. Atropine is antidotal. Emergency information — call 1-800-858-7378.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

MANUFACTURED IN U.S.A. FOR   
CORPORATION TROY, MICHIGAN 48064

REGISTERED AND MANUFACTURED BY  
PLYMOUTH, MICHIGAN 48170

EPA EST. NO. 49585-MI-1

 ALL-JACK

EPA REG. NO. 49585-6

CONTROLS  
BLACK SPOT

SUPER  
K-GRO

433320116  
\$3.77

# Rose & Floral Dust

CONTROLS INSECTS AND DISEASES

As Listed On This Label

ACCEPTED

APR 27 1987

Federal Insecticide,  
Fungicide and  
Rodenticide Act  
of the Pesticide

BEST AVAILABLE COPY

### Active Ingredients

\*\*Carbaryl (1-naphthyl N-methylcarbamate) ..... 3.0%  
\*\*Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate) ..... 4.0%  
\*\*Folpet ..... 5.0%

### Inert Ingredients

\*\*SEVIN - Registered Trademark of Union Carbide Corporation for Carbaryl Insecticide  
\*\*CYTHION - Registered Trademark of American Cyanamid Company  
\*\*N - [(Trichloromethyl) thio] phthalimide (PHALIAN®) ..... 88.0%

By Wt.  
3.0%  
4.0%  
5.0%  
88.0%

Keep out of Reach of Children

**CAUTION**

See back panel for additional precautionary statements.  
Read entire label.

NET WT. 10 OZ.

