Sitty - Mill of the CT

US ENVIRONMENTAL PRI TION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-76-7) WASHINGTON, DC 20460

NOTICE OF PESTICIDE: FRENE GISTRATION REHE GISTRATION

(Under the Federal Insecticide, Funcicide and Rodentis (de Act., is omended)

LPA REGISTRATION

APR 3 1989

NAME OF PESTICIDE PRODUCT

Fuper F-Gro Byr one" Garden

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

-

Alijack & No og 377 Amelia street Flynouts, Mills 215158/150 215158/150

NOTE. Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information (urnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indersement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is report: tally restricted at accordance with PTHEA section $R(\sigma)(\Delta)$ provided that your

- 1. Submit/city L^2 of required for redistration/reregistration of year province under FIFP which $z(z)^{(r)}$ when the Autor requires all registratis of similar modulations such data.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "FPA Registration No. 49585-11."
 - t. If at all possible, the following Statement of Practical Treatment should appear on the front panel of your label:

STATEMENT OF PRACTICAL TREATMENT

IF SULT CONTED: Contact a physician or Poison

Control Center. Induce vomiting by tourning back of throat with

finger. Do not induce vomiting or give anything by mouth to an

unconscious person.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

4/3/89

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

IF IN EYES: Flush eyes with plenty of water.

Contact a physician if irritation

persists.

IF ON SKIN: Wash thoroughly with soap and

water. Contact a physician if

irritation persists.

IF INHALED: Remove affected person to fresh

air. Apply artificial respiration

if indicated.

NOTE: Emergency information call 1-800-858-7378.

c. Please update the Storage and Disposal statements on your label per PR Notice 84-1. The Container Disposal statement must advise rinsing container.

- d. The solvent used in this product is not considered to be an active ingredient so either report it under inert ingredients on the label or provide the EPA Registration Number for the source product and justify its insecticidal properties.
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Phil Hutton

Product Manager (17)

Insecticide-Rodenticide Branch Registration Division (H7504C)

Enclosures

Super $K-Gro^R$

Pyrenone^R

Garden Dust

ACCIAISTAN with COLT LINE in EPA Letter Dated.

Under the formula to children for a declar to the delivery of the formula to the declar to the decla

Controls Insects
As Listed on This Label

Active Ingredients:

Pyrethrins* *Piperonyl Butoxide, Technical Petroleum Distillate	1.00%
Inert Ingredients:	97.00%
Total:	00.00%

*Equivalent to 0.8% (butylcarbityl)(6-propylpiperonyl) ether and 0.2% related compounds.

Pyrenone- Registered trademark of Fairfield American Corporation.

Keep out of Reach of Children

Caution

See back panel for additional precautionary statements.
Read entire label.

Net Wt. 10 oz.

IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: "armful if swallowed or inhaled. Do not get in eyes, on skin or on clotning. Avoid inhalation of dust. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

TF SWALLOWED: Contact a physician or Poison Control Center. Induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES Flush eyes with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water. Contact a physician if irritation persists.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

NOTE: Emergency information call 1-800-858-7378.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LAREL CAUTIONS AND DIRECTIONS. SUPER K-GRO PYRENONE GARDEN DIST may be used throughout the growing season; or as a preharvest treatment. For use up to the day of harvest on Edible Plants.

APPLICATION: Before using, shake bottle and tap bottom lightly to loosen any settled product. Hold this container so that the discharge nozzle is pointed away form the face and body, then squeeze. Avoid standing in the path of the dust.

For successful control of insects, apply dust only when insects are present and repeat as necessary. Apply dust uniformly to upper and lower leaf surfaces. For best results apply dust in early morning or late evening when the temperature is low and the air is calm.

If the dust mixture being discharged becomes to "airy", the following steps are recommended: 1) shake the container lightly, 2) hold the container in a different position or angle and, 3) squeeze.

CROP	TO CONTROL
Asparagus	Asparagus Beetles
Beans	Aphids, Leafhoppers, Mexican Bean Beetles
Broccoli, Cabbage, Brussel Sprouts, Cauliflower	Cabbage Loopers, Diamondback Moth Larvae, Flea Beetles, Harlequin Bugs, Imported Cab- bageworms
Celery	Cabbage Loopers, Leaf Tiers
Lettuce	Cabbage Loopers, Diamondback Moth Larvae, Imported Cabbage- worms
Potatoes	Aphids, Colorado Potato Bee- tles, Flea Beetles, Leafhop- pers
Radishes	Aphids, Flea Beetles
Spinach	Aphids, Cabbage Loopers, Web- worms
Tomatoes	Green Peach Aphid, Flea Bee-
Ornamentals	Aphids, Flea Beetles, Leathoppers on: African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladiolus, Marigolds, Roses, etc.

STORAGE & DISPOSAL

E

STORAGE: Keep in original container. Store in a cool, dry place, preferably in a locked storage area inaccessible to children.

DISPOSAL: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Manufactured in U.S.A. for Kmart Corporation, Troy, Michigan 48084

Registered and Manufactured by Alljack & Company, Plymouth, Michigan 48170

EPA Est. No. 49585-MI-1

EPA Reg. No. 49585-

