FRONT PANEL

[Ready To Use]

SUPER K-GRO® DURSBAN® 1/2G Granular Insecticide

[Controls: Chinch Bugs, Sod Webworms (Lawn Moths), Ants, Brown Dog Ticks, Crickets, Cutworms, Earwigs, Fire Ants, Sowbugs (Pillbugs), Certain White Grubs and Hyperodes (Turfgrass) Weevils Infesting Home Lawns and Other Ornamental Turf Areas.]
[Treats Up to 5,000 sq.ft.]

Optional Art Work of Target Pests:

[Fire Ants]

[Ants]

[*DURSBAN® is a registered trademark of DowElanco]

Keep Out of Reach of Children CAUTION See additional precautionary statements on back of bag. Read Entire Label.

NET WT. [MASS] [10] LBS. [(4.53 kg)]

ACCEPTED

SEP 23 1994

Under the Federal Innesticide.
Fungicide, and Redemicide Act.
or appended, for the postcide

BACK PANEL

IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ AND FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Keep out of reach of children. Harmful if swallowed. Do not take internally. Avoid eye contact. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before re-use. Keep children and pets off treated areas until this material is washed into the soil, and grass is dry. Keep away from food, feedstuffs and domestic water supplies.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Induce vomiting immediately by giving two glasses of water and sticking finger down throat. Call a Physician.

If Inhaled: Remove victim to fresh air. If symptoms occur, get medical attention.

If On Skin: Wash thoroughly with soap and water.

If In Eyes: Flush with plenty of water and get medical attention.

Note To Physician: Active Ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection, is an antidote. Emergency information - call 1-(800)-858-7378.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. FOR HOMEOWNER USE ONLY.

FOR LAWNS AND OTHER ORNAMENTAL TURF AREAS

To Control:

Ants

Armyworms Billbugs

Brown Dog Ticks Chinch Bugs

Clover Mites

Crickets

Cutworms Earwigs Fleas

Fire Ants Grasshoppers

Hyperodes Turfgrass Weevils

Mole Crickets

Sod Webworms (Lawn Moths)

Sowbugs (Pillbugs)


White Grubs

Apply [Super K-Gro Dursban 1/2G Granular Insecticide] uniformly to home lawns and other ornamental and recreational turf grass areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear.

To help obtain uniform distribution, apply one-half the required amount of product in one direction; then apply the balance at a right angle. Immediately after application, sprinkle the turf with water so as to wash the granules into the zone of insect infestation. Consult the following table to determine amounts of [Super K-Gro Dursban 1/2G Granular Insecticide] and water needed. Re-treat as necessary, but not more often than once per every 7 days.

RATES OF USE

TUTTED OF ODE		
Area to be Treated	Pounds of [Super K-Gro Dursban 1/2G Granular Insecticide]	Gallons of water to Sprinkle on Turf after Treatment
1,000 sq.ft.	5	30
5,000 sq.ft.	25	150



Optional Spreader Setting Section:

SUGGESTED SPREADER SETTINGS*

Spreader Make and Model	To Apply 5 lbs./1,000 sq.ft.
Central Drop Spreader (Plastic) - 8" Wheels	5 1/2
Central Broadcast	5
Cyclone	6
Greenview Jet-spread®	6
Greenview Show 'N' Tell	10
Greenview Drop-spread	6
Ortho Drop Spreader #5000	8
Ortho Broadcast Spreader #6000	8
Precision Drop Spreader (Red Devil) #FH22	7
Precision Broadcast Spreader (Red Devil) #SB-50-P	8
Prize Lawn Drop Spreader	7
Prize Lawn Breadcast Spreader	13
Scotts Accugreen Drop Spreader #AG-1	8
Scotts Easygreen Rotary Spreader #ER-2	33
Scars Drop Spreader (Plastic)	8
Sears Broadcast Spreader	5

^{*}Spreader settings are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust the spreader setting, if necessary, in order to assure correct rate of application.

[FIRE ANT CONTROL:] To each Fire Ant mound, apply 4 oz. (one cup) evenly over and around each mound. FOR BEST RESULTS: Apply granules during cool weather, 60°-85°F or in early morning or late evening. Treat new mounds as they appear.

[WHITE GRUB CONTROL:] To control certain White Grubs (larvae of European chafer and Japanese beetle) use two to four times the amounts of [Super K-Gro Dursban 1/2G Granular Insecticide] suggested. Apply the granules uniformly over the area treated. For best results, immediately after application thoroughly water area to wash the insecticide into the turf. Treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.

[HYPERODES (TURFGRASS) WEEVIL CONTROL:] To control Hyperodes (turfgrass) weevils use twice the rate of [Super K-Gro Dursban 1/2G Granular Insecticide] shown in the table. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

STORAGE AND DISPOSAL

Storage: Keep in original container. Store in a cool, dry place preferably in a locked storage area inaccessible to children.

Disposal: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Made in the U.S.A. for KMart Corporation, Troy, Michigan 48084
Registered and Manufactured by Alljack & Company, [377 Amelia,] Plymouth, Michigan 48170

EPA Reg. No. 49585-16 EPA Est. No. (A) 49585-MI-1 (B) 44616-MO-01 (C) 769-GA-1 Superscript is the first letter of lot number.

4/4/94