Contains 1.00% Dursban

## SUPER K-GROR

# DURSBANR GRUB & INSECT

#### CONTROL

Controls: Fleas, Grasshoppers, Ants, Armyworms, Chinch Bugs, Cutworms, Crickets, Sod Webworms (Lawn Moths), White Grubs, Billbugs, Mole Crickets, Earwigs, Fire Ants, Sowbugs (Pillbugs), Brown Dog Ticks, Clover Mites, Hyperodes Turfgrass Weevils

ACTIVE INGREDIENT:	By Wt.
*Chlorpyrifos 0,0-diethyl 0-(3,5,6-trichloro-2-pyridy) phosphorothioate	1.00%
INERT INGREDIENTS	<u>99.00%</u> 100.00%

\*DURSBANR- Req. TM of the Dow Chemical Company


### Keep Out of Reach of Children

### CAUTION

See additional precautionary statements on back of bag.

Treats Up to  $\gamma = -\beta_1$ . Ft.

NET WT. 10 LBS.



4-11-89

IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Keep out of reach of children. Harmful if swallowed. Do not take internally. Avoid eye contact. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before re-use. Keep children and pets off treated areas until this material is washed into the soil, and grass is dry. Keep away from food, feedstuffs and domestic water supplies.

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Induce vomiting immediately by giving two glasses of water and sticking finger down throat. Call a Physician.

IF INHALED: Remove victim to fresh air. If symptoms occur, get medical attention.

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

NOTE TO PHYSICIAN: CHLORPYRIFOS IS A CHOLINESTERASE INHIBITOR. TREAT SYMPTOMATICALLY. ATROPINE, ONLY BY INJECTION, IS AN ANTIDOTE. Emergency information— call 1-(800)-858-7378.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by disposing of equipment washwaters. Apply this product only as specified on this label.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### FOR LAWNS AND OTHER ORNAMENTAL TURF AREAS

#### To Control:

Fleas Ants Fire Ants Armyworms Billbugs Grasshoppers Hyperodes Turfgrass Weevils
Mole Crickets Brown Dog Ticks Chinch Bugs Sod Webworms (Lawn Moths) Clover Mites Sowbugs (Pillbugs) Crickets White Grubs Cutworms Earwigs

Apply Super K-Gro<sup>R</sup> Dursban Grub & Insect Control uniformly to home lawns and other ornamental and recreational turf grass areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear.

To help obtain uniform distribution, apply one-half the required amount of product in one direction; then apply the balance at a right angle. Repeat application as necessary, but not more often than once per every 7 days. For best results, immediately after application sprinkle the turf with water to wash the granules into the zone of insect infestation. Consult the following table to determine amounts of Super K-Gro Dursban Grub & Insect Control needed.

# SPREADER SETTING NO. (per 1,000 sq. ft.)

Spreader Make and Model	For Soil Surface Insects to Deliver 2 Lbs./1,000 Sq. Ft.	For Soil Grubs to Deliver 4 Lbs./1,000 Sq. Ft.
Central	7	8
Cyclone	3 3/4	4 1/2
Glorian	-	a
Graenfield	i	·
Jackson	5 1/2	6 1 2
Jet Spread	3 3/4	4 1/2
MTD	2 3/4	3 1/2
Ortho Broadcast (Model 4000)	1 1/2	5

Ortho Drop (Model 3000)	6	7
Queen Turf	7	8
Scott (Model PF-1)	5	6 1/2
Scotts Rotary (Model ER-2)	25 1/2	27 1/2
Sears	7	8
Show-N-Tell	7	8

To each Fire Ant mound, apply 4 oz. (one cup) evenly over and around each mound. After application, gently sprinkle the treated area with one to two gallons of water; if water is applied too fast the Fire Ants may be disturbed and relocate the mound. FOR BEST RESULTS: Apply granules during cool weather, 60-85°F or in early morning or late evening. Treat new mounds as they appear.

To control certain white grubs (larvae of European chafer and Japanese beetle) use two to four times the amounts of Super K-Gro Dursban Grub & Insect Control. Apply the granules uniformly over the area treated. For best results, immediately after application thoroughly water area to wash the insecticide into the turf. Treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.

To control Hyperodes (turfgrass) weevils use twice the rate of Super K-Gro Dursban Grub 3 Insect Control shown in the table. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

#### STORAGE AND DISPOSAL

STORAGE: Keep in original container. Store in a coo!, dry place preferably in a locked storage area inaccessible to children.

DISPOSAL: Do no reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

MANUFACTURED IN THE U.S.A. FOR KMART CORPORATION, TROY, MI 48084
Registered and Manufactured by Alljack & Company,
Plymouth, MI 48170

EPA Est. No. 49595-MI-1

EPA Reg. No. 49585-17