

Contains  
1.00%  
Dursban

111E 1585 1 1 1

**SUPER K-GRO<sup>R</sup>**  
**DURSBAN<sup>R</sup> GRUB & INSECT**  
**CONTROL**

Controls: Fleas, Grasshoppers, Ants, Armyworms, Chinch Bugs,  
Cutworms, Crickets, Sod Webworms (Lawn Moths), White Grubs,  
Billbugs, Mole Crickets, Earwigs, Fire Ants, Sowbugs (Pillbugs),  
Brown Dog Ticks, Clover Mites, Hyperodes Turfgrass Weevils

ACTIVE INGREDIENT:	By Wt.
*Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate].....	1.00%
INERT INGREDIENTS: .....	99.00%
TOTAL .....	100.00%

\*DURSBAN<sup>R</sup> - Reg. TM of DowElanco



Keep Out of Reach of Children

CAUTION

See additional precautionary statements on back of bag.

Treats Up to 5,000 Sq. Ft.

NET WT. 10 LBS.



**IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Keep out of reach of children. Harmful if swallowed. Do not take internally. Avoid eye contact. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before re-use. Keep children and pets off treated areas until this material is washed into the soil, and grass is dry. Keep away from food, feedstuffs and domestic water supplies.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Induce vomiting immediately by giving two glasses of water and sticking finger down throat. Call a Physician.

**IF INHALED:** Remove victim to fresh air. If symptoms occur, get medical attention.

**IF ON SKIN:** Wash thoroughly with soap and water.

**IF IN EYES:** Flush with plenty of water. Call a physician if irritation persists.

**NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection, is an antidote. Emergency information - call 1-(800)-858-7378.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by disposing of equipment washwaters. Apply this product only as specified on this label.

**DIRECTIONS FOR USE**


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## FOR LAWNS AND OTHER ORNAMENTAL TURF AREAS

To Control:	Ants	Fleas
	Armyworms	Fire Ants
	Billbugs	Grasshoppers
	Brown Dog Ticks	Hyperodes Turfgrass Weevils
	Chinch Bugs	Mole Crickets
	Clover Mites	Sod Webworms (Lawn Moths)
	Crickets	Sowbugs (Pillbugs)
	Cutworms	White Grubs
	Earwigs	

Apply Super K-Gro DURSBAN Grub & Insect Control uniformly to home lawns and other ornamental and recreational turf grass areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear.

To help obtain uniform distribution, apply one-half the required amount of product in one direction; then apply the balance at a right angle. Repeat application as necessary, but not more often than once per every 7 days. For best results, immediately after application sprinkle the turf with water to wash the granules into the zone of insect infestation. Consult the following table to determine amounts of Super K-Gro DURSBAN Grub & Insect Control needed.



**SPREADER SETTING NO.  
(per 1,000 sq. ft.)**

<b>Spreader Make and Model</b>	<b>For Soil Surface Insects to Deliver 2 Lbs./1,000 Sq. Ft.</b>	<b>For Soil Grubs to Deliver 4 Lbs./1,000 Sq.Ft.</b>
Central Drop Spreader (Plastic)	5	7
Central Broadcast	3 1/2	4 1/2
Cyclone	4 1/2	5 1/2
Greenview Jet- spread <sup>R</sup>	4 1/2	5 1/2
Greenview Show 'N' Tell	7	9
Greenview Drop-spread <sup>TM</sup>	4 1/2	5 1/2
Ortho Drop Spreader	4 1/2	6 1/2
Ortho Broad- cast Spreader	4	9
Precision Drop Spreader	4	6
Precision Broad- cast Spreader	5	9
Prize Lawn Drop Spreader	4	6
Prize Lawn Broad- cast Spreader	8	12
Scotts Drop Spreader	6	10
Scotts Broad- cast Spreader	27	31
Sears Drop Spreader (Plastic)	5	7
Sears Broad- cast Spreader	3 1/2	4 1/2

To each Fire Ant mound, apply 4 oz. (one cup) evenly over and around each mound. After application, gently sprinkle the treated area with one to two gallons of water; if water is applied too fast the Fire Ants may be disturbed and relocate the mound. **FOR BEST RESULTS:** Apply granules during cool weather, 60-85° F or in early morning or late evening. Treat new mounds as they appear.

To control certain White Grubs (larvae of European chafer and Japanese beetle) use two to four times the amounts of Super K-Gro DURSBN Grub & Insect Control. Apply the granules uniformly over the area treated. For best results, immediately after application thoroughly water area to wash the insecticide into the turf. Treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.

To control Hyperodes (turfgrass) weevils use twice the rate of Super K-Gro DURSBN Grub & Insect Control shown in the table. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

---

#### STORAGE AND DISPOSAL

**STORAGE:** Keep in original container. Store in a cool, dry place preferably in a locked storage area inaccessible to children.

**DISPOSAL:** Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

---


**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

MADE IN THE U.S.A. FOR KMART CORPORATION, TROY, MI 48084

REGISTERED AND MANUFACTURED BY ALLJACK & COMPANY,  
PLYMOUTH, MI 48170

EPA Reg. No. 49585-17

EPA Est. No. (A)	(B)
49585-MI-1	10404-OH-03
(C)	(D)
6720-FL-01	2393-IL-3
(E)	(F)
10370-TX-1	8378-IN-1
(G)	(H)
42056-IL-1	9591-OH-1
(I)	(J)
769-GA-1	34704-NB-01



Superscript used is first letter of lot number.