

FRONT PANEL

[Ideal for Gardens!]

K GRO® SNAIL & SLUG BAIT

- [Attracts and Kills Snails & Slugs.]
- [Protects Ornamentals, Flowers, Fruits and Vegetables from Snail & Slug Damage.]
- [Effective after rainfall.]
- [Can be used around Fruits & Vegetables.]
- [Ready to Use Bait.]

Optional Art Work of Target Pests:

[Snail]

[Slug]

ACTIVE INGREDIENT:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane) 2.0%


INERT INGREDIENTS:..... 98.0%

[TOTAL = 100.0%]

Keep out of reach of children

CAUTION

This pesticide may be fatal to dogs or other pets if eaten.
 Keep pets out of treated area.
 See back panel for additional precautionary statements.
 Read Entire Label



NET WT. [MASS] [2 1/4] LBS. [(1 kg)]

BACK PANEL

[K GRO® Snail & Slug Bait]

IMPORTANT: TO AVOID DAMAGE OR POOR RESULTS, CAREFULLY READ AND FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. Avoid contamination of food and feedstuffs.

IMPORTANT: Keep away from children, dogs and other pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard. Follow Storage and Disposal Directions.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. Get medical attention immediately.

If Inhaled: Remove to fresh air. If affected person is not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

2003

If In Eyes: Flush eyes with plenty of water. Call a physician if irritation persists.
If On Skin: Wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

Questions or Comments? Call 800-645-4957

[ABOUT SNAILS & SLUGS

Snails and slugs are mollusks. Slugs are 1-2 inches long and lack the shell found on snails. Snails and slugs feed at night or on overcast, damp days, and prefer succulent plant tissue, especially young seedlings.]

[Snails and slugs hide in shady areas such as under rocks, boards, ground covers or other low growing plants. They lay their eggs in clusters under debris, stones or below the soil surface. The eggs hatch in about a month, in favorable conditions, and the new snails and slugs immediately begin eating. As they eat they migrate to new areas to find more food. Because of this migrating habit, it is impossible to completely eliminate your snail and slug problems. However, by using a consistent baiting program, snails and slugs can be controlled and damage from these pests reduced.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. FOR OUTDOOR USE AROUND THE HOME ONLY.

[K GRO® Snail & Slug Bait][This product] is specially formulated to attract and kill snails and slugs around many fruits, vegetables, flowers, ornamentals, and ground covers around the home.

GENERAL: For best result apply early evening to damp soil. If needed, water area prior to application. Reapply bait every two weeks as needed, or more often during periods of heavy rain or overhead watering.

Broadcast the bait lightly over the infested area using 1 lb. per 1750 sq.ft.

To prevent snails and slugs from entering gardens from other areas, lightly apply a band 2-3 inches wide around the border of the area to be protected.

Before applying this product, remove debris such as loose boards, stones, bricks, or other material where snails and slugs are likely to be found.

FLOWERS, GROUNDCOVERS AND ORNAMENTALS: Lightly broadcast in and around flowers, groundcovers and ornamentals, making sure the bait penetrates dense foliage. Can be used around many Flowers, Groundcovers and Ornamentals including Asters, Azaleas, Camellias, Chrysanthemums, Coleus, Dusty Miller, Geraniums, Gladiolus, Impatiens, Iris, Lily, Myrtle, Petunias, Pachysandra, Rhododendrons, Roses, Stock, Sweet Peas, and Zinnias.

FRUITS AND VEGETABLES: Lightly broadcast around the fruits and vegetables listed below. Do not allow bait to contact edible plant part. Can be used around many Fruits and Vegetables including Apples, Blackberries, Blueberries, Cherries, Citrus, Grapes, Melons, Peaches, Plums and Strawberries, Asparagus, Beans, Beets, Broccoli, Cabbage, Carrots, Cauliflower, Corn, Cucumbers, Eggplants, Garlic, Lettuce, Onions, Parsnips, Peas, Peppers, Potatoes, Radishes, Rutabagas, Spinach, Squash, Swiss Chard, Tomatoes and Turnips.

STORAGE AND DISPOSAL

Store this product in its original container in a cool, dry area out of reach of children and domestic animals, preferably in a locked storage area. Do not store near food or feedstuffs. Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Buyer assumes responsibility for all safety and use not in accordance with directions.

Made in the USA [for Kmart Corp., Troy, Michigan 48084]

Registered and Manufactured by Alljack & Company, 377 Amelia Street, Plymouth, Michigan 48170

EPA Reg. No. 49585-27

EPA Est. No. (A) 49585-MI-1, (U) 9688-MO-1

Superscript used is the first letter of lot number.