

Reg # 19784-2
Fru 11 1978

-2-

6. Please provide a viscosity measurement for your product.

7. Please update the storage and disposal statement on the label per PR notice 83-3.

8. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

W A R N I N G

HUMANS: Harmful if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin or eyes. Avoid contamination of feed or foodstuffs. Wash hands with soap and water after using.

ANIMALS: Avoid contact with animal's eyes. Do not spray on nursing animals.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE: KEEP AWAY FROM HEAT OR OPEN FLAME.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY.

IF IN EYES: Flush with plenty of water. See a physician immediately.

IF ON SKIN: Wash with soap and water. Get medical attention if irritation persists.

LOT NO.:

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 17 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
49784-7

Page 49784 10/15

FRONT PANEL

RESEARCH'S
TICK & FLEA SPRAY

FOR CATS KITTENS-PUPPIES-DOGS-HORSES

For the control of Fleas, Ticks and Lice on Dogs, Cats, and Horses, and for temporarily repelling Gnats, Mosquitoes and Biting Flies.

ACTIVE INGREDIENTS:

Pyrethrins	0.15%
*Piperonyl butoxide, technical	1.50%
n Octyl bicycloheptene dicarboximide	0.50%
2,3:4,5 bis(2-butylene)tetrahydro 2-furaldehyde	0.50%
**INERT INGREDIENTS:	<u>97.35%</u>
TOTAL 100.00%	

*Equivalent to 1.2% (butylcarbityl) (6 propylpiperonyl) ether and 0.3% related compounds.

**Inert ingredients include a grooming agent to ease combing and brushing of coat to remove dead fleas, ticks and lice.

KEEP OUT OF THE REACH OF CHILDREN

W A R N I N G

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS
NET CONTENTS: 16 FL. OZ. (473 ml)

MANUFACTURED BY:

RESEARCH LABORATORIES, INC.
P. O. BOX 430140
HOUSTON, TEXAS 77243

EPA Reg. No. 49784-
EPA Est. No. 49784 TX-1

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE ONLY IN A WELL VENTILATED AREA. REMOVE BIRDS AND COVER AQUARIUMS BEFORE SPRAYING. REMOVE SAFETY CAP AND INSERT SPRAYER.

CATS AND DOGS: Cover animal's eyes with hand and with a firm fast stroke, to get a proper spray mist. spray head, ears and chest until damp. With finger tips rub into face around mouth, nose and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long haired dogs rub your hand against the lay of the hair. Make sure spray thoroughly wets ticks. Repeat treatment as needed.

PUPPIES AND KITTENS: Spray only along back or on your finger tips and rub in with your finger tips. Do not use on puppies or kittens under 4 weeks of age.

PET SLEEPING QUARTERS: Spray around baseboards, windows, door frames, wall cracks and local area of floors. If mosquitoes, gnats or flies are present, spray lightly into the air. Repeat as needed. The bedding should be sprayed and then replaced with fresh bedding for best results.

HORSES: To control stable flies, horse flies, deer flies and face flies apply to face, legs, flanks, topline and other body areas commonly attacked by these flies. Repeat treatment as needed.

STORAGE AND DISPOSAL

Do not contaminate feed or foodstuffs by storage or disposal. Do not reuse empty container. Wrap empty container and put in trash collection.