

FRONT PANEL

Ritter's

TICK

and

FLEA

ACCEPTED

MAY 19 2000

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 49784-3

powder

for dogs and cats

CAUTION: Keep out of reach of children
See back panel for additional cautions


ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N-Methylcarbamate).....	12.50%
Methoxychlor, Technical.....	0.25%
(Equivalent to 0.22% 2,2 Bis (P-Methoxyphenyl)1,1,1 - Trichloro-ethane and 0.03% other isomers and related compounds)	

INACTIVE INGREDIENTS:

	87.25%
TOTAL	100.00%
EPA Reg No. 49784-3-47258	EPA Est. No. 47258-TX-01

RITTER MANUFACTURING, INC.
P. O. BOX 801854 HOUSTON, TX 77280 409-765-1420
NET WEIGHT -- 226.6 gm.



292

BACK PANEL

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS OR CATS
PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS & DOMESTIC ANIMALS
CAUTION**

HUMANS: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing.
ANIMALS: Carbaryl is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to other cholinesterase inhibiting drugs, pesticides or chemicals. Consult a veterinarian at the first sign of any adverse reaction. Atropine is antidotal. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID

IF SWALLOWED: Call a physician, veterinarian or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
IF IN EYES: Flush with plenty of water. See a physician if irritation persists.
IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.
This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment areas.

USER SAFETY REQUIREMENTS

Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
Change clothing as soon as possible after use.
Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
DIRECTIONS: Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing or animals on medication. Do not use on kittens or puppies under 12 weeks of age. Use product only outside or in a well-ventilated area. This product should not be applied by children. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin being sure to include ears, legs, feet and between the toes. Repeated applications may produce skin or nasal irritation in sensitive animals. If this occurs discontinue use. Repeat application at one to three week intervals if necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Do not store product under conditions of excessive moisture or humidity.
PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.
CONTAINER DISPOSAL: Do not reuse container. Discard container in trash.