


Dirigard
H.M.J.
9/17/45

~~If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.~~

A stamped copy of the label is enclosed for your records.



Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

206b

HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

~~May irritate skin. Avoid breathing vapors or spray mist. May cause irritation of nose, throat or skin. Avoid contact with eyes, skin and clothing. Do not contaminate food or feed products. Keep out of reach of children.~~

ENVIRONMENTAL HAZARDS

~~This product is toxic to fish and wildlife. Do not apply directly to lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. (see attached replacement)~~

DIRECTIONS FOR USE

It is a violation of Federal law to use this label in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

(see attached replacement)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store unused product in original container only in cool, dry area out of reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities.

GENERAL INFORMATION

Apply this product only as specified on this label.

Do not use this product for any uses other than those specified on this label.

SUNBELT Dusting Sulfur is formulated for use as a dust on fruit, vegetable and ornamental crops for the control of certain fungus diseases and mites.

For best results, apply when air is calm, just often enough to keep foliage and fruit covered with a light uniform coating.

(See attached Insert [I])

**ACCEPTED
COMMENTS
to EPA Letter Dated**

SEP 13 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide reg. no. EPA Reg. No.

49832-2
Sunbelt

Dusting Sulfur

FOR SPRAYING FRUITS
VEGETABLES & ORNAMENTALS

ACTIVE INGREDIENT:	
Sulfur	93.0%
INERT INGREDIENTS:	7.0%
TOTAL	100.0%

FINENESS: Not less than 93% passing 325 mesh.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment
If on skin, wash immediately with soap and water. Get medical attention.
If in eyes, immediately flush eyes with plenty of clear water for at least 15 minutes.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

See Side Panel For Additional Precautionary Statements.

EPA REG NO 49832-

EPA EST NO 49832-AL-1

MANUFACTURED BY:

SUNBELT CHEMICALS, INC.

P. O. BOX 5
ATMORE, AL 36504

NET CONTENTS: _____

NOTE TO USER: Do not use within two weeks of an oil spray or other sensitive crops when shade are likely to exceed 90° F. Do not use on Cucurbits (cucumber, cantaloupe). To do so may result in severe fruit damage.

RECOMMENDATIONS

Consult State Agriculture Experiment Station or Agricultural Extension Service for timing and number of application conditions. When growing crops cannot or processor before application.

IMPORTANT: Use the higher dose when frequent and heavy rainfall. Dust of applications during periods of rainfall.

Apple, Pear: Powdery Mildew - 20 to 30 lbs. in the cover sprays.

Cherry: Brown Rot, Spot - Use 25 lbs. in pink, bloom, petal fall, shuck, cover and fruit.

Citrus: Rust Mite - Use 25 lbs. at first signs of damage and repeat applications should be controlled at all times vent russeting of fruit and green.

Peach: Brown Rot, Scab - Use 25 lbs. in pink, bloom, shuck, cover and fruit.

Plums, Prune: Brown Rot, Leaf Spot - 20 to 30 lbs. per acre in pink, bloom, shuck, cover and fruit.

Beans, Peas: Powdery Mildew - for thorough coverage. Repeat applications as necessary. Sulfur may be used.

Roses: Black Spot, Powdery Mildew - Make first application prior to bud break and maintain preventive schedule through applications every 7 to 14 days.

Perennials, Shrubs: Powdery Mildew - 20 to 30 lbs. per acre. Make first application prior to bud break and maintain preventive schedule repeating application every 7 to 14 days.

WARRANTY STATEMENT

SUNBELT CHEMICALS, product in its unopened packaging as described on the label and is recommended for use as set forth on the label when used in accordance with normal use conditions on the label. Other warranties, expressed or implied, in this product other than indicated on the label does not extend to the handling or use of this product. Conditions not reasonably foreseeable are assumed all risk of any such use.

HAZARDS TO HUMANS
& DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. May cause irritation of nose, throat, or skin. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not contaminate feed or foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff conditions are likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Sulfur dust suspended in air ignites easily. Keep away from heat, sparks, and flame. Do not smoke while applying this product.

RE-ENTRY STATEMENT

Do not enter treated area without protective clothing and respiratory protection for 24 hours following application.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION: Area treated with SUNBELT DUSTING
SULFUR on (date of application).
Do not enter without appropriate protective
clothing for 24 hours following application.
In case of accidental exposure, see the
Statement for Practical Treatment on this
label.

SUNBELT DUSTING SULFUR
EPA FILE SYMBOL 49832-E

Insert [1]:

SUNBELT DUSTING SULFUR can also be used as a spray. When used as a spray, apply in sufficient water for thorough coverage. For aerial application, use a minimum of 5 gallons per acre.

DO NOT STOP AGITATION WITH SULFUR IN SPRAY EQUIPMENT. SULFUR IS HIGHLY CORROSIVE, AND EQUIPMENT SHOULD BE CLEANED THOROUGHLY AFTER EACH DAY'S USE.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 49832-3	DATE OF ISSUANCE September 13, 1985
	TERM OF ISSUANCE Unconditional	
	NAME OF PESTICIDE PRODUCT Stribelt Technical 900 fur	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

W. W. Landis Associates
 102 N. Lee Street, P.O. Box 5126
 Valdosta, GA 31603-5126

$\frac{16}{17} \frac{157225}{1}$

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.


Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is registered in accordance with FIFRA sec. 3(c)(5)

provided that you:

1. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 49832-3."
 - b. Remove the following statements from the human hazard section:

(Harmful if) swallowed
 May cause irritation of nose, throat, or skin.
 Do not contaminate feed or foodstuffs.
 - c. Add "Get medical attention if irritation persists" to the Statement of Practical Treatment for eyes.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL 	DATE 9/13/85
--	------------------------