subject to cancel Debut in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions:

A stamped copy of the label is enclosed for your records.

Henry M. Jacoby

Product Manager (21)

Pungicide-Herbicide Branch

Registration Division (TS-767)

Enclosure

PRECAUTIONARY STATEMENT HÁZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Hyrnifet It swallowed. Avoid breathing vapors or spray mist. May chuse initiational pose, throat or shire, avoid contact with eyes, skin and clothing to horsentaminate lood or lead produces. Head out of reach of children.

ENVIRONMENTAL HAZARDS

This product is toric to lish and wildlife. Do not apply to takes, silverne, exponds. Do not goals writt's runoff is the by to occur. Do not apply where weeker contitions laver drift from areas weeker. Do not contaminate water by cleaning of equipment or disposal of wester. (see attached

replacement

DIRECTIONS FOR USE

It is a violation of Federal law to use this label in a manner inconsistent with its labeling

RE-ENTRY STATEMENT

(see attached replacement)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store unused product in original container only in cool, dry area out of reach of children and animals.

PESTICIDE DISPOSAL: Waster resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

CONTAINER DISPOSAL: Completely empty bag by shaking and topping sicles and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a shritary landful or by incineration if allowed by state and local authorities

GENERAL INFORMATION

Apply this product only as specified on this label.

Do not use this product for any uses other than those specified on this

Sunbalt Microfin esculur a lamobile la use n water as a spray on fruit, veryemble and progressivental crops for the control of certain lungus diseases and rivins. It may be combined in the spray tank with most of the commonly usid fungicules and insecticides.

Pour the specific amount of this product on surface of water in nearly falled spray faits or pre-mis in a bucket helpre politing into spray tanh Ada halance of water to fill tank. Keen agitator running during falling and spraying operations. Do not allow musture to stand. Do not use in low volume year type spray regipment. Do not combine with emulsifiable liquids unless previous use of the mixture has proven physically compatible and safe to plants

ACCEPTED with COMMENTS in EPA Letter Detect

See I "AUTION: Do not use sulfur in cor Crons when shade termineratures exce Do not apply or allow sultur to drift to motor, squesh) or tung. To do so m

Cormul State Agriculture Experiment
the Federal Insecticide Extension Service for additional inferior
tripicide, and Rodenticide Act
amended, for the pesticide for use in common this label and registered under EPA Reg. No.

MICROFINE SULFUR

FOR SPRAYING FRUITS VEGETABLES & ORNAMENTALS

ACTIVE INGREDIENT:

FINENESS: Not less than 93% passing 325 mesh.

KEEP OUT OF REACH OF CHILDREN

CAUTION Treatment If on skin, wash immediately with soap and water, Get medical whenhism.

If in eyes, immediately flush eyes with plenty of clear water for at least 15 minutes.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an un-conscious person. Get medical attention.

See Side Panel For Additional Precautions / Statements.

EPA REG NO. 49832 -

EPA EST. NO. 49832-AL-1

MANUFACTURED BY:

SUNBELT CHEMICALS, INC.

P. O. BOX 5 ATMORE, AL 36504

Net Contents:

IMPORTANT: Use the higher doseg heavy rainfall. Spray often enough to This may require workly or bi-week rspid growth and frequent rainfall. I Sun bet Thie mc/ne Sun Spray Line, or other safener, as a Arsenate without sulfur. When using a salener on peaches, always add Zir lollowed by Spray Lime, Lead Area

Apple, Peer: Powdery Mildew, Sc of water in the pre-bloom, bloom and

in the cover sprays.

Cherry: Brown Rot, Spot — Use (
in pink, bloom, petal fall, shuck, co

Citure: Rust Mite - Use 5 ibe. per 1 tions at first signs of damage and repe be controlled at all times of the year fruit and greasy spot on leaves. Sca each 100 gals, of tank strength lime

Peach: Brown Rot, Scab - Use (in pink, bloom, shuck, cover and pi

Plums, Prune: Brown Rot, Leaf Sp of water in pink, bloom, shuck, con

Beans, Pess: Powdery Mildsw, Re ficient water for thorough coverage. intervals as necessary.

Roses: Black Spot Powdery Milds of water (3 to 4 tablespoons per 1 gal prior to first signs of disease are throughout the season, repeating app new growth protected.

Perennials, Shrubs: Powdery Mil 100 polions of waters (3 to 4 tecapo first application prior to first signs of schedule throughout the season, reg days. Keep new growth protected.

WARRANTY S

SUNBELT CHEMICALS, II its unopened package conforms to label and is reasonably fit for the purused according to directions under ni specified. There are no other warranti ing the use of this product other than ranty does not extend to the handlin to label instructions or under abnorm not reasonably foreseeable to seller t such use

CAUTION


Harmful if swallowed, inhaled, or absorbed through skin. May cause irritation of nose, throat, or skin. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not contaminate feed or foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff conditions are likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Sulfur dust suspended in air ignites easily. Keep away from heat, sparks, and flame. Do not smoke while applying this product.



RE-ENTRY STATEMENT

Do not enter treated area without protective clothing and respiratory protection for 24 hours following application.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.


Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION: Area treated with SUNBELT MICROFINE SULFUR on (date of application). Do not enter without appropriate protective clothing for 24 hours following application. In case of accidental exposure, see the Statement for Practical Treatment on this label.

SUNBELT MICROFINE SULFUR EPA FILE SYMBOL 49832-G

Insert [1]: On citrus, do not use within 60 days of an oil spray.

Insert [2]: When growing crops for processing, consult the processor before applying sulfur.



A REGISTRATION NO. DATE OF ISSUANCE U.S. ENVIRONMENTAL PROTECTION AGENCY 49832-6 September 13, 1985 OFFICE OF PESTICIDES PROGRAMS TERM OF ISSUANCE REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460 Unconditional NOTICE OF PESTICIDE: REGISTRATION NAME OF PESTICIDE PRODUCT (Under the Federal Insecticide, Fungicide, Sumbelt Technical Sulfur and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) W. J. Labe's Associative 10/ 5.10 treet. 1.0. 1/ 5126 Valgosta, GA (160%-179) NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement of approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time auspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is registered in accordance with FIFIA sec. 3(c)()) tre that that your Make the Ishering oran, or lister below before you release the product for autpment: H. Add the camabe "Fif He, istration No. 49832-6." 6. Add the following to the produced treatment section: 1. The heading, "Statement of Fractical Treatment." 2. Get medical attention (skin) 3. Get medical attention if irritation percists (eyes). c. Change the environmental hazards section to read as follows: "No not dischange engluent containing this product directly into

"No not discharge engluent containing this product directly into lakes, streams, pends, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDFS permit. Do not discharge effluent containing this product into sever systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Poard or Regional Office of the Environmental Protection Agency.

ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL	Henry M. Xacoly	9/13/55
PA Ferm 8570-6 (Rev. 5-76)	PREVIOUS EDITION MAY BE USED UNTIL SUPPLY	IS EXHAUSTED.