EPPIROMMENTAL PROTECTION ASSINCY  PER OF PESTICIDES PROGRAMS  REULSTRATION DIVISION (FINAL)  PASIONS UN DIC 184460	SAX MEMORY AND AR	The state of the s		
	49032-4		1   1900	
	TEME OF MOUNTEE			
NOTICE OF PESTICIDE REGISTRATION	NAME OF PRETICIOE PAGE	NAME OF PESTICIDE PROBUCY		
Under the Federal Inset Licide Fundicide and Rodenticide Act as amended:	tunbelt We	runbeit Wettablu mifri		
AME AND ADDRESS OF REGISTRANT (Include SIP code)			12	
,	-7	160	143173 1	
s s antes, co.			,	
		10	L	
V20 € 12				
1	I		•	
•••	<b>4</b>		-	
the Federal Insecticide, Fungicide, and Rodenticide Act.  A copy of the labeling accepted in connection with this Re Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion	nt or approval of this product t	by this Agency.	In order to protect	
icide in accordance with the Act. The acceptance of any n Act is not to be construed as giving the registrant a right t	ame in connection with the re	gistration of a	product under this	
by others.  **Compare the conditionally required:	istan in nocus line	se with PTE	12 h	
(a) (A(A) provide that your	13(6)(6, 14, 0, 0, 0, 14)(6	r with I	IVA 3.	
1. Pubmit Bosser Gite all data re	•			
i ur promot in 1 SPA sec. 3(c)	•	redul/e3 2	11.	
<pre>-&gt; Patrants of some products to su</pre>		i release t	he conduct	
A. Kr. Me wrose "EPA beggs	cratice We. 49632-4.	<b>.</b>		
b. Weless " r wittends" face				
. Subjustive (*) copies of you resease the production Shipment. Re-				
description of final printed labeling		obarc 194		
If these conditions are not compl	_			
unifiect to cancellation in accordance				
- sriphent of the product constitutes as a stripped copy of the libel is en				
• • • •	enry H. Jacoby			
	roduct Hanager (21)			
	ungicide-Herbicide i	Branch		
	equetration Division	1 (15~767)		
The Level 11 A				
	BEST AFRILA	JLE BOPY		
ATTACHMENT IS APPLICABLE			<b></b> '	
IGNATURE OF APPROVING OFFICIAL	11. \(\frac{1}{2}\)	DATE	117	
Henry	MEXALELY	7.	111185	
PA Form \$570-4 (Rev. 5-76) FREVIOUS POITION		Y IS EXHAUSTE	D.	

(

# PRECAUTIONARY STATEMENT HAZAROS TO HUMANS & DOMESTIC ANIMALS CAUTION

this if swallened. Aveid breathing vapors of spray miles, May chare irrestion of rose, threat or shirt. Avoid contact with syes, shin and clothing. Do not contaminate load or load pro-ducts. Keep out of pach of children.

## ENVIRONMENTAL HAZARDS

mada<u>el</u> is take to hak and wildlife. Do not apply is to takes, smaller or peads. Do not apply where fundt is the by to occur. Do not apply which theobar conditions lover drift here areas without. Do not contamposts water by theming at suprement of superior of waster See attached

replacement)

## **DIRECTIONS FOR USE**

It is a violetium of Foderal low to use this label in a manner inconsistent an is laboration

## RE-ENTRY STATEMENT

(see attached replacement)

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by sterage or chapters.

STORAGE: Store unused product in prignal container any in cool, dry area out of reach of children and animals.

PESTICIDE DISPOSAL: Waster resulting from the use of this product may be disposed of on site or at an approved wester discount facility.

CONTAINER DISPOSAL: Completely empty beg by shaking and latining sicles and bottom to loosen clinging particles. Emp-It residue into application equipment. Then dispose of bags in a sinniary landfill or by incineration if allowed by state and

#### GENERAL INFORMATION

Apply this product only as specified on she label.

Do not use the product for any uses other than those specified on this

Sunbelt Wettable Sulture formulated for use in water as a soray on fruit, veget, bic and ornamental crops for the control of Certain fungus diseasus and rieths. It may be combined in the spray tank with inost of the commonly used fungicides and insecticides

Pose the specific emounted this product oresultace of water in liked spray time of Big min of a buckefteron politing only para time. Arts balance of water round spinit. Keessagspiller running suring spray and spraying operations. Bo not allow minime to stand Do oil use in low volume year type spray equipment. Do not comb is with emultiliable liquids unless previous use of the mixture has proven physically compatible and safe to plants

CAUTION: Do not use sulfue in corr ACCEPTED crops when phase temperatures exceed, with COMMENTS in EPA Letter Dated: under a squared or large. To do so may replace.

49832-4.

WETTABLE SULFUR

## FOR SPRAYING FRUITS VEGETABLES & ORNAMENTALS

**ACTIVE INGREDIENT:** Sultur.......Sultur......

FINENESS: Not less than \$3% passing 325 meeh.

## KEEP OUT OF REACH OF CHILDREN

## CAUTION

If on skin, wash immediately with soap and water.

If in eyes, immediately flush eyes with plenty of clear water for at least 15 minutes.

If swellowed, drink 1 or 2 glasses of water and induce varriting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an un-conscious person. Get medical attention.

See Side Panel For Additional Precautionary Statements.

EPA NEG NO V9832 -

LPA EST. NO. Y9832-AL-/

MANUFACTURED BY:

# SUNBELT CHEMICALS, INC.

P. O. BOX 5 ATMORE, AL 36504

NET CONTENTS:

RECOMMENDA'

Correct State Agriculture Especiation State

Fight the Fig. 1 In a distribution received and there with become attended, and a dentical Additional pion on the label are for distributions of the perfection in concentrate appropriate amended, for the perfection in concentrate appropriate and amended, for the perfection in concentrate appropriate and amended under EPA Responsibilities functions. thered under EPA Reg congruence factor, For example, if normal thered under EPA Reg beyond to one acre. The Se concentrate 49832-4 gallors applied to 5 acres. Spray often a

IMPORTANT: Use the higher docage du heavy ramilal. Spray often enough to keep This may require v really or his woodly ap rapid provide and beginning spirital. Who Sounded to the the few Sulker of Spray Line, or other externer, so would Arrende without sultur. When using Zm a selener on peaches, shoops add Zinc Sc followed by Spray Lime, Lead Arsenate

Apple, Peer: Pewdary Mildew, Scab -of noter in the pre-bloom, bloom and per in the cover oprays.

Cherry: Brown Rot, Spot — Use 6 to 1 in pirk, bloom, petal (all, shuck, cover s

Cliurs: Real Mile — Use 5 lbs. per 100 g fore at first signs of damage and repeat as he controlled at all times of the year in a huit and greety spot on leaves. Scale Cr each 100 gals, of tank strongsh lime suit

Peach: Brown Rot, Scab — Use 6 to 1 in pirk, bloom, shuck, cover and pro-he

tums. Prune: Brown Rot, Leaf Spot -of water in pirk, bloom, shuck, cover as

Beans, Peac: Powdery Mildow, Rust ficient weter for thorough coverage. Repe intervals as necessary.

Reset: Black Spót Pewdery Milden of water II to 4 tablespoons per 1 gall of v prior to first signs of disease and mi throughout the season, toposting applicati NEW Browth protected.

Perennials, Shruba: Powdery Mildew 100 gallons of waters (3 to 4 tempoone) first application prior to first signs of dise schedule throughout the season, repeating days. Keep new growth protected."

WARRANTY STA

SUNBELT CHEMICALS, IN in his unopened package conforms to the label and is reasonably lit for the purpose weed according to directions under norma specified. There are no other warranties, e vig the use of this product other than indranty does not extend to the handling or to label instructions or under abnormal co not researably foreseeable to seller and I

# RE-ENTRY STATEMENT

Do not enter treated area without protective clothing and respiratory protection for 24 hours following application.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION: Area treated with SUNBELT WETTABLE SULFUR on (date of application). Do not enter without appropriate protective clothing for 24 hours following application. In case of accidental exposure, see the Statement for Practical Treatment on this label.

ACCEPTED

with CONCRENTS

BYA Letter Detect

JUL 17 1985

Under the Federal Insectic
Fungicide, and Redenticide
sa amended, for the pestisa amended, for the pestisa amended under EPA Reg.

Fundicide, and Rodenticid as amended, for the per registered under EPA Republishment of 9852