



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JAN 10 1994

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Linda C. Watson SUNBELT CHEMICAL INC. Highway 31 West Atmore, AL 36502

Subject:

Label Amendment Submission of 09/15/93 in Response to PR Notice 93-7

EPA Reg. No. 49832-4

SUNBELT WETTABLE SULFUR

IMPORTANT NOTICE:

This Letter Requires You to Submit a Notification to the Office

of Compliance Monitoring within 20 Days.

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (IFRA), as amended, is accepted subject to the comments listed on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

SERIOUS ERROR(S) ON SUBMITTED LABELING:

EPA has determined that one or more of the errors on the labeling you submitted to the Agency is categorized as "serious" as defined in PR Notice 93-11. In general, serious errors are those that may create a potential for harm to workers, handlers, other persons, or the environment; or those that prevent the achievement of the basic goals of the Worker Protection Standard (WPS) or FIFRA.

YOU MUST NOT SELL OR DISTRIBUTE (INCLUDING RELEASE FOR SHIPMENT) ANY PRODUCT BEARING THE SUBMITTED LABELING. Sale or distribution of any product with the incorrect labeling is a violation of FIFRA that could result in initiation of an action for civil penalties and/or cancellation of your product. This matter has been referred to the Office of Compliance Monitoring (OCM) for further action.

YOU MUST SUBMIT A NOTIFICATION TO THE OFFICE OF COMPLIANCE MONITORING WITHIN 20 DAYS OF THE DATE OF THIS LETTER.

Page 2

Each notification must include the following information:

- 1. Registrant's name and address.
- 2. EPA Registration number of the product for which the labeling was submitted.
- 3. Whether any product already has been sold or distributed (this includes released for shipment) bearing the submitted labeling.

In addition, the notification must include the following information, IF you have already sold or distributed any product bearing the submitted labeling:

- 1. Quantity of the product that has been sold or distributed.
- 2. EPA Producing Establishment number.
- 3. Location of the product, if known.
- 4. Proposed plan for assuring that product with the incorrect labeling in your control, as well as that in the hands of dealers/distributors/users, will be corrected. The plan must include your proposal for assuring that the labeling is corrected as soon as possible.

Submit the notification to:

.

Michael Wood, Director
Compliance Division, (7203)
Worker Protection Notification
Office of Compliance Monitoring
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460

Failure to submit a notification also may result in initiation of an action under FIFRA for civil penalties, if you sold or distributed (this includes released for shipment) product bearing the incorrect labeling.

IN ADDITION, YOU SHOULD CONTACT IMMEDIATELY THE PERSONS TO WHOM YOU SOLD OR DISTRIBUTED YOUR PRODUCT AND INFORM THEM NOT TO SELL OR DISTRIBUTE ANY PRODUCT WITH THE INCORRECT LABELING.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the WPS labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have neither been reviewed nor accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Submit the required notification. Then by the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

■ BEFORE selling or distributing any product bearing the final printed labeling as amended

AND

■ WITHIN one year from date of this acceptance.

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

4 79

Page 4

Hand or courier deliveries of final labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,

Jim Tompkins) Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment

cc: Office of Compliance Monitoring

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division

Linda C Watson SUNBELT CHEMICAL INC. HIGHWAY 31 WEST ATMORE AL 36502

Comment for: EPA Reg Nr.49832-4 SUNBELT WETTABLE SULFUR

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

Add the following User Safety Recommendation to the label in the location shown in Section A on Part I of the Product Worksheet in Supplement Three-A to PR Notice 93-7: "Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing."

The eyewear requirement for "applicators and other handlers" in the "Personal Protective Equipment" section on your proposed labeling is missing or incorrect. Remove the incorrect requirement (if any) and add "Protective Eyewear". The exact location is shown in Section A and B on Part 1 of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

The eyewear requirement for early entry in the Agricultural Use Requirements Box on your proposed labeling is missing or incorrect. Remove the incorrect requirement (if any) and add "Protective eyewear". The exact location is shown in Sections F and G on Part 2 of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

P.O. BOX 5 - ATMORE, ALABAMA 38504

SUNBELT WETTABLE SULFUR

For Dusting or Spraying Fruits, Vegetables & Ornamentals.

ACTIVE INGREDIENT:

FINENESS: Not Loss than 93% passing 326 mosh.

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWLLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Cot medical attention.

IP INNLED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth.

IF ON SKIN: Wash immediately with soap and water.

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician if irritation persists.

ACCEPTED
with COMMENTS
to EPA Letter Decid

JAN 10 1994
Under the Federal Investicide,
Fundicide, and Redensicide Act
as amended, for the particide
registered ander EPA Reg. No.
49837-4

EPA REG. NO. 49832-4 E1

EPA EST. NO. (9832-AL-1

MANUFACTURED BY:

SUNBELT CHEMICALS, INC.

P. O. BOX 5 ATMORE, AL 36504

Net Wt. 50 lbs.

99

HAZARDS 'TO HUMANS AND DOMESTIC ANIMALS

CAUPIO

transful if swallowed, inhaled, or absorbed through skin. Pay cause irritation of mose, throat, or skin. Causes accurate eye irritation. Avoid breathing spray mist and dust. Avoid contact with skin, eyes, or clothing. Do

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers other than mixers and louders must wear: Long-sleeved shirt and long pants, waterproof gloves and shoes plus socks.

Mixers and loaders must wear: long-sleeved shirt and long pants, waterproof gloves, shoes plus socks and protective eyewear.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, enclosed cabs, or directaft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural posticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS:

Users should:

this hands before eating, drinking, chewing gum, using topacco or using the toilet.

ENVIRONMENTAL HAZARDS

No not apply directly to water, to areas where surface water is present or to intertidal areas below the mean might water mark. Do not contaminate water when disposing of rinsate or equipment washwater.

PHYSICAL AND CHEMICAL HAZARDS

Sulfur dust suspended in air ignites easily. Keep away from heat, sparks and flame. Do not smoke while applying this product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistant with its labeling.

No not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULIURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restrictedentry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is pennitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, waterproof gloves and shoes plue socks.

CENERAL INFORMATION

Apply this product only as specified on this tabel. Do not use this product for any uses other than those specified on Uds label.

Do not apply this product through any type of irrigation equipment.

SUMBELT WESTABLE SULFUR Is formulated for use in water as a spray on fruit, vegetables and ornamental crops for the control of certain funged diseases and miles. It may be combined in the spray tank with most of the commonly used fungicides and Insecticides.

SUNBELT WETTABLE SULPUR Is formulated so that it ean also the used as a dust on fruit, regetable, and ornamental crops for the control of certain fungus diseases and mites.
When used as a dust, for best results apply when air is ealm, just

often enough to keep foliage and fruit covered with a light uniform

CAUTION: Do not use sulfur in combination with oil or within two weeks of an oil apray. On citrus, do not use within 60 days of an oil spray. Do not use sulfur on apples or other sensitive crops when shode temperatures exceed, or are likely to exceed 900 P. Do no: apply or allow sulfur to drift to Cucurbits (eucumber, cantaloupe, melon, squash) or tung. To do so may result in severe trult and lest injury.

RECOMMENDATIONS:

Consult State Agriculture Experiment Stations or the State Agricultural Extension Service for additional information as the timing and number of applications needed will vary with local

All desiges given on this label are for dilute aprays (1x concentrations). For use in concentrate aprays, increase the amount of product by the concentrate factor. For example, if normal use in 5 lbs. per 100 gailons applied to one acre. The 5x concentrate rate will be 25 lbs. per 100 gailons applied to 5 seres. Spray often enough to keep new growth protected.

For use as a dust, apply the recommended rate per sere without water. For example, if the rate is 8 lbs. per 100 gals, of water per acre and 500 gallons per acre are applied as a spray, use 40 lbs. SUNBELT WETTABLE SULFUR as a dust.

IMPORTANT: Use the higher dosage during periods of frequent or heavy rainfall. Spray often enough to keep susceptible growth covered. This may require weekly or bi-weekly applications during periods of rapid growth and frequent rainfall. When using Lead Arsenate with SUNBELT WETTABLE SULFUR, always add the same amount of Spray Lime, or other safener, as would be used when applying Lead Arsenate without sulfur. When using Zine Sulfate and Spray Lime as a safener on peaches, always add Zine Sulfate to the Spray tank first, followed by Spray Lime, Lead Accounty and sulfur in order given.

Apple, Pear: Pundery Allidew, Seab-Use 30 to 40 lbs. per sere in the pre-bloom, bloom and petal fall sprays. Use 20 to 30 lbs. in the cover sprays.

Cherry: Hrunn Mut, Spot-Use 30 to 40 lbs, per sere in pink, bloom, peral fall, shuck, cover and post-haryest sprays,

Citrus: Nust Mite - Use 25 to 75 lbs. per acre, depending upon tree size, in sufficient water to cover. Begin applicarion at first sign of damage and repeat as necessary. Rust makes should be controlled at all times of the year to prevent ruscering of fruit and greasy spot of leaves.

Peoch: tironia Rot, Scab-Ose 30 to 40 lbs, per sere in pink, bloom, shock, cover and pre-harvest apraya.

Besut, Prest: Powdery Mildew, Rust-Use 18 lbs. per sere for thorough coverige, Repeat applications in 7 to 14 day interval, as necessary. Sullur may injure tome beta varities,

9 49

APPLICATION: To control the diseases and red spiders listed below, use SUNBELT WETTABLE SULFUR as a dust or spray using 6 lbs. per 100 gals, of water. Applications should be made at 5 to 7 day intervals beginning when the disease or mites first appear and continuing until all danger from the disease is past. During periods of humid or rainy weather it may be necessary to make applications as often as every 2 to 3 days.

POWDERY MILDEW: Aster, Chrysanthemum, Cosmos, Dahlia, Daisy, Delphinium, Dogwood, Euonymus, Golden Fleece, Hibiscus, Honeysuckle, Hydrangea, Lady's Mantle; Ligustrum, Lilac, Crepe Myrtle, Phlox, Poplar, Silver Vine, Rose, Spiraea, Sunflower, Verbena, Willow and Zinnia.

LEAF SPOT: Calendula, Cherry Laurel, Clematis, Columbine, English Ivy, Foxylove, Hydrangea, Petunia, Phlox, Sage, Smilax and Snapdragon.

BLACK SPOT: Rose, POWDERY MILDEW: Rose.

BOTILYTIS BLICHT: Hydrangea.

IGED SPIDERS: Arbovitae, Carnation, Ordars, Chrysanthemums, Clematis Hydrangea, Rose, Snapdragon and Sweetpeas.

STORACE AND DISPOSAL

Do not continuinte water, food or feed by storige of disposit.

STORAGE: Store unused product in original container only in ecol, ory area out of reach of children and animals.

PESTICIDE DISPOSAL: Waster resulting from the use of this presuct may be disposed of on the or at an approved watte disposit facility.

CONTAINER DISPOSAL: Completely empty bag by thisking and tapping idea and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of vigi in a sanitary landfill or by incineration if allowed by State and local authorities.

WARRANTY STATEMENT

SUNBELT CHEMICALS, INC, warrants that this product in its unopened package conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions on the crops specified. There are no other warranties, expressed or implied, concerning the use of this product other than indicated on the label. This warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably forseeable to seller and buyer assumes all risk of any such use.