



READ ALL PARTS OF THIS LABEL

CYTOX® C-140 Industrial Microbiocide

DANGER!
KEEP OUT OF REACH OF CHILDREN
CORROSIVE
CAUSES BURNS OF EYES AND SKIN
HARMFUL OR FATAL IF SWALLOWED
COMBUSTIBLE LIQUID AND VAPOR
MAY BE HARMFUL IF ABSORBED THROUGH SKIN

See side panel for first aid and additional precautionary statements

Active Ingredients

Amyl (C ₁₂ , 5%, C ₁₀ , 50%, C ₈ , 30%, C ₆ , 5%)	12%
dimethyl benzyl ammonium chloride	5%
Nis (tri-n-butyltin) oxide	

Inert Ingredient 83%

NET CONTENTS: 55 Gallons EPA Est. No. 1730-MI-1

NET CONTENTS: 55 Gallons
(11.35 pounds active ingredient per gallon)

American Cyanamid Company
WAYNE, NEW JERSEY 07470 201-831-2000

DIRECTIONS FOR USE

INDUSTRIAL RECIRCULATING COOLING WATER SYSTEMS

This product is effective in controlling algae and slime caused by bacteria and fungus organisms.

Initial Dose: When the system is just noticeably fouled, apply 16 fluid ounces of CYTOX C-140 per 1000 gallons of water in the system. Apply this initial dose 3 times per week when 1/5 of the water in the system has been lost by breakdown.

Subsequent Dose: When control of microbial growth is evident, apply 16 fluid ounces of CYTOX C-140 per 1000 gallons of water in the system. Apply this subsequent dose once a week when 1/5 of the water in the system has been lost by breakdown.

Badly fouled systems must be cleaned before treatment is begun.

Doses must be applied at a point in the system where the product will have maximum effect.

Do not mix with other chemicals.

Page 1 of 1

DO NOT GET IN EYES

Wear goggles or face shield when handling. Do not put your fingers in your eyes.

DO NOT GET ON SKIN

Wear rubber gloves when handling and wash thoroughly afterward.

DO NOT GET ON CLOTHING

If you spill some of this product on your clothing or shoes, remove the contaminated clothing and shoes at once and wash them before reuse.

FIRST AID TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.


If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not immediately available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN

Probably, mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DANGER TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.



ACCEPTED
DEC 28 1984
Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended for the pesticide registered under EPA Reg. No. 69854-13

CORROSIVE LIQUID, N.O.S.
UN 1760

IN CASE OF ACCIDENT

SPILL OR LEAK: Cover spill with sawdust or other absorbent material. Wear goggles or face shield and rubber gloves. Sweep up at sited spill and incinerate or bury in a land fill. Flush spill area with water.

COMBUSTIBLE

Do not use, pour, spill or store this product near a fire or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Avoid storage near food and feed products. Do not reuse empty container. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures such as incinerated oven burning. Stay out of smoke and fumes.