Reg # 50034-1 PM-19

ENDAL™

RESIDUAL WITH DURSBAN

A COMBINATION OF INSECTICIDES OFFERING RESIDUAL KILL OF COCKROACHES FOR UP TO 4 WEEKS

For Residual and Contact Control of Cockroaches (Waterbugs) Crickets Silverfish (Firebrats) Sl[illegible]ver Mites Centipedes Millipedes Earwigs Sowbugs (Pillbugs) Spiders Brown Dog Ticks Lone Star Ticks Ants Fire Ants Carpet Beetles Fleas Boxelder Bugs Scorpions Spider Beetles [illegible] House Flies Mosquitoes Grain Flour Moths Confused Flour Beetles Sawtoothed Grain Beetles Shiny Spider Beetles Grain Mites Red Flour Beetles Angoumois Grain Moths Grain Mites Indian Meal Moths Mediterranean Flour Moths Lesser Grain Borers Cigarette Beetles Drug Store Beetles Chocolate Moths Clothes Moths

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash hands after using. In food handling areas application is limited to crack and crevice and/or spot treatment. Do not apply directly to food or feedstuffs. (In commercial food handling facilities, cover or remove any food or food processing equipment during application.) Do not apply while food processing is underway. In the home, all food processing surfaces and utensils must be covered during treatment or thoroughly washed before use. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

[illegible] Get immediate medical attention.

In eyes: Flush with plenty of water. Get medical attention.

On skin: Flush with plenty of water for at least 15 minutes.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. If symptoms of [illegible] are present, consider treatment by injection of an atropine [illegible]

ENVIRONMENTAL HAZARDS

[illegible]

PHYSICAL/CHEMICAL HAZARDS

Do not apply this water-based product in conduits, motor housings, junctions and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not store this water based formulation at temperatures below 32°F (0°C). For Containers One Gallon and Under: Store product in original container in a locked storage area.

PESTICIDE DISPOSAL: For Containers Over One Gallon: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: For Containers 1 Gallon And Under: Do not reuse empty containers. Wrap container and put in trash.

For Containers Over 1 Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

ACTIVE INGREDIENTS:

Piperonyl [illegible]

2,2-dimethyl-3-(2-methyl-1-propenyl)

cyclopropanecarboxylate 0.5%

Chlorpyrifos [illegible] 1.0%

OTHER INGREDIENTS: 98.5%

TOTAL: 100.0%

Directions for Use (Continued)

For use in non-food areas indoor and outside premises of hotels, motels, homes, preschools, apartment buildings, commercial, office, institutional and storage buildings, recreational buildings, boats, ship cabins, and hospitals. In hospitals, remove patients prior to treatment. Ventilate rooms for two hours before returning patients.

This product can be used in non-food areas such as corridors, offices, foyers, lavatories, garages, utility rooms, storage rooms and basements, of packaging and processing plants, milk handling areas of milk plants, milk storage rooms, egg processing [illegible] supermarkets, warehouses, [illegible] plants, breweries, flour and feed mills, and breweries. In food areas of food handling establishments, application is limited to spot and/or crack and crevice treatments.

Also, for use in and around campers, mobile homes, buses and automobiles. This product can be used in cargo planes, trucks, freezers and ship cargo holds only if the premises are [illegible] of food or food products at any time.

[illegible]

One gallon (3.79 L) of spray is sufficient to treat 1500 linear feet (457 m) with a 6 inch (15.2 cm) spray band.

For contact and residual sprays, use this product without diluting. For repeat applications, dilute with equal parts of water.

CONTACT SPRAY – KILLS AND REDUCES INFESTATIONS: Cockroaches (waterbugs), crickets, silverfish (firebrats), clover mites, centipedes, millipedes, earwigs, sowbugs (pillbugs), spiders, brown dog ticks, ants, carpet beetles, flies, scorpions, spider beetles, [illegible] confused flour beetles, sawtoothed grain beetles, shiny spider beetles, grain mites, red flour beetles, Angoumois grain moths, grain mites, Indian meal moths, Mediterranean flour moths, lesser grain borers, cigarette beetles, drug store beetles, chocolate moths. Use as a spot treatment. Where possible, spray directly onto pests to reduce infestations. Apply as a coarse spray or with a paint brush into hiding places such as cracks, crevices, expansion joints, spaces around pipes and ducts, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but not to the point of run-off. Repeat as necessary.

ANTS (Including Fire Ants): To kill ants, spray ants, entry points of ants, ant trails, nests, and [illegible]

FLEAS, BROWN DOG AND LONE STAR TICKS: [illegible]

PESTS OUT-OF

DO NOT TREAT OR ALLOW THI

PLANTS (Lawns, Flowering Plant

[illegible] etc.) BECAUSE OF POSSI

PESTS ON OUTSIDE SURFACES

product to control ants, clover mite

[illegible] and sowbugs (pillbugs) on

buildings. To help prevent infestat

[illegible] foundation to a height of

[illegible] pests are active and may [illegible]

[illegible] spray to outside surface

[illegible] windows, doorways

[illegible] and other [illegible] wher

HOUSE FLIES, MOSQUITOES,

OUTDOORS. For [illegible] spray on

[illegible] where these insects

[illegible]

BROWN DOG TICKS, LONE

[illegible] OUTDOORS. For treatment

[illegible] of [illegible] areas,

[illegible] areas, spray [illegible]

[illegible] and [illegible]

CONTROL FIRE ANTS: Dilute

[illegible] of water (3.79 L) of wa

[illegible] gallon [illegible] to trea

[illegible] to a 4 foot diameter (1.22 m

[illegible] 65-80°F (18.5°C-2

[illegible] evening hours. Treat new mou

[illegible] the ground prior to their

[illegible] to the colony, and treat

[illegible] have developed a [illegible]

[illegible] of [illegible] solution for

[illegible] Environment fo

[illegible] gallon of the mix of 1 g

WARRANTY S

[illegible] for use of

[illegible] th

[illegible] CONTINUED