

BEST AVAILABLE COPY


GREEN DOT INDICATES CAPFULS REQUIRED PER QT. OR LITER

DOSAGE	
CAPFULS PER QT. LTR	DOTS
1.2	1
1.3	2
1.5	3
2.0	4
2.5	5
3.5	6
4.0	7

Polar Equipment, Inc.
12881 Foothill Lane
San Diego, California 92170

POLAR PURE WATER DISINFECTANT

ACTIVE IODINE 0.5%
CRYSTALLINE IODINE 0.5%
HERB INGREDIENTS



NET CONTENTS 0.25 oz
NOT TO BE USED ON A CONTINUING BASIS

EPA REG. NO. 50233-1
EPA EST. NO. 50233 CA-01

KEEP OUT OF REACH OF CHILDREN

DESTROYS WATER-BORNE PATHOGENS (INCLUDING GIARDIA) WHEN USED AS DIRECTED DIRECTIONS FOR USE

Fill this iodine bottle with water and shake. Solution ready to use in one hour. Pour required capfuls (see DOSAGE table) of solution into a quart of drinking water (double dosage for cloudy water). Let stand 20 minutes before use; after this, flavoring may be added. To destroy Giardia cysts, drinking water must be 20°C (68°F) minimum (water can be warmed in sun, or add hot water to cold). Refill iodine bottle with water after each use so solution will be ready for use one hour later. Crystals in bottle make enough solution to treat 2000 quarts drinking water. Do NOT freeze. Do not reuse bottle, discard safely.

- Solution effective as long as any iodine crystals are visible.
- Particle trap prevents crystal loss.
- Solution not affected by age, air or temperature.

Use solution only. Crystals harmful if swallowed and may damage skin or eyes on contact. FIRST AID: Internal, drink starch in water; for skin and eyes flush with water. Call a physician.

ACCEPTED

APR 21 1997

Under the Fossil Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 50233-1

PM 32 50233-1

121