

Wilson's SLUG BAIT PELLETS

Snail & Slug Killer

Use in and around gardens, lawns,
patios, etc. for complete control.

A READY-TO-USE BAIT
THAT ATTRACTS AND KILLS SLUGS AND SNAILS



Active Ingredient	By Wt.
Metaldehyde	2.75%
Inert Ingredients	97.25%

Keep out of reach of children

CAUTION

This pesticide may be fatal to dogs and other
pets if eaten. Keep pets out of treated area.

See Back panel for additional precautionary statements.

NET WT. 1 LB.

BEST AVAILABLE COPY

WILSON

**SNAIL & SLUG
PELLETS**

BEST AVAILABLE COPY

**Precautionary Statements
Hazards to Humans & Domesticated Animals**

CAUTION: Harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. **IMPORTANT: KEEP PELLETS AWAY FROM CHILDREN, DOGS AND PETS. BAIT MAY BE ATTRACTIVE TO DOGS. CONFINE PETS DURING APPLICATION TO PREVENT THEM FROM BELIEVING THEY ARE BEING FED: USE AND STORE UNDER CONDITIONS WHERE THERE WILL NOT BE A HAZARD.**

STATEMENT OF PRACTICAL TREATMENT: If swallowed, immediately induce vomiting by administration of syrup of Ipecac or under medical supervision. Call a physician.

IF ON SKIN OR IN EYES: In case of eye contact, wash eyes immediately with fresh water for at least 15 minutes. See a doctor if irritation persists. If on skin, wash thoroughly.

ENVIRONMENTAL HAZARDS: This product is toxic to birds and to wildlife. Do not apply directly to water, do not contaminate water by cleaning of equipment or disposal of wastes. Birds feeding on treated areas may be killed.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

WILSON SNAIL & SLUG PELLETS are clean, highly compressed, and although attractive to snails and slugs, are deadly. When wet, the pellet will expand 3 times its size. Economical, 1 lb. of **WILSON SNAIL & SLUG PELLETS** covers 1000 sq. ft.

Snails and slugs leave a mucous-like trail and look for damp, cool areas in gardens, bushes, around fences and under boards. They are nocturnal.

DIRECTIONS: If ground is dry, wet thoroughly, area which is to be treated. Scatter pellets on areas to be treated, including flowers and plants. Ratio: one lb. of pellets covers 1000 sq. ft. Do not apply to foliage or plant parts. See back panel for directions for use around fruits and vegetables. Always wear protective gloves. Bait areas are likely to be infested at the beginning of the spring planting season before damage occurs. Treating about every 2 weeks will give adequate control, although additional treatments may be necessary if rainfalls occur. After application, sprinkle pellets with water, which will expand pellets into snail-attracting bait.

FRUITS AND VEGETABLES: To control snails and slugs around the following fruits and vegetables, apply to soil surface around the plants. Do not contaminate edible parts.

FRUITS: Apples, Avocados, Blackberries, Cherries, Citrus, Grapes, Peaches, Plums, Strawberries.

VEGETABLES: Asparagus, Beans, Beets, Cabbage, Carrots, Corn, Cucumbers, Eggplant, Lettuce, Melons, Onions, Peas, Peppers, Potatoes, Radishes, Spinach, Squash, Tomatoes and Turnips.

GREENHOUSES AND BATH HOUSES: Distribute pellets on and beneath benches but do not place in pots of flats unless plants are well established. Keep pellets from coming in contact with plants. If soil is dry, irrigate prior to or sprinkle lightly after distributing pellets.

STORAGE AND DISPOSAL

Avoid contamination of feed and foodstuffs. Keep pesticide in original container. Do not reuse empty container. Wrap container and put in trash collection.

PRODUCT OF CANADA

Mfg'd by Wilson Laboratories Inc.

36 Head St. Dundas, Ontario L9H 3H3 Canada

E.P.A. Reg. No. 50383-

E.P.A. Est. No. 50383-CN-01

BEST AVAILABLE COPY