

AND FLOWER

AC

Pii 12

1/3

- 3


562

Controls many insects and diseases ACTIVE INGREDIENTS:

Carbaryl (l-napthyl	
N-methyl-carbamate)	5.00%
Captan*	4.89%
Related Derivatives	0.113
Sulphur	25.00%
Pyrethrins	.05%
INERT INGREDIENTS:	64.95%
TOTAL	100.00%

*N-trichloromethylthio-4cyclohexene-1,2,-dicarboximide





183-17

PRECAUTIONARY STATEMPRTS MAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER: Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes, Weat goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT: <u>If in eyes</u>: Flush with plenty of water. Call a physician. <u>If swallowed</u>: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. <u>If inhaled</u>: Remove victim to fresh

air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisims in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner insonsistent with its labeling.

USE PRECAUTIONS

Wear natural or synthetic rubber, vinyl, or plastic gloves impermeable to Captan when using indoors or outdoors. When using outdoors wear long pants and long-sleeved shirt and apply with the wind to your back. Wash nondisposable gloves thoroughly with soap and water before removing. . Clothing worn while handling this product must be

 , laundered separately from other clothing before reusing.

BEST AVAILABLE

(Wilson Black Magic Rose Dust Page 3)

¥3

FOR DUSTING: Apply thoroughly, early and regularly; make certain to apply dust to lower as well as upper surfaces of plant foliage; make certain to dust early in the season upon the first appearance of the insects and thereafter about every two weeks depending upon the severity of the infestation. It is always advisable to dust when the plants have moisture on them, preferably after a rain.

Effective against Red Spider, Mites, Aphids, Leaf Hopper, Japanese Beetle, certain caterpillars, Box Elder Bug, White Fly, Lace Bug, Rose Slug, Tarnished Plant Bug, Leaf Roller, Fullers Rose Weevil, Thrips, Rose Chafer, Rose Midge, Spotted Cucumber Beetle, Harlequin Bug, Rose Scale, and certain other insects on Roses, Camellias, Azaleas, Chrysanthemums, Gladiolus,, Asters, Licacs, Phlox, Carnations, Zinnias, Hydrangea....Also diseases such as Black Spot of Roses, Septoria Leaf Spot of Chrysanthemums, Rust of Snapdragons, and Powdery Mildew of Roses and other flowers. Make first application when new growth starts in the Spring and repeat applications at 7 to 10 day intervals.

FOR WET SPRAYING: BLACK MAGIC ROSE AND FLOWER DUST can be used for wet spraying as well as dry dusting. For wet spraying, we recommend the mixing of one to two pounds of dust to about 10 gallons of water or approximately five to ten tablespoonsful to each gallon of water. Quantity to be used may vay according to infestation and hardiness of insects. Always add the powder to the water and mix thoroughly, and keep material agitated while spraying.

STORAGE AND DISPOSAL

STORAGE: DANGER - Keep out of reach of children and pets. Store in a locked cabinet or area not accessible to children. Store in a cool, dry area, using proper opening and closing procedures for containers. Store in original containers only and keep pesticides separated from other pesticides, fertilizers, food and feed. DISPOSAL: Do not reuse container or bag. Unused portion of pesticide may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. Unused containers may be disposed of in the same manner.

EPA Reg. No. 50383-17-56521 EPA Est. No. 50383-CN-1 Code 7160

PRODUCT OF CANADA

Manufactured for WILSON LABORATORIES, INC./USA Springdale, CT 06907