

2012

CROSS-CONTAMINATION

is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. Kleenex Assurance 64 is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination. Kleenex Assurance 64 is an extremely effective one-step sanitizer for non-food contact surfaces. It cleans and sanitizes in waters up to 850 ppm hardness. This hard water tolerance is in excess of most potable waters and will insure complete sanitizing action when used as directed.

Two ounces of Kleenex Assurance 64 per gallon of water will deodorize surfaces in bathrooms, garbage storage areas, and other areas where bacterial growth can cause mal odors. Prevents odor caused by mold and mildew.

STORAGE AND DISPOSAL

THIS PRODUCT MUST BE KEPT UNDER LOCKED STORAGE SUFFICIENT TO MAKE IT INACCESSIBLE TO CHILDREN OR PERSONS UNFAMILIAR WITH ITS PROPER USE.

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURNED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

PRECAUTIONARY STATEMENTS

Hazards to Humans and domestic animals

WARNING

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

EPA Registration No.

12388-3

EPA Establishment No.

12388-WA-01

Net Contents

1 Gallon

BEST AVAILABLE COPY

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

50402-6

DATE OF ISSUANCE

OCT 09 1985

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Aqua Guard Bacteriostatic High
Volume Water Filter Model
FL-605

1 of 4
pm 31
50402-6

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Aqua Guard, Inc.
Pt. 1 - ex 580
Washington, DC 20570

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally reregistered in accordance with FIFRA sec. (c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 50402-6."
- b. The complete product name should be indicated at the top of the circular. Add "AQUA GUARD" before BACTERIOSTATIC.
- c. Delete the company name from the top of the circular.
- d. Delete "... or other commercial establishment" from the statement at the bottom of the circular.
- e. Include the statement "This unit is designed to provide clearer better tasting water for drinking and beverage preparation."

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

2054


f. Revise the statement "See enclosed circular ... information" to read "See enclosed circular for directions for use."

3. The retabulated silver release data are acceptable in fulfilling our requirements in that regard. For your records, please note that the data have been filed under EPA Accession Number 259273.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee 
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

**America's
Finest
Quality
Filtration
Systems**



**Aqua Guard Bacteriostatic
High-Volume Water Filter
Model EL-605**

ACTIVE INGREDIENT : SILVER (as elemental) 00.026%
INERT INGREDIENT : ACTIVATED CARBON 99.974%

CAUTION : **Keep Out Of Reach Of Children**

DISPOSAL : Wrap spent filter cartridge in newspaper
and discard with trash.

CONTENTS : One Bacteriostatic Water Filter.

CAPACITY : 7500 gallons.

FLOW RATE : One gallon per minute, set manually.

SEE ENCLOSED CIRCULAR FOR ADDITIONAL INFORMATION.
EPA EST.NO. 50402-TX-01

Aqua Guard • Rt. 15 Box 584 • Tyler, Texas 75707

~~ACCEPTED~~
with **COMMENTS**
in EPA Letter Dated:

OCT 09 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

50402-6




EPA Est. No. 50402-TX-01

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Install Watts Water Hammer Arrestor as shown in diagram.
NOTE: WARRANTY IS VOID UNLESS WATER HAMMER ARRESTOR IS INSTALLED.
2. Install inlet line to filter as shown in diagram.
3. Turn water on and allow it to flow through the filter into a bucket or sink for about 15 minutes to remove carbon fines.
4. Connect the outlet line of the filter as shown in the diagram.
5. Effective life rating of this unit is approximately 7,500 gallons (may vary depending upon water conditions). See chart below for additional information.

"A bacteriostatic water filter is one which inhibits the growth of bacteria which is entrapped within the filter medium."

Based on 16 oz. average water consumption per customer, including drinking water, coffee, tea, juices, soft and mixed drinks, figure the following life of this unit:



Approximate water consumed weekly

062.5 gal
187.5 gal
312.5 gal
500.0 gal

Approximate life of unit

2 years 4 months (120 weeks)
9 months (40 weeks)
5 months (24 weeks)
3 months (15 weeks)

"This filter should only be used in conjunction with municipally treated tap water in the home, office, restaurant or other commercial establishment."

AGUA GUARD, INC. • P.O. Box 584 • Tyler, Texas 75707

PM31

50402-6

1/4

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 50402-6	DATE OF ISSUANCE OCT 09 1985
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Aqua Guard Bacteriostatic High Volume Water Filter Model EL-605	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
<div style="border: 1px solid black; padding: 10px;"> <p> <input type="checkbox"/> Aqua Guard, Inc. Rt. 15 - Box 584 Tyler, TX 75707 </p> </div>		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA sec. (c)(7)(A) provided that you:		
<ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase "EPA Registration No. 50402-6." b. The complete product name should be indicated at the top of the circular. Add "AQUA GUARD" before BACTERIOSTATIC. c. Delete the company name from the top of the circular. d. Delete "... or other commercial establishment" from the statement at the bottom of the circular. e. Include the statement "This unit is designed to provide clearer better tasting water for drinking and beverage preparation." 		
<input checked="" type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE


f. Revise the statement "See enclosed circular ... information" to read "See enclosed circular for directions for use."

3. The retabulated silver release data are acceptable in fulfilling our requirements in that regard. For your records, please note that the data have been filed under EPA Accession Number 259273.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee 
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

50402-6

America's
Finest
Quality
Filtration
Systems



**Aqua Guard Bacteriostatic
High-Volume Water Filter
Model EL-605**

ACTIVE INGREDIENT : SILVER (as elemental) 00.026%
INERT INGREDIENT : ACTIVATED CARBON 99.974%

CAUTION : Keep Out Of Reach Of Children
DISPOSAL : Wrap spent filter cartridge in newspaper
and discard with trash.

CONTENTS : One Bacteriostatic Water Filter.
CAPACITY : 7500 gallons.
FLOW RATE : One gallon per minute, set manually.

SEE ENCLOSED CIRCULAR FOR ADDITIONAL INFORMATION.
EPA EST.NO. 50402-TX-01

Aqua Guard • Rt. 15 Box 584 • Tyler, Texas 75707

with COMMENTS
in EPA Letter Dated:

OCT 09 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

50402-6

EPA Est. No. 50402-TX-01

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Install Watts Water Hammer Arrestor as shown in diagram.
NOTE: WARRANTY IS VOID UNLESS WATER HAMMER ARRESTOR IS INSTALLED.
2. Install inlet line to filter as shown in diagram.
3. Turn water on and allow it to flow through the filter into a bucket or sink for about 15 minutes to remove carbon fines.
4. Connect the outlet line of the filter as shown in the diagram.
5. Effective life rating of this unit is approximately 7,500 gallons (may vary depending upon water conditions). See chart below for additional information.

"A bacteriostatic water filter is one which inhibits the growth of bacteria which is entrapped within the filter medium."



Based on 16 oz. average water consumption per customer, including drinking water, coffee, tea, juices, soft and mixed drinks, figure the following life of this unit:

Approximate water consumed weekly

062.5 gal
187.5 gal
312.5 gal
500.0 gal

Approximate life of unit

2 years 4 months (120 weeks)
9 months (40 weeks)
5 months (24 weeks)
3 months (15 weeks)



"This filter should only be used in conjunction with municipally treated tap water in the home, office, restaurant or other commercial establishment."

AQUA GUARD, INC. • Rt. 15 Box 584 • Tyler, Texas 75707