PA REGISTRATION NO. DATE OF ISSUANCE **OCT 14 198**6 TERM OF ISSUANCE

100)162919

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenficide Act, as amended)

NAME OF PESTICIDE PRODUCT

50404-2

CIC Residual Insecticide Powder Wo. 1

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

 \vdash

Coulston International Corporation P.O. Box 3237 Palmer, PA 18043

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with F1FRA section 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for snipment:
 - a. Add the phrase "EPA Registration No. 50404-2."
 - Please correct the spelling of "bottom" in the Container Disposal statement.
- Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED

CIC RESIDUAL INSECTICIDE POWDER NO. 1

EPA Est. No. 51793-GA-1 EPA REg. No. 50404-

FOR INDUSTRIAL/COMMERCIAL USE ONLY A Desiccant Dust

PROVIDES QUICK CONTROL.

KILLS UP TO 6 MONTHS WHEN LEFT UNDISTURBED.

NON-STAINING AND RELATIVELY ODORLESS. FOR USE IN RESIDENCES, INSTITUTIONS, FOOD PLANTS, GRANARIES AND ON CATS AND DOGS.

CONTROLS ANTS, COCKROACHES, SILVERFISH, BEDBUGS, FLEAS, LICE, BEES. AND AS STIPULATED IN THE USE DIRECTIONS ON NUMEROUS STORED PRODUCT PESTS. TO PROTECT AGAINST ENTRANCE OF DRYWOOD TERMITES.

ACTIVE INGREDIENTS:

Pyrethrins	1.0%
*Piperonyl Butoxide, Technical	10.0%
Amorohous Silica Gel	40.3%
**INERT INGREDIENTS	49.0%
	400.000

*Equivalent to 8 0% (butylcarbityl) (6-propylpiperony) ether and 2.0%

related compounds
**contains petroleum distillate ACCEPTED

KEEP OUT OF REACH OF CHILDREN PER LONG CAUTION 00 11. 4 1986

See back panel for additional precautionary statements.

1 Kir br in Settledda Act p**ier**al since त्त्रम् । अ**श्रीतिक्ष 2009** Section of the Line of the Lin

व्यक्ति एक्टिइएक्ट्रि

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its

APPLICATIONS WITHIN FOOD AREAS:

Food processing plants and warehouses, bakeries, beverage plants, testaurants, supermarkets meal and poultry processing plants, hotels, motels, hospitals, and schools. Limit to Crack and Crevice Treatment Only:

Limit to Crack and Crevice Treatment Only:

Using a bulbous duster apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits of hollow equipment legs where cockroaches, ants. silverlish, spiders, boxelder bugs, and crickets hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

NET CONTENTS:____

APPLICATIONS OF THIS PRODUCT IN THE FOOD ARE ESTABLISHMENTS, OTHER THAN AS A CRACK AND NOT PERMITTED.

NON-FOOD AREAS:

NON-FOOD AREAS:
Homes, institutions, hospitals, office buildings, horels, warehouses, truck traiters and railroad cars. Yo comfrol cockroaches, silverfish, fitebrats, spiders, byelder bug animal quarters, distribute Drione at the rate oil 2 counce area. Apply a continuous visible lilm underneath and be appliances. Treat on, around and behind motdings, shelopenings, cracks, crevices, and other areas where insectinfestations, apply Drione behind cabinets and walls, in crate oil 16 ounces per 1000 square feet of surface area.

STORED PRODUCT PESTS:

STORED PRODUCT PESIS:
To aid in the control of cadelles, cheese mites, cigarett beetles, dark meal worms, drugstore beetles, grain mite beetles, rice weevils, sawtoothed grain beetles and yell elevators and granaries. Clean up waste materials, dust Thoroughly treat floors, walls and other surfaces in bind Apply into cracks and crevices and other difficult to real hide.

BEES AND WASPS:

BEES Ah D WASPS:
It is generally advisable to treat wasp and bee nests in the less active and have returned to the nest. Using hand or means, with extension tubes if necessary, thoroughly distribution of the less as where insects alight. Nests in wall wo with your ear against the wall Drill a hole in the area, of ground wasps, dust entrance and surrounding areas. For carefully one or two days after treatment to ensure com destroy nest to prevent emergence of newly-hatched insteasible, retreat the nest, if necessary. Do not use this processing the prevent energy in the processory.

SEWER TREATMENTS:

SEWER TREATMENTS:
American and Oriental cockroach infestations in sanitar approximately 6 ounces of Drione per manhole. When if per 200 feet of line should be treated. Treatments are microver and replacing with a disc of plywood bored to rectify portable or truck-mounted ventilating equipment. 6 introduced into the ventilating air to be dispersed quicklesses. system

BEDBUGS:

Take bed apart. Dust into joints and channels. If hollow, s see that the interior of framework is well dusted. Mattress fulfs, folds, and edges. Picture frame moldings and all cra should be treated.

DRYWOOD TERMITES

DRYWOOD TERMITES

To protect against entrance, using an electric or hand opin protect against entrance, using an electric or hand opin prone through an entry, e.g. crawl hole into attic and crail pound per 1000 square feet of floor area. All vents and should be closed. All wood surfaces should be covered to probe to locate galleries and drill holes to inject Drione in heavy infestation has already developed, furnigation should be covered.

FLEAS AND TICKS ON DOGS AND CATS

Liberally apply powder to the animal Rubbing thoroughly and include the underbody, legs, feet and the base of the Surfaces of kennels should be dusted at the rate of one or infested lawns, basements, and crawl spaces should be dution square feet. Repeat as necessary

DO NOT TREAT KITTENS OR PUPPIES FOUR WEEKS OLD.

SOW BUGS, PILLBUGS, GROUND BEETLES. EARWIL AND SCORPIONS:

Apply around doors and windows and other places with Treat baseboards, storage areas and other focations with the storage areas and other focations with the storage areas and other focations.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or discosal. PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Keep away from moisture. Sweep up and discous of with chemical waste. PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions sust be disposed of at or by an approved weste disposal facility. CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and boottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and tocal authorities. If drum is contaminated and cannot be reused. dispose of in same manner. CONTAINERS ONE POUND AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard to trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION Avoid inhalation. Containers larger than one pound may not be used or stored in food handling establishments.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce voniting unless directed by as, physician. Contains petroleum solvent. Contact a physician or Poison Control Center innediately, IF INHALED: Remove victim to fresh mir. Apply artificial respiration if indicated. IF ON SKIN: Remove containinated clothing and wash affected areas with soap and water. IF IN ETES: Flush with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxis to fish. Keep out of takes, streams, or ponds. Do not apply where runoff is tikely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposa, of wastes Buyer assumes all the risks of use storage or handling of this product not in strict

Printed in U.S.A.

COULSTON INTERNATIONAL CORPORATION 1092 MADISON AVENUE ALBANY, NEW YORK 12208

accordance with directions given here with