

50404 -3

12/06/89

1/4

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 50404-3  TERM OF ISSUANCE  NAME OF PESTICIDE PRODUCT CIC Residual Insecticide No. 1	DATE OF ISSUANCE DEC - 6 1989		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)  <div style="text-align: right;">161 / 325-466 18 / 1</div> Coulston International Corporation P.O. Box 3237 Balwin, PA 19013				
<p><b>NOTE:</b> Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> <li>1. Submit/dite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.</li> <li>2. Make the labeling changes listed below before you release the product for shipment:             <ol style="list-style-type: none"> <li>a. Add the phrase "EPA Registration No. 50404-3."</li> <li>b. For <u>nonfood</u> areas, add the following statement:                 Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in service areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.             </li> </ol> </li> </ol> <p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p> <table border="1" style="width: 100%;"> <tr> <td data-bbox="175 1843 1170 1905">SIGNATURE OF APPROVING OFFICIAL</td> <td data-bbox="1170 1843 1485 1905">DATE</td> </tr> </table>			SIGNATURE OF APPROVING OFFICIAL	DATE
SIGNATURE OF APPROVING OFFICIAL	DATE			

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

- c. Revise the first paragraph on the front panel to read:

For use in homes, garages, kennels, offices, and the nonfood areas of food processing plants, restaurants . . . .

- d. Use in food handling establishments can imply use in U.S. Department of Agriculture (USDA) Meat and Poultry Plants. Therefore, either add the statement "Not for Use in USDA Meat and Poultry Plants," or submit an application to USDA requesting use in these areas. If granted, you can then indicate on the label that the product can be used in these areas.
- e. Add the statement "Do not use this or any other pesticide on sick, old, or debilitated pets."
- f. Add the statement "Wear rubber gloves (mitts) when spraying this product on dogs" since directions state that while spraying, fluff the hair so that the spray will penetrate to the skin.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

-A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosures

*P.S. continued 28*

How is the product to be sprayed? Is there a spray head attachment sold with the product? If it is sold to the general public, a spray trigger attachment should accompany the product to prevent the layperson from using an unlabeled spray can to apply the product. If this is not feasible, add the following statement to the front panel "Recommended for Commercial/Industrial Use."

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

DEC - 6 1989

CIC RESIDUAL INSECTICIDE NO. 1

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide  
registered under EPA Reg. No.

50404-3

EPA REG. NO. 50404-3

EPA EST. NO. 51793-GA-1

## DIRECTIONS FOR USE

A Concentrated PERMANONE® Stable Emulsion

### READY TO USE

For Use Outdoors and in Homes, Kennels and Non-Food Areas  
Commercial Buildings, Warehouses, Theaters, Office Buildings,  
Schools, Motels, Hotels and Food/Feed Processing Establishments

For Control of Fleas, Brown Dog Ticks and Lice

On Premises and On Dogs

Controls Fleas and Ticks on Dogs for 35 Days

Aids in Control of Ticks on Dogs for an Additional 2 Weeks

### ACTIVE INGREDIENTS:

\*Fenmethrin ..... 0.50%

INERT INGREDIENTS: ..... 99.50%

100.00%

\*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2, 2-dichloroethenyl)  
2, 2-dimethylcylopropanecarboxylate. Cis/trans ratio: min. 35%  
(+/-) cis and max. 65% (+/-) trans.

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See rear panel for use cautions

PERMANONE — Registered Trademark of Fairfield American  
Corporation.

NET CONTENTS: \_\_\_\_\_

It is a violation of Federal law to use this product in a manner  
inconsistent with its labeling.

### SHAKE WELL BEFORE USING

**SURFACE SPRAYING:** To control cockroaches, waterbugs,  
palmetto bugs, scorpions, millipedes, centipedes, sowbugs,  
pillbugs, ants, silverfish, firebrats, spiders, crickets, clover  
mites, cheese mites, granary weevils, rice weevils, confused  
flour beetles, rust red flour beetles, drugstore beetles, meal  
worms, grain mites and cadellies: Direct the spray into hiding  
places, cracks and crevices, behind shelves and drawers. For  
silverfish, spray bookcases. For ants, spray trails, nests and point  
of entry.

To control carpet beetles: Spray edges of carpeting and under  
carpeting and rugs. Make localized application to floor and  
baseboards. Spray directly into cracks, crevices and infested areas  
of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, particularly around  
tufts and seams. Take beds apart and spray in all joints. Treat  
baseboards, moldings and floors. Repeat treatment as needed.

To control fleas and ticks (adults and larvae): Thoroughly spray  
infested areas, pet beds, resting quarters, nearby cracks and  
crevices, along and behind baseboards, moldings, window and door  
frames and entire areas of floor and floor covering. Fresh bedding  
should be placed in animal quarters following treatment. Repeat  
treatment as needed.

To control clothes moths: Remove any infested articles from  
storage, brush thoroughly, and air for several hours in sunlight, if  
possible. Apply spray liberally to empty chests, closets, bureaus  
and other storages directing the spray into cracks, joints and  
crevices. After airing, infested articles may be treated lightly,  
keeping nozzle at least three feet from fabric to avoid staining.

To kill lice and louse eggs: Spray in an inconspicuous area to test  
for possible staining or discoloration. Inspect again after drying, then  
proceed to spray entire area to be treated. Spray from a distance of  
8 to 10 inches. Treat only those garments and parts of bedding,  
including mattresses and furniture that cannot be either laundered  
or dry cleaned. Allow all treated articles to dry thoroughly before  
use.

**ON LIVESTOCK:** To protect cattle (beef and dairy), goats, sheep,  
hogs and horses from horn flies, face flies, house flies,  
mosquitoes and gnats: Apply a light mist sufficient to wet the  
surface of the hair. For face flies, spray face and head, but do not  
spray into eyes.

To control stable flies, horse flies and deer flies: Apply at a rate of  
2 ounces per adult animal, sufficient to wet the hair thoroughly.  
Repeat treatment daily or at intervals necessary to give continued  
protection.

To control blood-sucking lice: Apply to the infested areas of the  
animal, using a stiff brush to get the spray to the base of the hair.  
Repeat every 3 weeks if required.

To control poultry lice: Spray roosts, walls and nests or cages  
thoroughly. This should be followed by spraying over the birds with a  
fine mist.

To control bedbugs and mites in poultry houses: Spray crevices of  
roost poles, cracks in walls, and cracks in nests where the bedbugs  
and mites hide.

**ON DOGS:** To control fleas, ticks and lice: Start spraying at the  
tail, moving the dispenser rapidly and making sure that the animal's  
entire body is covered, including the legs and underbody. While  
spraying, fluff the hair so that the spray will penetrate to the skin.  
Make sure spray wets thoroughly. Do not spray into eyes and face.  
Avoid contact with genitalia. Repeat as necessary.

**NOTE:** Not recommended for use on puppies less than four weeks  
old.

CONTINUED ON REVERSE

BATCH \_\_\_\_\_

5/4

## OUTDOOR APPLICATION

**FOR CONTROL OF GARDEN INSECTS:** For use on roses, dahlias, asters and other ornamentals to kill **Japanese beetles** hit by spray as well as **whiteflies**, **aphids**, **exposed thrips**, **spiders**, **red mites** and **leafminers**.

May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dandelias, delphiniums, dogwoods, English ivy, euonymus, fuchsia, geraniums, grassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against **whiteflies**, **aphids**, **spider** and **red mites**, **exposed thrips**, **lace bugs**, **Japanese beetles**, **pavement ants**, **clover mites** and **army worms**.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

## STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets and birds, and cover fish aquaria before space spraying or surface applications.

## STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove affected person to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, ponds, streams, tidal marshes or estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

COULSTON INTERNATIONAL CORPORATION

P.O.Box 30

Easton, PA 18044-0030