

SE NT PANEL

CIC RESIDUAL INSECTICIDE NO. 1


A Ready-To-Use DURANON(TM) Stable Emulsion Insecticide

For Indoor/Outdoor Residential Use and in Kennels

For Control of Fleas, Ticks and Lice On Dogs

Controls Fleas and Ticks on Dogs for 35 Days

Aids in Control of Ticks on Dogs up to 6 Weeks



[FOR 0.5, 1 AND 1.5 GALLON SIZES ONLY]

For control of Ticks which may cause Lyme disease and Rocky Mountain Spotted Fever around Homes & Campsites

[CLOTHING TREATMENT: SEPARATE PACKAGING/LABELING ONLY]

REPELS & KILLS TICKS, CHIGGERS, MITES AND MOSQUITOES

Repels and Kills Ticks which may carry Lyme disease and Rocky Mountain Spotted Fever

FOR AEROSOL USE

CLOTHING TREATMENT ONLY  
DO NOT APPLY TO SKIN

ACTIVE INGREDIENT:

Permethrin\*..... 0.50%

INERT INGREDIENTS: ..... 99.50%

100.00%

\* (3-phenoxyphenyl) methyl (+) isomers 3-(2,2-dichloroethenyl 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (max. 40%) (+) cis and max. 65% (min. 60%) (+) trans.

\*\*\*\*\*  
KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautions  
\*\*\*\*\*

BEST COPY AVAILABLE

147

### DIRECTIONS FOR USE

[Depending on container used in market either a trigger, pump or other type sprayer, with instructions, will be included with the product.] Do not transfer to another container.

## INDOOR APPLICATION

[illegible]

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Arar and Collins (1971) using a Shimadzu 1601 UV-Visible Spectrophotometer. The concentration of chlorophyll was expressed in  $\mu\text{g mL}^{-1}$ .

2

To control all these moths: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping sprayer nozzle at least 18 inches from fabric to avoid staining.

To kill lice and louse eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

#### ON DOGS

To control fleas, ticks (including Ticks which can infect dogs with Lyme disease) and lice: Start spraying at the tail, moving the dispenser rapidly and making sure that the animals entire body is covered, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into eyes and face. Avoid contact with genitalia. Wear rubber gloves or mitts when applying this product. Repeat as necessary.

NOTE: Not recommended for use on puppies less than four weeks old. Do not use this or any other pesticide on sick, old, or debilitated pets. Do not use on cats or kittens.

## FOR CONTROL OF HOME GARDEN INSECTS

May be used on plants as a multi-purpose spray in small home gardens and for spot treatments of incipient insect infestations to prevent spreading in larger home garden areas.

Effective when used as directed against whiteflies, aphids, spider and red mites, exposed thrips, lace bugs, Japanese beetles, pavement ants, clover mites and army worms.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90 F. Contact insects directly whenever possible. Repeat treatment as infestation occurs.

**BEST COPY AVAILABLE**

INIDE PANEL

[FOR 0.5, 1 AND 1.5 GALLON SIZE ONLY]

OUTDOOR APPLICATION

TO CONTROL TICKS, INCLUDING TICKS WHICH MAY CARRY LYME DISEASE AND ROCKY MOUNTAIN SPOTTED FEVER (PERIMETER TREATMENT AROUND HOMES & CAMPSITES):

Use this product as a residual treatment to control Ticks including the Deer Tick (*Ixodes dammini*), Lone Star Tick (*Amblyomma americanum*), Brown Dog Tick (*Rhipicephalus sanguineus*), American Dog Tick (*Dermacentor variabilis*), Western Black-legged Tick (*Ixodes pacificus*), Black-legged Tick (*Ixodes scapularis*) and Pacific Coast Tick (*Dermacentor occidentalis*). For each area listed below, apply until surface is wet (approximately 0.5 gal./375-500 sq.ft. or 1 gal./750-1000 sq. ft.).

Treat around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces where these pests may enter.

Treat a band of vegetation and leaf litter 8 to 10 feet wide around the outside of buildings to help control ticks occurring there.

To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6 - 10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

BEST COPY AVAILABLE

[SEPARATE PACKAGING/LABELING ONLY]

To repel & kill mosquitoes, chiggers, mites and ticks, including Ticks which carry Lyme disease and Rocky Mountain Spotted Fever.

THIS PRODUCT MUST NOT BE APPLIED TO CLOTHING WHILE IT IS BEING WORN. UNDER NO CIRCUMSTANCES SHOULD BARE SKIN OR CLOTHING ON THE BODY BE TREATED.

Do not spray directly on or otherwise allow to come in contact with skin, face, or eyes. This product is to be used as a clothing treatment only. In case of accidental spraying of skin, face or eyes, see "Statement of Practical Treatment" on side panel. Make all applications outdoors.

For protection against ticks, chiggers, mites and mosquitoes select an outdoor area protected from the wind, spray outer surfaces of clothing (while not being worn) with a slow sweeping motion, to lightly moisten the surface of the fabric, holding pump at a distance of 6 to 8 inches. (A complete outfit consists of shirt, trousers, and socks.) Treat outer surfaces of each outfit, front and back, for 60 seconds each and allow to dry for at least 2 hours (4 hours under humid conditions). Pay particular attention to socks, trouser cuffs, and shirt cuffs.

[Directions for use "Option" to complement clothing treatment package size.]

- 3 oz. net package: One pump bottle will treat one complete outfit.
- 6 oz. net package: One pump bottle will treat two complete outfits. Use 1/2 of bottle for each complete outfit.
- 12 oz. net package: One pump bottle will treat three complete outfits. Use 1/3 of bottle for each complete outfit.
- 18 oz. net package: One pump bottle will treat four complete outfits. Each three oz. graduation on this bottle represents treatment of one complete outfit.

Do not exceed recommended spraying times.

[illegible]

**BEST COPY AVAILABLE**

6

## )

## )

Do not reuse empty container. Wrap container in several layers of newspaper and put in trash.

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
CAUTION

Avoid contact with face, eyes, or skin. Avoid breathing vapors or spray mist. Harmful if swallowed. Wash thoroughly after handling and before eating or smoking. Do not use on humans.

## STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

## ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic organisms. Do not apply direct to water. Do not contaminate water when disposing of equipment washwaters.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

COULSTON PRODUCTS INCORPORATED  
P.O. BOX 30, EASTON, PA. 18044-0030  
EPA Reg. No. 50404-3 EPA Est. No. 10900-CN-1

10-10-68

**BEST COPY AVAILABLE**