1/l

COULSTON'S ®

PERMETHRIN TICK REPELLENT

REPELS & KILLS TICKS AND MOSQUITOES
EFECTIVE FOR 2 WEEKS

NONSTAINING
APPLIES AND DRIES ODORLESS

PERMETHRIN ODORLESS, NONSTAINING A TREATMENT FOR CLOTHING AND TENTS A TREATMENT FOR CLOTHING AND GEAR

DO NOT APPLY TO SKIN

*(3-phenoxyphenyl) methyl (+) cis/trans 3-17,2-dichloroethenyl) 2,2-dimethyl - propanecarboxylate Cis/Trans Ratio: min. 35% (max. 40%)(+) cis and max. 65% (min. 60%)(+) trans.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautions.

Net Contents: 6 oz.

ACCEPTED

MAR 2 9 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under IPA Reg. No. 50411 - 6 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING. This product should not be applied to clothing while it is being worn. Under no circumstances should bare skin or clothing on the body be treated. Do not spray directly on or otherwise allow to come in contact with skin, face, or eyes. This product is to be used as a clothing and gear treatment only. In case of accidental spraying of skin, face or eyes, see "First Aid" below. Make all applications outdoors.

For protection against ticks and mosquitoes, select an outdoor area protected from the wind, spray outer surfaces of clothing (while not being worn) with a slow sweeping motion to lightly moisten the surface of the fabric, holding can at a distance of 6 to 8 inches. (A complete outfit consists of shirt, trousers, and socks.) Treat outer surfaces of each outfit, front and back, for 60 seconds each and allow to dry for at least 2 hours (4 hours under humid conditions.) Pay particular attention to socks, trouser cuffs, and shirt cuffs. One can will treat two complete outfits. Do not exceed recommended spraying times.

NETS, TENTS, SLEEPING BAGS, BACKPACKS AND GROUNDCLOTHS: Do not treat inside of sleeping bag. Spray exterior surfaces of tent only. Select a well-ventilated outdoor area protected from wind and lay out gear to be treated. Hold can upright about 6 to 8 inches from surface of the article and spray with a slow sweeping motion to lightly moisten the surface of the fabric. Continue spraying over entire article, until the outer surface of the article is moist enough to cause a light color change (darkening). Turn the article over and treat the other side. Hang treated gear and allow to dry for at least 2 hours (4 hours under humid conditions) before using.

Do not retreat clothing or gear more than once every two weeks. In heavily infested areas protection from ticks will be improved by either wearing the cuffs inside footwear or taping pant cuffs around legs. Protection from mosquitoes can be further enhanced by applying an EPA approved repellent to face, hands and other exposed areas of the body.

STORAGE AND DISPOSAL

Replace cap, wrap empty container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Do not allow use by small children without close adult supervision. Avoid contact with face, eyes, or skin. Avoid breathing vapors or spray mist. Wash thoroughly after handling and before eating or smoking. Do not allow contact with treated surfaces until spray has dried. Do not allow to contact food or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product.

First Aid

 Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
* Rinse skin immediately with plenty of water for 15-20 minutes.
 Move person to fresh air, if not already done. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. * Call a poison control center or doctor for treatment advice.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not purcture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

Manufactured and Marketed By:

treatment

Coulston Products Incorporated

P.O. Box 30, Easton, PA 18044-0030 Made in U.S.A.

© & ™ Trademarks of Coulston Products Inc.

© Copyright 1993-2001 CPI All Rights Reserved 02/01

EPA Reg. No. 50404-6 EPA Est. No. 49830-GA-1

83803-20200