



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

February 17, 2004

Timothy H. Dickens, Ph.D.
Coulston Products Inc
c/o Scientific Coordination, Inc.
4629 Cherry Valley Drive
Rockville, MD 20853

Subject: Label Amendment - Updating First Aid Statement per PR Notice 2001-1,
Disposal Instructions per PR Notice 2001-6 & PR Notice 96-6
CIC Residual Pressurized Spray No. V
EPA Reg. No. 50404-7
Your Submission Dated August 20, 2003

Dear Mr. Dickens:


The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

1. Revise front of the label-- replace "Inert Ingredients" with the phrase "Other Ingredients".
2. Revise Precautionary Statements as follows:

"Harmful if swallowed, inhaled or absorbed through skin. Cause moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse."
3. Move the statements "Avoid contamination of feed and foodstuffs. Do not allow children or pets to contact treated areas until surfaces are dry. Vacate room after treatment and ventilation." to the Directions for Use section.
4. Replace "Not for use in USDA meat and poultry plants" with "Not for use in federally inspected meat and poultry plants."

5. Reinstatement " Storage - Store in a cool, dry area. Do not transport or store below 32 F."
6. Add the following statement under Directions for Use, "Not for use on plants being grown for sale or other commercial use, or for commercial feed production or for research purposes."

If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

3/8

CIC RESIDUAL PRESSURIZED SPRAY NO. V

- CONTROLS RESIDENTIAL, INDUSTRIAL AND GARDEN INSECTS
- FOR USE ON DOGS AND ON PREMISES TO CONTROL FLEAS AND TICKS
- AN AQUEOUS, STABLE, MICRO EMULSION
- CONTROLS PESTS FOR UP TO FOUR WEEKS

ACTIVE INGREDIENT: Permethrin* 0.50%
 INERT INGREDIENTS: 99.50%
 TOTAL: 100.00%

*(3-phenoxyphenyl) methyl (+) *cis/trans* 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate *Cis/Trans* Ratio: min. 35% (+) *cis* and max. 65%(+) *trans*.

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

See rear [back] panel for [precautions] additional precautions.

Net Contents: _____

Lot Number: _____

**ACCEPTED
 with COMMENTS
 in EPA Letter Dated
 FEB 17 2004**
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under EPA Reg. No.
50404-7

[] Denotes alternate verbiage.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not spray directly on food. Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants.

SHAKE WELL BEFORE USING

Remove protective cap; hold container upright and spray from a distance of 12 to 15 inches.

Remove birds and cover or remove fish aquariums/fishbowls before spraying.

Do not use this product in or on electrical equipment due to the possibility of chock hazard.

Houseflies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Blow Flies and Small Flying Moths: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Ventilate before reoccupying.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

Ants: Spray trails, nests and points of entry. Spray on ants where possible.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment.

Exposed stages of **Confused Flour Beetles, Saw-Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites:** Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet or surface. Keep area closed for 45 minutes to 1 hour after treatment. Infested stored food products in the home should be disposed of.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets.

5/8

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors. Allow mattresses and other articles to dry thoroughly before use.

To control **Clothes Moths:** Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

In animal quarters and milk rooms: For rapid control of **Houseflies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths:** Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

To treat livestock: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of **Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats:** Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face flies, spray the face and head, but do not spray into eyes.

For swine: Do not ship animals for slaughter within 5 days of last treatment.

To control **Blood Sucking Lice:** apply to the infested areas of the animal, using a stiff brush to get to the base of the hair. Repeat every 3 weeks if required.

To control **Poultry Lice:** Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

For control of **Bedbugs and Mites** on poultry houses: Spray crevices or roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

Fleas and Ticks: (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

Read entire label before each use. Use only on dogs.

To control **Fleas, Ticks and Lice** on Dogs: Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Do not spray into eyes and face. Avoid contact with genitalia. Wear rubber gloves or mitts when applying this product. Repeat application weekly if necessary to control infestations

Do not use on puppies under twelve weeks. Consult a veterinarian before using this product on debilitated, medicated, aged, pregnant or nursing animals. Do not use on cats or kittens. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. For product questions and emergency information call 800-940-4464.

To kill **Lice and Louse Eggs**: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use. This product is not for use on humans. If lice infestations should occur on humans, consult either your physician or pharmacist for a product for use on humans.

For the Control of Garden Insects: For use on roses, dahlias, asters and other ornamentals to kill **Japanese Beetles** hit by spray, as well as **Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers**. May be used on plants, as well as a multi-purpose spray in small gardens for spot treatments of incipient insect infestations to prevent spreading in large garden areas. May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wondering Jews and zinnias. Effective when used as directed against **Whiteflies, Aphids, Spider and Red exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms**. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one-second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible

DISPOSAL

Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

7/8

**PRECAUTIONARY STATEMENTS
Hazards To Humans & Domestic Animals
CAUTION**

Harmful if swallowed. Avoid spraying in eyes. Avoid breathing spray mist. Avoid contact with skin. Wash hands thoroughly after use. Vacate room after treatment and ventilate before reoccupying. Avoid contamination of feed and foodstuffs. Do not allow children or pets to contact treated areas until surfaces are dry.


FIRST AID

If swallowed:	<ul style="list-style-type: none"> *Call a poison control center or doctor immediately for treatment advice. *Have person sip a glass of water if able to swallow. *Do not induce vomiting unless told to do so by a poison control center or doctor. *Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none"> *Take off contaminated clothing. *Rinse skin immediately with plenty of water for 15-20 minutes. *Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> *Move person to fresh air. *If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. *Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none"> *Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. *Call a poison control center or doctor for treatment advice.
<p align="center">Have product container with you when calling for help or going for treatment. Questions ????: 800-940-4464 , Weekdays from 9-5 EST.</p>	

NOTE: The First Aid statement's grid format will be used if market label space permits; otherwise a paragraph format will be used.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not smoke while using this product.



8/8

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Manufactured and Marketed By:

Coulston Products Incorporated

P.O. Box 30, Easton, PA 18044-0030

Made in U.S.A.

® & ™ Trademarks of Coulston Products Inc.

© Copyright 1995-2003 CPI All Rights Reserved 07/03

EPA Reg. No. 50404-7

EPA Est. No. 10900-OH-1

