


50415-32 PM 12 1971
Trans. from 551-170



DANGER—POISON—PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

"This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

"This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service."

4/77
1-71

Manufactured by:
BAIRD & MCGUIRE
Holbrook, Mass.

EPA EST 551-MA-1
EPA REG NO. 551-170

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

STOP! READ THE LABEL

POISON
See side panels
for antidote
and precautions

ACCEPTED
MAY 30 1978
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, by the pesticide
registered under
EPA Reg. No. 551-170



CAN KILL YOU

DANGER
Keep out of reach
of children

PARATHION 8 EMULSIFIABLE

A water dispersible concentrate containing
8 Pounds Parathion per gallon

ACTIVE INGREDIENTS:
Parathion* 80%
INERT INGREDIENTS: 20%
*O, O-diethyl O-p-nitrophenyl thiophosphate

NOT FOR HOME USE

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes (2) Wear safety goggles (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection (4) Wear heavy duty, natural rubber gloves

WORK SAFETY RULES

Workers entering fields within 24 hours of application should wear protective clothing. Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give any thing by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning (keep out of smoke).

DIRECTIONS FOR USE

APPLES: To control woolly apple aphid, rosy aphid, green apple aphid, red spider (mites). Use .33 lbs. actual per 100 gallons of water (see application below). Do not apply within 14 days of harvest.

CARROTS: To control aphids and red spider (mites). Use .38 lb. actual per acre (see application below). Do not apply within 15 days of harvest. Do not use treated tops for feed or feed.

PEAS: To control aphids and red spider (mites). Use 1/3 to 1/2 pint per acre (see application below). Do not apply within 10 days of harvest.

COTTON: To control aphids and red spider (mites). Use 1/3 to 1/2 pint per acre (see application). Do not apply within 7 days before hand picking. Do not feed gin trash to livestock.

ALFALFA: To control aphids and red spider (mites). Use 1/3 to 1/2 pint per acre (see application). Do not apply within 15 days of harvest. Do not feed treated forage to livestock.

CORN: To control aphids and red spider (mites). Use .25 lb. actual per acre (see application below). Do not feed forage to livestock.

POTATOES: To control aphids and red spider (mites). Use 1/3 to 1/2 pint per acre (see application below). Do not apply within 5 days of harvest. Do not feed tops to livestock.

BEANS: To control aphids and red spider (mites). Use 1/3 to 1/2 pint per acre (see application below). Do not apply within 15 days of harvest. Do not feed tops to livestock.

CABBAGE: To control aphids and red spider (mites). Use .38 lb. actual per acre (see application below). Do not apply within 21 days of harvest.

SPINACH: To control aphids and red spider (mites). Use 1/3 to 1/2 pint per acre (see application below). Do not apply within 21 days of harvest.

OATS, WHEAT and BARLEY: To control aphids and red spider (mites). Use 1/3 to 1/2 pint per acre (see application below). Do not apply within 15 days of harvest. Do not feed treated tops to livestock.

APPLICATION

AIRPLANE APPLICATION: Dilute recommended amount of Parathion 8 Emulsifiable in 10 gallons of water per acre. Repeat application when necessary.

GROUND APPLICATION: Dilute recommended amounts of Parathion 8 Emulsifiable in 20 gallons of water per acre. Repeat application when necessary.

Do not use with strongly alkaline materials. Apply only as specified on this label.

NET CONTENTS GALLONS