Compu/Cide Ca

ACTIVE INGREDIENT: Poly[oxyethylene (dimethyliminio) ethylene- (dimethyliminio) ethylene dichloride)	10.0	_%
INERT INGREDIENT	90.0	_%
This product contains 0,85 lb. of active ingredient per gallon 8,49 ib. per gallon.	and weig	ghs

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swellowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

GINERAL CLASSIFICATION			
It is a violation of Federal law to use this product in a manner in-			
consistent with its labeling.			
Compu/Cide CI is used to control algae, bacteria,			
and fungi in recirculating commercial and industrial v. ster cooling towers. Prior to			
its use, systems must be cleaned to remove algal growth, microbiological slime,			
and other deposits. An initial slug addition of 6,13 to 15,32 fluid ounces of Comput Cide CT per 1000 gallons of water			
of <u>Compu/Cide CT</u> per 1000 gallons of water to provide a concentration of <u>48</u> to <u>120</u> parts per million of			
Compu/Cide CI , based on the total weight of water			
in the system, is recommended. Repeat initial dosage until control is evident.			
Subsequent slug additions of 1.53 to 15.32 fluid ounces of			
Compu/Cide CT per 1000 gallons of water (12			
to 120 parts per million of Compu/Cide CT) should be employed every 2 to 5 days or as needed. The frequency of addition depends			
be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological prob-			
tem. Stud additions should be made in the sump of water cooling towers			
Compu/Cide CT is used to control bacteria in industrial			
air-washing systems that maintain effective mist eliminating components. Prior			
to its use, systems should be cleaned to remove bacterial slime and other			
deposits. An initial slug dose of 24.7 to 41.2 fluid ounces of Compu/Cide CT per 1000 gallons of water is recom-			
mended. Repeat initial dosage until control is evident. Subsequent slug additions of 16.9 to 41.2 fluid ounces of Compu/Cide CT			
per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The			
frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or to the water			
of the bacterial problem. Slug additions may be made to the sump of to the water collection trays of the airwash system.			
STORAGE & DISPOSAL: Keep container closed when not in use. Do not			
contaminate water, food, or feed by storage, disposal or cleaning of equipment. Rinsate that cannot be used or reprocessed should be disposed of in a landfill ap-			
Proved for pesticides or buried in a safe place away from water supplies. Open			
dumping is prohibited.			
☐ METAL CONTAINERS: Triple ☐ PLASTIC CONTAINERS: Do not rinse and offer for recycling, reuse empty container. Triple rinse			
reconditioning, or disposal in an and incinerate or dispose of in an			
approved landfill or bury in a safe approved landfill or bury in safe			
place.			
Manufactured by:			
Compuchem Corporation			
37! Relmont Avenue			
Bronx, Viv York 10458			
EPA REG. NO EPA EST. NO			

NET CONTENTS _

U.S. ENVIRONMENTAL PROTECTION AGENCY OF THE STATE OF THE	र र रहे हैं जिल्हा है जिल्हा ह	1984 2 1984
NOTICE OF PESTICIDE: Superior to the local transfer of the local t	HAME OF PESTIFICE PRODUCT	
NAME AND ACCRETT OF BETHSTRAND TO BUT ZIP out		·
Γ	1	
L_	L	
NOTE: Changes in labeling formula differing in substance f submitted to and accepted by the Registration Division prio product always refer to the above U.S. EPA registration num	r to use of the label in commence	
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereby	Registered Reregistered uniter
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is retur	ned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any national to be construed as giving the registrant a right to by others.	n, may at any time suspend or ca me in connection with the registr	ncel the registration of a pest- ation of a product under this
ATTACHMENT IS APPLIT APLE		
SIGNATURE OF APPROVING DEFICIAL		LOATE