



Dacthal W-75
Herbicide

Supplemental Labeling

DACTHAL W-75 HERBICIDE
(EPA Reg. No. 677-166)

APPLICATION ON RADISH


50534-1
87m

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Application Information

<u>Crop</u>	<u>When to Apply</u>	<u>Rate</u>	<u>Remarks</u>
Radish	At seeding or up to three-leaf stage	6-14 lbs. W-75 per acre (SEE PACKAGE LABEL)	Apply uniformly to the soil as a spray in 20 to 30 gallons of water per acre. If weeds have emerged, soil should be clean cultivated or weeded prior to application to permit uniform coverage of soil.



Preplant incorporation not recommended. DO NOT graze on treated areas or feed plant refuse to livestock.

Based upon available residue data, the use of Dacthal for weed control in radishes is limited to the State of California.

BEST DOCUMENT AVAILABLE

NOTE: Any application of Dacthal should be made prior to weed seed germination.

NOTE: It is important to read and observe the cautionary statement and all other information appearing on the DACTHAL W-75 HERBICIDE label. Use only as directed.

Warranty and Limitation of Damages: This product is sold as is, without warranty, express or implied, and no agent or dealer is authorized to make any such warranty. Seller makes no other express or implied warranty, including any other express or implied warranty of fitness or of merchantability, and no agent or dealer is authorized to do so except in writing with a specific reference to this warranty.

Agricultural Chemicals Business

NOTE: This labeling must be in the possession of the user at the time of pesticide application.

NOTE: Do not harvest within 25 days of application.

NOTE: For replanting and crop rotation, refer to instructions on package label.

BEST DOCUMENT AVAILABLE