

Daconil 2787® W-75



SDS Biotech Corporation
Agricultural Chemicals Business
7528 Auburn Road, P O Box 348
Painesville, Ohio 44077

Supplemental Labeling

SUPPLEMENTAL DIRECTIONS FOR THE USE OF

DACONIL 2787 Fungicide
(EPA Reg. No. 50534-4)

APPLICATION TO TURF FOR CONTROL OF
ANTHRACNOSE AND FUSARIUM (Gerlachia) PATCH

ACCEPTED
JAN 29 1985
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
Registration Number for the pesticide
50534-4
EPA Reg. No. 50534-4

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ANTHRACNOSE - Golf Course Fairways: Apply **DACONIL 2787 Fungicide** in 30 to 40 gallons of water per acre. Begin applications when conditions favor disease development and repeat applications as long as these conditions persist. Under severe disease conditions use the highest rate and shortest interval corresponding with the application schedule selected from the table below:

| <u>DISEASE</u> | <u>APPLICATION INTERVAL</u> | <u>APPLICATION RATE PER ACRE</u> |
|----------------|-----------------------------|----------------------------------|
| Anthracnose | 7 - 14 Days | 8 - 16 lbs |

Golf Course Tees and Greens and Ornamental Turfgrass: Apply **DACONIL 2787 Fungicide** in an adequate amount of water to provide complete coverage. This amount may vary from 2 to 10 gallons per 1,000 sq ft. See below for suggested rates and timing.

| <u>DISEASE</u> | <u>APPLICATION INTERVAL</u> | <u>RATE/ OUNCES PER 1,000 SQ FT*</u> |
|----------------|-----------------------------|--------------------------------------|
| Anthracnose | 7 - 14 Days | 3 - 6 |

*Recommended rates for preventing disease establishment, use lower rates when disease conditions are light to moderate, higher indicated rates when conditions are severe.


Warranty and Limitation of Damages: Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of fitness or of merchantability, and no agent of seller is authorized to do so except in writing with a specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

FUSARIUM (Gerlachia) PATCH: For control of Fusarium patch only in areas where snow cover is intermittent or lacking during the winter, apply 5-1/2 to 10 ounces of **DACONIL 2787 Fungicide** per 1,000 sq ft of turf area. Begin applications in late autumn and re-apply at 21 to 28 day intervals until conditions favorable for Fusarium patch no longer prevail.

NOTE: It is important to read and observe the precautionary statements and all other information appearing on the **DACONIL 2787 Fungicide** label. Use only as directed.

NOTE: This labeling must be in the possession of the user at the time of pesticide application.

10/84





SDS Biotech Corporation
 Agricultural Chemicals Business
 7528 Auburn Road, P.O. Box 348
 Painesville, Ohio 44077

Daconil 2787° W-75

1 of 2
 pma
 50534-4

Supplemental Labeling

SUPPLEMENTAL DIRECTIONS FOR THE USE OF

DACONIL 2787 Fungicide
 (EPA Reg. No. 50534-4)

**APPLICATION TO TURF FOR CONTROL OF
 ANTHRACNOSE AND FUSARIUM (Gerlachia) PATCH**

ACCEPTED
 JAN 29 1985
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 50534-4

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ANTHRACNOSE - Golf Course Fairways: Apply **DACONIL 2787 Fungicide** in 30 to 40 gallons of water per acre. Begin applications when conditions favor disease development and repeat applications as long as these conditions persist. Under severe disease conditions use the highest rate and shortest interval corresponding with the application schedule selected from the table below:

| <u>DISEASE</u> | <u>APPLICATION INTERVAL</u> | <u>APPLICATION RATE PER ACRE</u> |
|----------------|-----------------------------|----------------------------------|
| Anthracnose | 7 - 14 Days | 8 - 16 lbs |

Golf Course Tees and Greens and Ornamental Turfgrass: Apply **DACONIL 2787 Fungicide** in an adequate amount of water to provide complete coverage. This amount may vary from 2 to 10 gallons per 1,000 sq ft. See below for suggested rates and timing.

| <u>DISEASE</u> | <u>APPLICATION INTERVAL</u> | <u>RATE/ OUNCES PER 1,000 SQ FT*</u> |
|----------------|-----------------------------|--------------------------------------|
| Anthracnose | 7 - 14 Days | 3 - 6 |

*Recommended rates for preventing disease establishment, use lower rates when disease conditions are light to moderate, higher indicated rates when conditions are severe.

Warranty and Limitation of Remedy: Seller warrants that the material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of fitness or of merchantability, and no agent of seller is authorized to do so except in writing with a specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

FUSARIUM (Gerlachia) PATCH: For control of Fusarium patch only in areas where snow cover is intermittent or lacking during the winter, apply 5-1/2 to 10 ounces of **DACONIL 2787 Fungicide** per 1,000 sq ft of turf area. Begin applications in late autumn and re-apply at 21 to 28 day intervals until conditions favorable for Fusarium patch no longer prevail.

NOTE: It is important to read and observe the precautionary statements and all other information appearing on the **DACONIL 2787 Fungicide** label. Use only as directed.

NOTE: This labeling must be in the possession of the user at the time of pesticide application.

10/84

