

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

MAY 26 1994

ELIZABETH D. OWENS ISK BIOTECH CORP. 5966 HEISLEY ROAD BOX 8000 MENTOR, OH 44061 OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Subject:

)

Label Amendment Submission of 04/18/94 Response to PR Notice 93-7

EPA Reg. No. 50534-54

ANSAR 170 H.C. HERBICIDE (SOUTHERN FORMULATION)

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.


WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO p907XNEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one *p525 My of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling AND
- WITHIN one year from date of this acceptance.





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

1799

MAY 26 1994

ELIZABETH D. OWENS ISK BIOTECH CORP. 5966 HEISLEY ROAD BOX 8000 MENTOR, OH 44061

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Subject:

Label Amendment Submission of 04/18/94 Response to PR Notice 93-7

EPA Reg. No. 50534-54

ANSAR 170 H.C. HERBICIDE (SOUTHERN FORMULATION)

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO p907XNEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one *p526\(\text{Fy} \) of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling AND
- WITHIN one year from date of this acceptance.



Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,

Jim Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division

Elizabeth D Owens ISK BIOTECH CORP 5966 HEISLEY ROAD BOX 8000 MENTOR OH 44061

Comment for: EPA Reg Nr.50534-54
ANSAR 170 H.C. HERBICIDE (SOUTHERN FORMULATION)

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

The footwear requirement for "applicators and other handlers" in the "Personal Protective Equipment" section on your proposed labeling is missing or incorrect. Remove the incorrect requirement (if any) and add "Shoes plus socks." The exact location is shown in Sections A and B on Part 1 of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

The footwear requirement for early entry in the Agricultural Use Requirements box on your proposed labeling is missing or incorrect. Remove the incorrect requirement (if any) and add "Shoes plus socks." The exact location is shown in Sections F and G on Part 2 of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

Ansar® 170 H.C. Herbicide

Southern Formulation

High Concentrate

MSMA Liquid for Selective Post-Emergent Weed Control

Active Ingredient: Monosodium Acid Methanearsonate 58.4% Inert Ingredients: 41.6% Total:

Total Arsenic, all in water-soluble form, expressed as elemental 27.0% Product contains 8.00 lbs. MSMA per gallon.

Keep Out of Reach of Children CAUTION:

See Side Panel for Additional Precautionary Statements

ISK Biotech Biosciences Corporation

5966 Heisley Road P.O. Box 8000 Mentor, Ohio 44061-8000

EPA Reg. No. 50534-54 EPA Est. No. 50534-TX-01

ANSAR® is a registered trademark of ISK Biotech Biosciences Corporation

ACCEPTED
with COMMENTS
In EPA Letter Dated

MAY 26 1994

Under the Federal Insecticide, Fundicide, and Redestinide Act as amended, for the posticide registered under RPA Reg. No. 50534-54

User Safety Recommendations:

Users should:

)

- * Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- * Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- * Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

DO NOT apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. DO NOT contaminate water by disposal of equipment wash waters.

DO NOT feed treated foliage to livestock or graze treated areas.

DO NOT spray or allow drift onto vegetables, ornamentals or other desirable plants. DO NOT apply when weather conditions favor drift from target area.

DO NOT contaminate water by cleaning of equipment or disposal of wastes.

Use only as a spct treatment in Florida.

ANSAR 170 H.C. Herbicide Read entire label before using this product

General Information:

ANSAR 170 H.C. Herbicide is useful for selective post-emergent weed control, particularly for grassy weeds. Its activity is enhanced by addition of a suitable surfactant to the spray solution. Is most effective on young, actively growing weeds at air temperatures about 70°F. Its phytotoxic properties are quickly inactivated on contact with the soil.

Mixing Instructions: ANSAR 170 H.C. is completely water soluble. Fill the spray equipment reservoir about half full with water and add the required amount of herbicide and surfactant with agitation. Finish filling the reservoir with water and apply. After use, clean equipment thoroughly by flushing with water in a safe place. DO NOT Store spray solution in tank for a prolonged period overnight.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

User Safety Recommendations:

Users should:

- * Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- * Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- * Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

DO NOT apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. DO NOT contaminate water by disposal of equipment wash waters.

DO NOT feed treated foliage to livestock or graze treated areas.

DO NOT spray or allow drift onto vegetables, or mamentals or other desirable plants. DO NOT apply when weather conditions favor drift from target area.

DO NOT contaminate water by cleaning of equipment or disposal of wastes.

Use only as a spot treatment in Florida.

ANSAR 170 H.C. Herbicide Read entire label before using this product

General Information:

ANSAR 170 H.C. Herbicide is useful for selective post-emergent weed control, particularly for grassy weeds. Its activity is enhanced by addition of a suitable surfactant to the spray solution. Is most effective on young, actively growing weeds at air temperatures about 70°F. Its phytotoxic properties are quickly inactivated on contact with the soil.

Mixing Instructions: ANSAR 170 H.C. is completely water soluble. Fill the spray equipment reservoir about half full with water and add the required amount of herbicide and surfactant with agitation. Finish filling the reservoir with water and apply. After use, clean equipment thoroughly by flushing with water in a safe place. DO NOT Store spray solution in tank for a prolonged period overnight.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL. USE REQUIREMENTS Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted entry interval (REI) of <u>12</u> hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- * Coveralls
- * Waterproof gloves
- * Chemical-resistant footwear plus socks
- * Protective eyewear

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep children and domestic animals off treated areas until this material has been washed into the soil.

DO NOT apply this product through any type of irrigation equipment.

Cotton: ANSAR 170 H.C. Herbicide is useful as a directed application in cotton for the postemergent control of weeds and grasses such as Johnsongrass, nutsedge, dallisgrass, cocklebur, ragweed, crabgrass, barnyardgrass, sandbur and puncture vine.

Add 5 pints of Ansar 170 H.C. Herbicide and 1 to 2 quarts of a suitable surfactant, cleared for application to growing crops, to 100 gallons of water and mix thoroughly. Weed control is most effective at temperatures about 70°F. For band application in 40 inch rows, apply 1 gallon of spray solution per inch of band width per acre.

Band Application: Direct the spray solution to the base of the cotton plant. Nozzles should be placed so as to avoid spraying the cotton foliage, but to give good coverage of the weeds and grasses. If regrowth occurs, make a second application about 1 to 3 weeks after the first. Slight burning and a reddish discoloration of the cotton leaf may occasionally occur following directed band application but the cotton plant will develop normally and yield will not be affected.

Make band application only when cotton is 3 inches high to first bloom.

DO NOT apply lifter first bloom.

NON-CROP: ANSAR 170 H.C. Herbicide is useful as a spot applied herbicide for control of Johnsongrass, barnyardgrass, nutsedge, crabgrass, dallisgrass, cocklebur, ragweed, sandbur, puncture vine and certain other weeds on drainage ditch banks, rights-of-way, fence rows, storage yards and similar non-crop areas.

Mix ANSAR 170 H.C. Herbicide at a rate of 2 to 5 pints, plus 1 to 2 quarts of a suitable surfactant in 100 gallons of water. Make spot applications on unwanted vegetation, spraying thoroughly, but to just short of run-off. Any spray equipment that gives good coverage may be used. If regrowth occurs, reapply as required.

DO NOT contaminate waters used for domestic consumption, or by animals, wildlife and aquatic life, or for irrigation purposes.

Lawn And Ornamental Turf: ANSAR 170 H.C. Herbicide is useful for control of dallisgrass, sandbur, bahiagrass, nutsedge, crabgrass, chickweed and wood sorrel with little or not injury to tolerant lawn grasses. On new lawns, do not treat until after three mowings. Tolerant grasses may be temporarily discolored. Zoysia grasses, bruegrasses, and bermuda grasses are quite tolerant. DO NOT use on St. Augustinegrass, centipedegrass, carpetgrass, or on Dichondra. Mow lawns 1 to 1-1/2 inches high before treatment. Mix 1 fluid ounce (2 tablespoons) of ANSAR 170 H.C. Herbicide and 1/2 fluid ounce (1 tablespoon) of a suitable surfactant in 2-1/2 gallons of water. This will make enough spray material when used as a spot application to cover a total of 1000 sq. ft. Spot spray thoroughly to wet all undesirable plants. Repeat applications, 10 to 14 days apart, may be needed for good control.

DO NOT water turf for at least 24 hours after application. DO NOT reseed until two weeks after last application.

DO NOT apply with hose-end applicators.

Storage and Disposal

DO NOT contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: DO NOT reuse empty container. Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved *incineratiion*, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Warranty and Limitation of Damages

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made

Buyers and users of this product are responsible for all loss or damage from use or handling of this product which results from conditions beyond the control of Seller, including, but not limited to, incompatibility with other products unless otherwise expressly provided in the Directions for Use of this product, weather conditions, cultural practices, moisture conditions or other environmental conditions cutside of the ranges that are generally recognized as being conductive to good agricultural and/or horticultural practices.