

DEC 13 1984

NOTICE OF PESTICIDE:

☒ REGISTRATION
☐ REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE

Conditional Registration

NAME OF PESTICIDE PRODUCT

Ectrin Insecticide 10% Water Dispersible
Liquid

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

SDS Biotech Corporation
World Headquarters
7528 Auburn Road
P.O. Box 348
Painesville, OH 44077

176/132184
58/1

176/132185
18/1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.


Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you agree in writing to:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit within one year from date of this notice, residue data for dermal use on swine for unprocessed pig skin. The data must reflect multiple applications at the maximum proposed concentration with slaughter occurring within 24 hours of the final spray. It is likely a higher tolerance will be needed for skin to cover the dermal treatments. Separate tolerances should be proposed for "hog meat byproducts except skin" and "hog skin." You must also submit data on processed skin for toxicological considerations. Tolerances will be based on data for skins that have not been treated with heat, steam, brushing, etc.
3. Add a pre-slaughter interval (PSI) of 1-2 days for dermal treatment of sheep and goats (non-lactating) to the label.
4. Delete "dip and sprinkler" treatments from the label. Residue data must be submitted to support such uses.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL



DATE

12-13-84

Before we can accept dermal uses on cattle, an increase in the existing tolerances for meat, fat, meat byproducts and milk must be requested and approved. The data to this point indicate the tissue tolerances will have to be increased from 1.5 to 2.0 ppm while the milkfat tolerance will need to go from 7.0 to 10.0 ppm (reflecting 0.4 ppm in whole milk). A petition proposing these tolerances will be required to register the dermal uses on cattle. It should be noted that even higher tolerances than those for fenvalerate on feed items are established (for example, 75 ppm tolerance for dry grape pomace).

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:Job-51446:Heyward:RD3A:CAC:Kendrick:898-1270:12/4/84:Del.1.10/85

ET

305

LOGO

Label - Front

SDS BIOTECH

ECTRIN[®] Insecticide
Water Dispersible Liquid

ACTIVE INGREDIENT:	w/w
Cyano(3-phenoxyphenyl)methyl-4-chloro-alpha-(1-methylethyl)benzeneacetate.	10%
INERT INGREDIENTS.	90%
TOTAL	100%

*This product contains 0.8 lbs. of ECTRIN Insecticide per gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

SDS Biotech Corporation
Animal Health Business
7528 Auburn Road
Painesville, Ohio 44077

Net Contents: EPA Reg No. 50534-RNO
1 Quart (32 fl. oz.) EPA Est. _____

ACCEPTED
with COMMENTS
to EPA Letter Dated:

DEC 12 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended
registered by
50534-109

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin or eyes. Avoid breathing vapors and spray mist. Wear goggles, protective clothing and gloves while handling. Remove and wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

IF ON SKIN - Wash affected area with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES - Flush eyes with plenty of water. Call a physician.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in a secure area above 32°F. Do not reuse container. Triple rinse, then puncture and dispose of container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OR SELLER IS AUTHORIZED TO DO SO EXCEPT IN WRITING AND WITH SPECIFIC REFERENCE TO THIS WARRANTY. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

Licensed under U.S. Pat. No. 4,062,968 to Sumitomo Chemical Company.

DIRECTIONS FOR USE

It is violation of Federal Law to use this product in a manner inconsistent with the labeling.

GENERAL DIRECTIONS

ECTRIN Insecticide WDL is suitable for use in conventional power or low pressure knapsack sprayers. Follow the USE DIRECTIONS to select the recommended dilution for a specific insect use. Shake Well Before Use.

Insect Problem	Application Method	Dilution ECTRIN WDL in Water	Remarks
SWINE			
Lice, Mange Mites	Spray	1 qt./50 gal. or 1 oz./1-1/2 gal.	Wet entire animal with up to 8 oz. of dilution with particular attention to heavily infested areas. Repeat in fourteen days if necessary. Do not apply within 1 day of slaughter.
Lice	Pour-on***	1 qt./25 gal. or 2 oz./1-1/2 gal.	Apply 4 oz. of dilution on head and down midline of animal. Repeat in fourteen days if necessary. Do not apply within 1 day of slaughter.
HORSES			
Horn flies, Face flies, House flies, Stable flies	Spray	1 qt./25 gal. or 2 oz./1-1/2 gal.	Apply 8 oz. as light spray with attention to head and legs. Do not treat animals intended for slaughter. Repeat as necessary.
SHEEP, GOATS (non-lactating)			
Keds, Lice	Spray, Dip, Sprinkler	1 qt./100 gal. or 1 oz./3 gal.	Wet animal with up to 1 qt. of dilution.**
	Pour-on***	1 qt./12-1/2 gal. or 4 oz./1-1/2 gal.	Apply up to 4 oz. of dilution down midline of back.**
	ULV Spray	1 qt./1 gal. or 1 oz./4 oz.	Mist 1/3 oz. of dilution per animal.**
PREMISES - Horse barns, swine buildings			
House flies, <u>Fannia</u>	Spray	1 qt./25 gal. or 2 oz./1-1/2 gal.	Spray to point of runoff (approximately 1 gal./750 sq. ft.). Repeat in fourteen days if necessary.*
		1 qt./10 gal. or 3-1/2 oz./1 gal	For longer residual control, apply as above. Repeat in thirty days if necessary.*

*Spray ceilings, walls and walkways. Use proper sanitation and manure management to reduce fly-breeding sites. Do not treat horse barns if horses are intended for slaughter.

**Repeat application in 30 days if necessary. Do not apply ECTRIN Insecticide more often than 2 times in the spring and 2 times in the fall pest seasons. (One application after shearing is usually adequate for ked control.) Do not apply within 30 days of slaughter.

***For pour-on mixtures, add 2 fl. oz. of a wetting agent per 5 gal. of water. A household detergent such as Joy or Ivory can be used.