



Ectrin Insecticide

Water Dispersible Liquid

Livestock and Premise Spray

Active ingredient:
Cyano (3-phenylphenyl) methyl-4-chloro-alpha-(1-methylethyl) benzeneacetate
Inert ingredients:
Total:
* This product contains 0.8 lbs of Ectrin insecticide per gallon

w/w
10%
90%
100%

Keep Out of Reach of Children

CAUTION


See back panel or attached leaflet for additional precautionary statements

SDS Biotech Corporation
Animal Health Business
528 Auburn Road
Painesville, Ohio 44077

Net Contents:
1 Quart (32 fl. ozs.)

Store above 32°F

EPA Reg. No. 50534-109
EPA Est. No. 502 MO 1
DSL 355A84-2



BEST AVAILABLE COPY

Statement of Practical Treatment

If swallowed — Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
If on skin — Wash affected area with plenty of soap and water. Get medical attention if irritation persists.
If in eyes — Flush eyes with plenty of water. Call a physician.

Precautionary Statements

Hazards to Humans

Caution

Harmful if swallowed or absorbed through skin. Avoid contact with skin or eyes. Avoid breathing vapors and spray mist. Wear goggles, protective clothing and gloves while handling. Remove and wash contaminated clothing before reuse.

Environmental Hazards

This product is highly toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal. Store in a secure area above 32°F. Do not reuse container. Triple rinse, then puncture and dispose of container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Read attached leaflet for Directions for Use and additional information prior to use.



Ectrin Insecticide

Water Dispersible Liquid

Livestock and Premise Spray

Active Ingredient:	wt%
Cyano (3-phenoxyphenyl) methyl 4-chloro-alpha- (1-methyl-ethyl)	10%
Inert Ingredients	90%
Total:	100%

*This product contains 0.8 lbs. of Ectrin Insecticide per gallon

CAUTION: Keep Out of Reach of Children
See back panel for additional precautionary statements

DSL 95688412

Precautionary Statements

Hazards to Humans

Caution

Harmful if swallowed or absorbed through skin. Avoid contact with skin or eyes. Avoid breathing vapors and spray mist. Wear goggles, protective clothing and gloves while handling. Remove and wash contaminated clothing before reuse.

Statement of Practical Treatment

If Swallowed - Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

If on Skin - Wash affected area with plenty of soap and water. Get medical attention if irritation persists.

If in Eyes - Flush eyes with plenty of water. Call a physician.

Environmental Hazards

This product is highly toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Storage and Disposal

Do not contaminate water, food or feed. Do not reuse container. Triple rinse secondary landfill, or by incineration, if it is burned, stay out of smoke. Wastes disposed of on site or at an approved disposal site.

Warranty and Limitation

Seller warrants that this material conforms to the purposes stated on the label and that it is free from adulteration. Seller makes no other express or implied warranty of fitness or of merchantability except in writing and with specific reference to any breach of warranty or claim is made.

Licensed under U.S. Pat. No. 4,062

BEST AVAILABLE

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Directions

Ectrin Insecticide WDL is suitable for use in conventional power or low pressure knapsack sprayers. Follow the Use Directions to select the recommended dilution for a specific insect use. Shake Well Before Use.

Livestock Use Directions

Animal	Insect	Application Method	Dilution Ectrin WDL in Water	Remarks
Swine	Lice	Spray	1 qt. 50 gal. or 1 oz. 1 1/2 gal.	Wet entire animal with up to 8 oz. of dilution with particular attention to heavily infested areas. Repeat in fourteen days if necessary. Do not apply within 1 day of slaughter.
	Lice	Pour on	1 qt. 25 gal. or 2 oz. 1 1/2 gal.	Apply 4 oz. of dilution on head and down midline of animal. Repeat in fourteen days if necessary. Do not apply within 1 day of slaughter.

Animal	Insect	Application Method	Dilution Ectrin WDL in Water	Remarks
Horses	Horn flies	Spray	1 qt. 25 gal. or 2 oz. 1 1/2 gal.	Apply 8 oz. as light spray with attention to head and legs. Do not treat animals intended for slaughter. Repeat as necessary.
	Face flies			
Sheep Goats (non lactating)	House flies	Spray	1 qt. 100 gal. or 1 oz. 1/3 gal.	Wet animal with up to 1 qt. of dilution.
	Stable flies	Pour on	1 qt. 12 1/2 gal. or 4 oz. 1 1/2 gal.	Apply up to 4 oz. of dilution down midline of back.
		ULV Spray	1 qt. 1 gal. or 1 oz. 1/4 gal.	Mist 1/2 oz. of dilution per animal.

Premise Use Directions

Animal	Insect	Application Method
Horse barns, stables, horse buildings	House flies, Flies	Spray

* Spray ceilings, walls and walkways to reduce fly-breeding sites. Do not repeat application in 30 days if not more than 2 times in the spring and 2 in the fall. For more on mixtures, add 2 1/2 oz. of detergent such as Joy or Ivory.

SDS Blatch Corporation - Animal Health Division
7528 Auburn Road - Painesville, Ohio 44130