

JUL 22 1993

Mr. Ralph P. Burton
ISK Biotech Corporation
P.O. Box 8000
Mentor, OH 44061-8000

Dear Mr. Burton:

Subject: Revised Warranty and Cucurbit Directions for Use
Bravo 500
EPA Registration No. 50534-8
Bravo W-75
EPA Registration No. 50534-23
Bravo 720
EPA Registration No. 50534-188 ✓
Bravo 825
EPA Registration No. 50534-201
Your Submissions Dated June 10, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

This acceptance of your label does not relieve you of your obligation to comply with the Worker Protection Standard (WPS). Under the WPS labeling regulations at 40 CFR Part 156, Subpart K, § 156.200(c)(3), you are prohibited from distributing or selling any product within the scope of the WPS requirements after April 21, 1994, without amended labeling accepted by the Agency.

Sincerely yours,

/s/
Cynthia Giles-Parker
Product Manager (22)
Fungicide Herbicide Branch
Registration Division (H7505C)

Enclosure

CROP	DISEASES	BRAVO 720 RATE		APPLICATION DIRECTIONS
		PER	ACRE	
Cucurbits:	Target spot,	1.5	to	Use in sufficient water to obtain adequate c applications when plants are in first true l conditions are favorable for disease develop applications at 7 day intervals. Under seve conditions, shorten spray interval. BRAVO 7 through sprinkler irrigation equipment (solid move, motorized lateral move or center pivot calibration directions preceding this sectio NOTE: Do not combine BRAVO 720 in the spray material other than water if applications ar watermelons. Do not spray watermelons when environmental conditions are conducive to su BRAVO to watermelons within 21 days of fruit
Cucumber,	Anthracnose,	2.0	pts	
Cantaloupe,	Downy mildew			
Muskmelon,	-----			
Honeydew	Cercospora leafspot,	2.0	to	
melon,	Gummy stem blight	3.0	pts	
Watermelon,	(black rot),			
Squash,	Alternaria leaf blight,			
Pumpkin	Scab,			
	Powdery mildew (Sphaerotheca only)			
	Cucumber belly rot (<u>Rhizoctonia solani</u>)	8.25	pts	Use BRAVO 720 in sufficient water to obtain surface. Make a single application when vin BRAVO 720 may be applied through sprinkler i as directed above.

ACCEPTED
with COMMENTS
In EPA Letter Dated:

JUL 22 1993

Under the Federal Insecticide
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

50534-188

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. **SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO.** In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this company, including, but not limited to, incompatibility with products other than those set forth in the Directions for Use, weather conditions, moisture conditions or other environmental conditions outside of the ranges that are generally recognized as being conducive to good agricultural practice.