197



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460 EPA Reg. Number: 50534Date of Issuance:

Term of Issuance:

Conditional

Name of Pesticide Product:

IMMO

NOTICE OF PESTICIDE:

x Registration
Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

ISK Biotech Corp. 5966 Heisley Road P.O. Box 8000 Mentor, OH 44061-8000

Mote: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the following label changes listed below before you release the product for shipment:
 - a. Add the phrase, "EPA Reg. No. 50534-203".
 - b. In the precautionary statement delete "Avoid prolonged contact with skin. Avoid breathing spray mist. Do not take internally". After the sentence "Harmful if swallowed or absorbed through skin" add the following:

May be fatal if inhaled. Do not breath spray mist.

Signature of Approving Official:	Date:
15/	ent in the second of the secon

EPA Form 8570-6

page 2 EPA Reg. No. 50534-203

c. Add the following Statement of Practical Treatment:

If Inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

- d. After "...systemic steroid" delete the quotation mark ("). Proof read the label.
- 3. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Cynthia Giles-Parker Product Manager (22) Fungicide-Herbicide Branch Registration Division (7505C)

Enclosure

Jaiket 1

PROPOSED LABELING

ACCEMIFU with GOMEN INTS In LEA Letter Dued:

Net Contents:

Logo:

JAN 2 1 1994

North Color of Translate

and the section

and the same

Agricultural Fungicide

50534 - 203

Active Ingredient:

Contains 4.16 lbs. chlorothalonil per gallon (500 grams per liter) and 0.23 lbs. triadimefon per gallon (27 grams per liter)

KEEP OUT OF REACH OF CHILDREN "

DANGER -- PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted in detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See side panel for additional precautionary statements

ISK Biotech Corporation 5966 Heisley Road P.O. Box 8000 Mentor, Ohio 44061-8000

EPA Reg. No. 50534-____ EPA Est. No.____

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed or absorbed through the skin. Do not get in eyes or on skin or clothing. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals.

Avoid prolonged contact with skin Avoid breathing spray mist. Do not take internally.

First Aid:

If in eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Seek medical attention for eyes immediately.

If on skin: Wash with plenty of soap and water. Get medical attention.

If swallowed: Drink promptly a large quantity of milk, egg white, or gelatin solution, or if these are not available, large quantities of water. Avoid alcohol.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Persons having temporary irritation symptoms may respond to treatment with antihistamines or steroid creams and/or systemic steroids."

Personal Protective Equipment (PPE):

Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves, shoes plus socks, protective eyewear, and a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- * Wash hands before eating, drinking, chewing gum, using tobacco or using the toileti-
- * Remove clothing immediately if pesticide gets inside. Then wash thoroughly and pur on clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and marine/estuarine organisms. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from treated areas.

Apply only to areas specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, shoes plus socks, and protective eyewear.

Do not use on greenhouse-grown crops.

Do not combine OMNI in the spray tank with pesticides, surfactants or fertilizers, unless your prior use has shown the combination physically compatible, effective and noninjurious under your conditions of use.

To determine physical compatibility of OMNI with other products, pour the recommended proportions of the products into a suitable container of water, mix thoroughly and allow to stand at least five (5) minutes. If the combination remains mixed or can be remixed readily, the mixture is considered physically compatible. For additional information contact your ISK Biotech Corporation representative.

Do not combine OMNI with Dipel 4L, Foil, Triton AG-98, Triton B-1956, Latron B-1956 or Latron AG-98 as phytotoxicity may result from the combination when applied to the crops on this label.

Dipel is a registered trademark of Abbott Laboratories; Foil is a registered trademark of Ecogen Corporation. Triton AG-98, Triton B-1956, Latron B-1956 and Latron AG-98 are trademarks of Rohm and Haas Company.

CUCURBITS: OMNI is a specially formulated product which is designed for the control of powdery mildew on cucurbits (cucumber, cantaloupe, muskmelon, honeydew melon, squash, pumpkin). Use in sufficient water to obtain adequate coverage of foliage, normally 25 to 50 gallons per acre. Apply OMNI at a rate of 3 to 4 1/4 pints per acre. Begin applications when plants are in first true leaf stage or when conditions favor disease development. Repeat applications at 14 day intervals. Use the high rate when conditions favor disease. For control of other diseases of cucurbits such as anthracnose, downy mildew, target spot, Cercospora leafspot, gummy stem blight (black rot), Alternaria leaf blight and scab, apply other effective fungicides, such as BRAVO 720 or Ridomil/Bravo 81W, on intervening weekly schedules.

GRASSES GROWN FOR SEED: For control of Powdery mildew, Stem rust, Leaf rust, Stripe rust, Septoria leafspot, Glume blotch, Bipolaris and Dreschslera leafspots and Mastigosporium (Selenophoma) eyespot. Use in sufficient water to obtain adequate coverage. Apply OMNI at a rate of 1 1/2 to 3 pints per acre. Begin applications during stem elongation when conditions favor disease development. Re-apply at flag (top) leaf emergence and repeat applications at 14-day intervals. Do not apply within 14 days of harvest. Do not allow livestock to graze in treated areas or feed treated plant parts to livestock.

CONIFERS: For control of stem gall rusts and fusiform rust on pines, apply OMNI at a rate of 8 pints per acre in sufficient water to obtain complete coverage of needles and twigs. Begin applications when needles break through the fascicle sheath. Make additional applications at 2 to 3 week intervals until galls on previously infected trees become pale to white in color. The use of OMNI in this manner will also provide control of other diseases of pines, such as Scleroderris canker, Sirococcus tip blight, Scirrhia brown spot, Cyclaneusma and Lophodermium needlecasts. Refer to labels of other effective products, such as BRAVO and DACONIL 2787 for instructions on their use for additional disease control in conifers. A maximum of 32 pints of OMNI may be applied per acre per growing season.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Storage: This product must be stored in a cool place. Protect from excessive heat.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this company, including, but not limited to, incompatibility with products other than those set forth in the Directions for Use, weather conditions, moisture conditions or other environmental conditions outside of the ranges that are generally recognized as being conducive to good agricultural practice.