

50600-4

12/6/2010

10f3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

DEC 06 2010

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ju Choi
Shepard Bros. Inc.
503 S. Cypress Street
La Habra, CA. 90631

Subject: Application for Amendment dated: August 27, 2010
Skloron 500
EPA Registration number 50600-4

Dear Mr. Choi:

The Agency has received the application submitted in accordance with continuing registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended and determined that the application is acceptable with the following conditions:

- Under Hazards to Humans and Domestic Animals, change "Wash thoroughly with soap and water after handling" to "Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet."
- Delete "100 lbs" after net weight since your product may also be packaged in a 50 pound container.
- The Ingredient Statements must be moved under the First Aid statements.
- In the first box under First Aid, delete the phrases "route of exposure" and "first aid statement".
- Under the Storage and Disposal instructions move the sentence "Do not contaminate water, food or feed by storage or disposal" above the pesticide storage instructions.
- Delete the container disposal instructions for Containers 5 gallons or less.
- Revise the container disposal instructions for Containers greater than 5 gallons to:
Containers greater than 50 pounds: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or dispose of liner in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. If drum is contaminated and cannot be reused, dispose of it in the manner required for its liner. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

In addition, your request to update the active brand name has been changed from Shepard Brothers Skloron 500 to Skloron 500. Your request to update the Storage and Disposal instructions is approved.

A stamped copy of the labeling accepted with conditions is enclosed. Submit one copy of your final printed labeling before distributing or selling the product bearing the revised labeling. If you have any questions, please contact Tom Luminello by telephone, (703) 308-8075, or by e-mail at luminello.tom@epa.gov.

Sincerely,



Wanda Y. Henson
Acting Product Manager 32
Regulatory Management Branch II
Antimicrobials Division (7510-P)

SKLORON 500



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. MAY BE FATAL IF INHALED. CAUSES SKIN IRRITATION. HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. DO NOT BREATHE DUST. WEAR GOGGLES OR FACE SHIELD. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

Environmental Hazard

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent into lakes, streams, ponds, estuaries, oceans, or other public waters unless in accordance with the requirements of a NPDES Permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer system without previously notifying the local sewage treatment plant authority. For guidance, contact the State Water Board or Regional Office of EPA.

Physical or Chemical Hazard

STRONG OXIDIZING AGENT. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 464°F with harmful liberation of toxic gases.

NEVER add water to product. Always add product to large quantities of water. Use clean dry utensils. DO NOT add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic material, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and explosion.

IN CASE OF FIRE OR SMOKE:

Call the fire department. Do not attempt to extinguish fire without a self-contained breathing apparatus (SCBA). Do not let the fire burn. Flood with copious amounts of water. DO NOT use dry chemical fire extinguishers since there is the potential for a violent reaction.

IN CASE OF CONTAMINATION OR DECOMPOSITION: Do not reseal container. Follow disposal instruction on label.

DOT PROPER SHIPPING NAME: NOT REGULATED

Label Date: 07/27/16

LOT NUMBER:

NET WEIGHT: 100 LBS

ACTIVE INGREDIENT:
SODIUM DICHLORO-S-TRIAZINETRIONE.....24.75%
DIHYDRATE.....
INERT INGREDIENTS:.....75.25%
TOTAL:.....100.00%

Provides 13.8% available Chlorine.

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

| Route of Exposure | First Aid Statement |
|--|--|
| If in eyes | -Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice. |
| If on skin or clothing | -Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice. |
| If swallowed | -Call a poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -Do not induce vomiting unless told to do so by a poison control center or doctor. -Do not give anything by mouth to an unconscious person. |
| If inhaled | -Move person to fresh air. -If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. -Call a poison control center or doctor for further treatment advice. |
| NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. | |
| See side panel for DIRECTIONS FOR USE | |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. | |

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- SKLORON 500 is recommended for use on hard (non-porous) surfaces, on dishes, glasses or food processing equipment or utensils, including dairy and brewery equipment and utensils.

- Clean object to be sanitized with a suitable hard surface cleaner and rinse well with potable water to remove gross filth and heavy soil from surface. Dissolve 1 oz. of this product per 10 gallons of water to give a solution containing 100 ppm available chlorine. Apply the sanitizing solution to the surface to be sanitized and let stand 2 to 5 minutes. The surface is then ready for use.

- The same solution may be used in the food tanks of immersion or spray type machines providing 2 to 5 minutes contact time for sanitizing dishes, glasses, food processing equipment and utensils. Clean and rinse items prior to sanitizing. They are then ready for use.

- The sanitizing solution should be used primarily after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, add more of this product to maintain a use solution of 100 ppm available chlorine.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Re-lie polyethylene liner after each use and keep container tightly closed. Store in a dry place. Do not allow water to get into container. Keep container off wet floors. Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes of this pesticide may cause irreversible eye damage and burns to skin and may be dangerous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container promptly after emptying.

Containers 5 gallons or less: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. 50 POUNDS.

Containers greater than 5 gallons: Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.



EPA Reg. No. 50600-4
EPA Est. No. 50600-CA-1

MANUFACTURED BY:
SHEPARD BROS., INC.
503 S. CYPRESS STREET
LA HABRA, CA 90631

AC...
with...
in EPA...

DEC 06 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the purposes.

50600-4

50600

and before eating, drinking, chewing gum, using tobacco, or using toilet.

delete

see letter

delete