



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

JUN 18 2001

Ms. Olivia Laird  
501 South Lincoln Avenue  
Sterling, VA 20164-2024

Subject: Updated Label  
Insekten Killer  
EPA Reg. No. 50654-2  
Your Submission Dated April 23, 2001

Dear Ms. Laird:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable, provided you make the labeling changes indicated below prior to release for shipment of the product bearing the amended labeling:

1. Amend the STATEMENT OF PRACTICAL TREATMENT per PR Notice 2001-1.
2. Under DIRECTIONS FOR USE, replace each instance of "Repeat as necessary". The retreatment statements should include a maximum frequency of application, such as: "... but not more than \_\_\_ times per \_\_\_."
3. Under DIRECTIONS FOR USE, DOG FLEAS, add "Remove dog prior to treatment". Also add, "Ventilate treated dog house prior to letting the animal re-enter".
4. Under OUTDOORS, WASPS, change the word "contracting" to "contacting".
5. Under INDOORS, HOUSE FLIES....., provide directions for the length of time one is to ventilate the treated room.
6. Refer to the Agency letter dated November 16, 1995 and add the language requested under Number 3, Environmental Hazards.
7. Revise the NOTE under DIRECTIONS to read: "Do not use in food/feed areas of food/feed establishments, restaurants or other areas where food is commercially handled, prepared or precessed".

- 8. Revise the USDA statement to read: "Do not use in federally inspected meat and poultry plants". Move this statements under NOTE.
- 9. We recommend that you give unit dimensions for cubic yard under OUTDOOR DIRECTIONS.

Submit two copies of your final printed labeling before you release this product for shipment. A stamped copy of the labeling is enclosed for your records. If you require any further correspondence on this matter, please contact Linda Gerber (703-308-8033) of my staff.

Sincerely



George T. LaRocca  
Product Manager 13  
Insecticide Branch  
Registration Division (7505C)

Enclosure

PERYCUT QUALITY  
**INSEKTEN-KILLER**

Waterbased Multiple-purpose Insect Spray  
 The Insect Fighter for Use  
 Outdoors, In Homes and Business Establishments

◆Kills Insects on Contact◆  
 ◆Keeps Killing for Three Weeks◆  
 ◆Odorless◆

**Active Ingredients:**

Permethrin- [(3-phenoxyphenyl) methyl 3(2,2-ichloroethenyl) -2,2 dimethylcyclopropane carboxylate)]	0.255%
d-trans Allethrin- trans - (+) -2,2-dimethyl-3-(2-methyl-1-propenyl)] cyclopropanecarboxylic acid ester with (+)-2,2 -allyl-4-hydroxy-3-methyl-2-cyclopentone-1-one	0.050%
<b>Inert Ingredients</b>	99.695%
<b>Total</b>	<b>100.000%</b>

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

(See Directions and Additional Precautions on Back)

For Use Outdoors and in Homes, Kennels and Non-Food/Feed Areas of Commercial Buildings, Warehouses, Theaters, Office Buildings, Motels, Hotels and Food/Feed Processing Establishments.

Manufactured for:  
 PERYCUT-CHEMIE AG  
 Wehrenbachhalde 54  
 CH-8053 Zurich

CONTENT: 8.4 fl. oz. (250 ml)

**INSEKTEN-KILLER**  
 Multiple-purpose Insect Spray

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Shake well before using. Point valve attachment from the pump towards target area. Do not remain in treated area. Ventilate the area after treatment is completed.

NOTE: Do not contaminate food, utensils, dishes or drinking water. Do not use in food/feed areas of food/feed handling establishments, restaurants or other processing areas. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held.

**Non-food/feed areas:** Garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, garages, map closets and storage (after canning or bottling). In the home cover all food handling surfaces and cover or remove all food on cooking utensils, or wash thoroughly after treatment. Remove pets, birds and cover fish aquariums before spraying. Do not spray on furniture.

**INDOORS**

**House Flies, Mosquitos and Gnats:** Close all doors and windows. Adjust spray nozzle for fine mist and point upward. Direct spray mist to all parts of the room, especially near windows and all other light sources which attract insects. Do not use in USDA meat and poultry plants. After the room is filled with the mist, leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

**Crawling Insects:** Roaches, flies, silverfish, earwings, sowbugs, mites, spiders and centipedes: Adjust spray nozzle for coarse spray droplets. Spray thoroughly towards hiding places, such as cracks, crevices, moist areas, firewood piles, openings around pipes and sink, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

**Ants:** Spray trails, nest and points of entry. Spray on ants where

possible. Repeat as necessary.

**Dog Fleas:** To reduce re-infestation of areas infested with dog and cat fleas, thoroughly spray animal's bedding and other resting areas. Treat these areas at the rate of 2 seconds per linear foot while spraying at a distance of 12 to 18 inches from the target. Also spray entire inside service of dog houses. Repeat as necessary.

**OUTDOORS**

**Flying Insects:** Adjust spray nozzle for fine mist. Spray areas infested with mosquitos, gnats (midgits), house flies, biting flies and pyralid and noctuid moths: Follow precautions listed above. Hold nozzle 18 to 24 inches from shrubs, bushes, and grassy areas. Spray these areas with slow sweeping motion of the rate of 1 to 3 seconds per cubic yard of space while moving away from treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated areas. Repeat as necessary.

**Ants:** Spray trail, nests and point of entry. Spray on ants where possible. Repeat as necessary.

**Spiders:** Direct short bursts of spray on spider. Repeat as necessary.

**Wasps:** Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contracting as many insects as possible. Repeat as necessary.

**PRECAUTIONARY STATEMENTS: CAUTION** Hazards to Humans and Domestic Animals: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs.

**STATEMENT OF PRACTICAL TREATMENT**

In case of skin contact, removed contaminated clothing and wash affected area with soap and water.

**PHYSICAL/CHEMICAL HAZARDS**

Do not use this product in or on electrical equipment due to possibility of a shock hazard.

**DISPOSAL**

Do not reuse empty pesticide containers other than the application equipment. Wrap container and put into trash collection.

**NOTICE**

Buyer assumes all responsibility for safety and use not in accordance with directions.

EPA REGISTERED  
 with COMMENTS  
 In EPA Letter Dated

EMISS MADE  
 JUN 18 2001

Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 amended, for the pesticide  
 registered under EPA Reg. No.

50654-2