

DIM-125

ACTIVE INGREDIENT:
Potassium dimethyldithiocarbamate 12.5%
INERT INGREDIENTS 87.5%
This product contains 1.1 lb. of active ingredient per gallon and weighs 8.77 lb. per gallon.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by striking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonful (10 ml) of ipecac syrup or 1 teaspoonful (5 ml) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other nonoily demulcent. Never induce vomiting or give anything by mouth to an unconscious person. Note: In this case, Probal mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish. Do not apply in marine and/or estuarine habitats. Do not discharge treated water into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

Manufactured by:
John
107 Blake Street
Denver, CO 80202

EPA REG NO. EPA EST. NO. 50742-1

NET CONTENTS

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIM-125 is used in industrial and/or commercial recirculating cooling tower systems and industrial air-washing systems to control microbiological slime. Prior to the use of **DIM-125** in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 9.5 to 14.2 fl. oz. of **DIM-125** per 1000 gal. of water to provide 80 to 120 ppm of **DIM-125** based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 4.7 to 14.2 fl. oz. of **DIM-125** per 1000 gal. of water (40 to 120 ppm **DIM-125**) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems.

DIM-125 is used in industrial air-washing systems which maintain effective mist eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 22.2 to 28.4 fl. oz. of **DIM-125** per 1000 gal. of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 16.5 to 28.4 fl. oz. of **DIM-125** per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or the water collection trays of the airwash system.

DIM-125 is used to control both aerobic and anaerobic bacteria including sulfate reducing organisms, in petroleum secondary-recovery waterflooding operations. In systems fouled with microbiological deposits, **DIM-125** should be added as a slug dose to provide a concentration of 32 to 64 ppm (3.9 to 7.8 fl. oz. of **DIM-125** per 1000 gal. of water treated). This should be followed by a continuous addition of

DIM-125 employing a chemical metering pump to maintain a concentration of 32 ppm, based on total weight of water treated. Both slug additions and continuous addition of **DIM-125** should be made at the heater-treater dump, gathering lines, or receiving tanks. Addition should always be made upstream to the filter.

DIM-125 is also used to inhibit the growth of fungi and bacteria in water based drilling fluids, completion fluids, packer fluids, and other water based drilling fluids containing starch, gums, sugars, or other organic materials. For these purposes **DIM-125** is added at rates of 2.8 to 14.2 gal. per 100 barrels of fluid (0.07 to 0.34 by volume).

STORAGE AND DISPOSAL

PROHIBIT - Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
PESTICIDE LABEL - Pesticide spray mixture or residue that is not to be used in chemical treatment should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

METAL - If container is to be recycled, do not reuse for storing, transporting, or disposing in an approved landfill or bury in a safe place. If container is not to be recycled, do not reuse before offering for recycling.
PLASTIC - If container is to be recycled, it must not be reused but should be cleaned, dried, and placed in an approved landfill approved for pesticides or buried in a safe place. If container is not to be recycled, it should be disposed of in an approved landfill approved for pesticides or buried in a safe place. For containers over 5 gallons are to be recycled, they should be cleaned, dried, and placed in an approved landfill approved for pesticides or buried in a safe place.
GLASS - If container is to be recycled, it should be cleaned, dried, and placed in an approved landfill approved for pesticides or buried in a safe place. If container is not to be recycled, it should be disposed of in an approved landfill approved for pesticides or buried in a safe place.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (HH-567) <small>WASHINGTON, D.C. 20460</small>	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	

REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

02 NOV 1983

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[] []
 [] []
 [] []

NOTE: Changes in labeling format differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE _____