

50932-8

06/06/2002

1/4

EPA Reg. No. 050932-00008

MASTER LABEL- FRONT PANEL

DEER AWAY® DEER AND RABBIT REPELLENT READY-TO-USE

[Additional Brand Names]

CONCERN® DEER AWAY® DEER AND RABBIT REPELLENT READY-TO-USE SPRAY


HAVAHART® REPELLENT DEER & RABBIT

HAVAHART® DEER AWAY® DEER AND RABBIT REPELLENT READY-TO-USE SPRAY

[Marketing Claims]

- For repelling Black-Tailed deer (mule deer), White-Tailed deer and Roosevelt elk that browse or uproot conifer seedlings.
- For repelling Black-Tailed deer (mule deer), White-Tailed deer and Roosevelt elk from seedlings, ornamentals, fruit and citrus trees.
- Also repels White-Tailed deer from listed ornamentals.
- Repels rabbits from ornamentals.
- Repels by odor.
- Protects Trees and Shrubs.
- Lasts up to 3 months.
- Ready-To-Use
- Ready-To-Use Spray
- Original Formula
- Guaranteed Effective
- [32 FL. OZ. (1 QT.) (946 ml)] Treats 15-18 ornamental shrubs 4' high.

ACTIVE INGREDIENTS:	By Wt.
Putrescent Whole Egg Solids.....	4.63%
OTHER INGREDIENTS:	95.37%
TOTAL:.....	100.00%



KEEP OUT OF REACH OF CHILDREN
CAUTION

(See other panel for additional precautionary statements)

Net Contents: 1 Quart, 32 FL.OZ. (1QT.) (946 ml)

[also]

1 Pint, 16 FL.OZ. (1PT.) (473 ml); 1 Gallon, 128 FL.OZ. (1 GAL.) (3784 ml)

EPA Reg. No. 050932-00008

MASTER LABEL-BACK PANEL (PAGE #1 of 3)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

This product may be used to repel black-tailed deer (mule deer), white-tailed deer and Roosevelt elk that browse or uproot conifer seedlings. This product may also be used to repel white-tailed deer from yew, Scotch pine, arborvitae, Douglas fir, flowering crabapple, hemlock, honeysuckle, azalea, rhododendron, fruit and citrus trees and ornamental shrubs. Do not use this product on edible crops. See specific directions for application to fruit and citrus trees. Store at room temperature. Freezing makes DEER AWAY® Deer and Rabbit Repellent Ready-To-Use Spray unusable. Protect from heat and freezing.

APPLICATION DIRECTIONS

Before applying, read and understand all label instructions. **SHAKE WELL BEFORE USING!** Spray DEER AWAY® Deer and Rabbit Repellent Ready-To-Use Spray on all areas of plants likely to be browsed. Do not apply excessively to seedlings.

Timing of treatment: To protect against winter browsing, apply repellent upon onset of browsing. If browsing extends beyond two months, seedlings may be re-treated. To protect against spring browsing or new growth, apply upon onset of browsing, but preferably after bud break and before new shoots exceed 1" in length. Do not re-treat new growth. If spring browsing reaches unacceptable proportions before bud break, repellent may be applied to unopened buds, but must then be re-applied after new growth averages 4" in length if browsing still persists.

Weather Conditions: Apply only to dry plants, and only under conditions favoring prompt drying of spray (lightly breezy), mild dry weather with low relative humidity.

Yew, Scotch Pine, Arborvitae, Douglas Fir, Flowering Crabapple, Hemlock, Honeysuckle, Azalea and Rhododendron: Apply to terminal to point of run-off. For large trees, apply DEER AWAY® only to lateral branches that are within animals reach. Repeat as necessary.

Ornamental Shrubs: DEER AWAY® is not recommended for use during bud break or flower bloom, as foliage injury and petal drop may occur.

Fruit and Citrus Trees: For use on bearing and non-bearing trees. Use only when trees are dormant, not when actively growing.

Note: Browning and drop of old needles may occur on some evergreen species after using this product.

3/4

EPA Reg. No. 050932-00008

*MASTER LABEL- BACK PANEL (Page #2 of 3)***PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals

CAUTION: Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

FIRST AID**If on skin or clothing:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Contact 1-800-858-7378 for emergency medical treatment advice.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by equipment cleaning or waste disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store only in a cool, dry area inaccessible to children and pets. Protect from freezing and heat. Keep container tightly closed to prevent evaporation.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.


CONTAINER DISPOSAL:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency or (800)-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured By:

Woodstream Corporation
69 North Locust Street
Lititz, PA 17543
For Information call 800-800-1819



4/4

EPA Reg. No. 050932-00008

MASTER LABEL- BACK PANEL (Page #3 of 3)

Made in USA

Printed in USA

EPA Reg. No. 50932-8

EPA Est. No. 44616-MO-01

DEFER AWAY ® is a registered trademark of Woodstream Corporation

Copyright 2002 Woodstream Corporation

