

Master Label EPA Reg. No. 50932-13  
Label amendment to add marketing claims  
Version (5) dated February 17, 2006  
Page 1 of 5

# DEER AND RABBIT REPELLENT RTU FORMULA II

[Additional Brand Names]

Havahart® Deer & Rabbit II -Deer Away®

For Residential Use Only

Do Not Spray Directly On Plants Intended for Human Consumption

FOR ORGANIC GARDENING

[LOGO]

OMRI LISTED™ ORGANIC MATERIALS REVIEW INSTITUTE

[LOGO]


ACTIVE INGREDIENT:	By Wt.
Putrescent Whole Egg Solids.....	4.63%
OTHER INGREDIENTS: .....	95.37%
TOTAL:.....	100.00%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

(See other panel for additional precautionary statements)

Shake Well Before Using.

Net Contents: 16 Fl. Oz., 32 Fl. Oz., 64 Fl. Oz., 128 Fl. Oz.



2/5

## PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID	
<b>If on skin or clothing:</b>	
	<ul style="list-style-type: none"><li>- Take off contaminated clothing.</li><li>- Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>- Call a poison control center or doctor for treatment advice.</li></ul>
<b>If in eyes:</b>	
	<ul style="list-style-type: none"><li>- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>- Call a poison control center or doctor for treatment advice.</li></ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment advice.	

## ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

## DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## USE RESTRICTIONS:

For home & garden use only. **IMPORTANT:** This product contains egg solids, which may cause allergic reactions in some individuals. Not for direct use on plants intended for human consumption (i.e. food plants). Do not allow spray to drift onto plants intended for human consumption. Use this product to repel black-tailed deer (mule deer), white-tailed deer and Roosevelt elk that browse or uproot conifer seedlings. This product can be used to repel white-tailed deer from yew, Scotch pine, arborvitae, Douglas fir, flowering crabapple, hemlock, honeysuckle, azalea, rhododendron, landscape gardens and plantings, ornamental shrubs, garden vegetables, and fruit and citrus trees. Use this product to repel rabbits from ornamentals, landscape plantings and garden vegetables. Before applying, read specific application directions and use cautions below. Store at room temperature. Protect from heat and freezing. Freezing makes Deer and Rabbit Repellent RTU Formula unusable. This product will stain structural surfaces. Do not apply to siding, roofing, decks, fences, driveways, painted surfaces or other structural material. Do not allow spray to drift onto structural surfaces in areas of application.

## APPLICATION DIRECTIONS:

Before applying, read and understand all label instructions. **SHAKE WELL BEFORE USING!**

**Weather Conditions:** Do not apply at temperatures below 40°F, or in wet, windy conditions. Apply only in dry conditions and only under conditions favoring prompt drying of spray (lightly breezy, mild dry weather with low relative humidity). If spray is used in wet conditions or in damp, cold, foggy or

misty weather, or if precipitation or freezing occurs before spray can dry, protection may be partially or completely lost.

**New Conifer Seedlings:** New seedlings to be protected from winter browsing must be dormant and frost hardy before treatment. Assure complete coverage of new seedlings to the point of run-off. Once planted, retreat seedlings every 6 weeks during root establishment or as needed if previous treatment appears to be fading. Note: Browning and drop of old needles may occur on some evergreen species after using this product.

**Established Conifer Seedlings:** Treat each established seedling to be protected. Hold sprayer about 10" vertically above tip of terminal shoot. Spray the terminal and first whorl to run-off. Treat each seedling to be protected.

**Yew, Scotch Pine, Arborvitae, Douglas Fir, Ornamental Crabapple, Hemlock, Honeysuckle, Azalea and Rhododendron:**

To protect against winter browsing: apply repellent upon onset of browsing. If browsing extends beyond two months, seedlings may be re-treated. Apply only to vegetation that is within animals reach. Apply to the point of run-off. Reapply every 14 days or as needed if the previous treatment appears to be fading.

To protect against spring browsing of new growth: apply repellent upon onset of browsing, but preferably after bud break and before new shoots exceed 1" in length. Do not re-treat new growth. If spring browsing reaches unacceptable proportions before bud break, repellent may be applied to unopened buds, but must then be re-applied after new growth averages 4" in length if browsing still persists. Apply to terminal to point of run-off. For large trees, apply Deer and Rabbit Repellent RTU Formula II only to lateral branches that are within animals reach. Reapply every 14 days or as needed if the previous treatment appears to be fading.

**Note:** Browning and drop of old needles may occur on some evergreen species after using this product.

**Ornamental Shrubs:** Do not apply during bud break or flower bloom, as foliage injury and petal drop may occur. Apply only to areas of vegetation that are within animals reach. Apply to the point of run-off. Reapply every 14 days or as needed if the previous treatment appears to be fading.

**Non-Bearing Fruit and Citrus Trees:** For use on non-bearing fruit & citrus trees only. Use when trees are dormant, not when actively growing. Do not apply during bud break or flower bloom, as foliage injury and petal drop may occur. Apply only to vegetation that is within animals reach. Apply to the point of run-off. Reapply every 14 days or as needed if the previous treatment appears to be fading.

**Landscape Gardens:** Do not apply to landscape plantings during bud break or flower bloom, as foliage injury and petal drop may occur. Apply to areas of vegetation that are within animals reach. Apply to the point of run-off. Reapply every 14 days or as needed if the previous treatment appears to be fading.

**Vegetable Gardens:** This product is not for direct application to plants intended for human consumption (i.e. food plants). For use as a perimeter spray around the area where food plants are grown. To create a repellent barrier, apply this product to soil, ground cover, bark mulch, perimeter vegetation and non-food vegetation adjacent to food plants. Do not allow spray to drift from application site onto any part of the plant that is intended for human consumption. Reapply every 14 days or as needed if the previous treatment appears to be fading.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Store only in a cool, dry area inaccessible to children and pets. Protect from freezing and heat. Keep container tightly closed to prevent evaporation.

**PESTICIDE DISPOSAL:** Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:**

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency or (800)-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured By:

 Woodstream

Woodstream Corporation

69 North Locust Street

Lititz, PA 17543

For Information call 800-800-1819

Made in USA

Printed in USA

EPA Reg. No. 50932-13

EPA Est. No. 63416-MO-001

© Copyright 2004 Woodstream Corporation

*OPTIONAL MARKETING CLAIMS- (Page 1 of 1)*

- FOR ORGANIC GARDENING [LOGO]
- OMRI LISTED™ ORGANIC MATERIALS REVIEW INSTITUTE [LOGO]
- For repelling Black-Tailed deer (mule deer), White-Tailed deer and Roosevelt elk from seedlings, ornamentals, garden vegetables, and fruit and citrus trees.
- Repels rabbits from ornamentals
- Repels by odor
- Repels deer for up to 3 months
- Creates an odor barrier to protect garden vegetables
- Protects garden and landscape plantings
- Protects ornamental trees and shrubs
- Ready-To-Use
- [32 FL. OZ. (1 QT.) (946 ml)] Treats 15-18 ornamental shrubs 4' high.