50932-15	m completing from		1/2005	2070 0000 4		ł
Please read instructions on reverse before EPA Env	United Stat United Stat ironmental Prote Washington, DC	es ection Agency		ration	OPP Identi Number	
	Applic	ation for Pe	sticide - Section			
1. Company/Product Number	····-		Product Manager		3. Proposed Classifica	ation
50932-15			Sheryl Reilly			
4. Company/Product (Name) Deer Away® Concentrate Formula II		PM# BPPD	PM# BPPD / #90			Restrict
5. Name and Address of Applicant (Int Woodstream Corporation 69 N. Locust Street Lititz, PA 17543-0327		(b)(l), r to: EPA R		lar or identical	with FIFRA Section in composition and	
	01665	Sectio				
Amendment – Explain below. Resubmission in response to Ag Notification – Explain below. Explanation: Use additiona		ary. (For Secti	Me Too" Application Other – Explain ion 1 and Section 1	ation below	Agency letter dated	
Please reference the attache	d explanation	Sectio	n – III	<u>ate Review</u> Beviewed B	ved: <u>slaalus</u> By: <u>cpellaud</u>	·
1. Material This Product Will Be Pac Child-Resistant Packaging Yes*	kaged In: Unit Packaging Yes	Sectio	n – III Water Soluble Pack	<u> Seviewed E</u>	2. Type of Container	
1. Material This Product Will Be Pac Child-Resistant Packaging Yes* No *Certification must	kaged In: Unit Packaging	No. per	n - III Water Soluble Pack	<u> Seviewed E</u>	3y: <u>CPCUUUU</u> 2. Type of Container Metal Plastic Glass Paper	
1. Material This Product Will Be Pac Child-Resistant Packaging Yes* No	kaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. on 4. Size(s) F	No. per	n – III Water Soluble Pack Ves No If "Yes"	Raging No. per container 5. Location o	By:	
Material This Product Will Be Pace Child-Resistant Packaging Yes* No *Certification must be submitted J. Location of Net Contents Information	kaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. on 4. Size(s) Fainer o Product Litt	No. per container	n – III Water Soluble Pack Ves No If "Yes"	Raging No. per container 5. Location o	3y: CPClluul 2. Type of Container Metal Plastic Glass Glass Paper Other (Specifiy) _ f Label Directions Head (Specific)	
 Material This Product Will Be Pack Child-Resistant Packaging Yes* No *Certification must be submitted 3. Location of Net Contents Informati Label Conta 6. Manner in Which Label is Affixed to 	kaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. on 4. Size(s) Fainer siner Pa o Product Littl Pa Ste	No. per container Retail Container hograph aper gtued enciled Section	n – III Water Soluble Pack Yes No If "Yes" Package wgt. Other n – IV	No. per container 5. Location o On Labe	3Y:	
	kaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. on 4. Size(s) Fainer siner Pa o Product Littl Pa Ste	No. per container Retail Container hograph aper glued enciled Section	n – III Water Soluble Pack Yes No If "Yes" Package wgt. Other n – IV	No. per container 5. Location o On Labe	3y: CPCULUL 2. Type of Container Metal Plastic Glass Paper Other (Specifiy) f f Label Directions Metal ing accompanying product s application)	t
Child-Resistant Packaging Yes* No *Certification must be submitted 3. Location of Net Contents Informati Label Conta 6. Manner in Which Label is Affixed to	kaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. on 4. Size(s) Fainer o Product Litt Pa Ste	No. per container Retail Container hograph aper glued enciled Section on of individual to b Title	n – III Water Soluble Pack Yes No If "Yes" Package wgt. Other n – IV	Reviewed E raging No. per container 5. Location o On Labe On label	3Y:	t
	kaged In: Unit Packaging No If "Yes" Unit Packaging wgt. On 4. Size(s) Fainer o Product Littl Pa Ste Ctty below for identification Certific de on this form and all at	No. per container Retail Container hograph aper glued enciled Section Title Regu Cation tachments thereto may be punishable	n – III Water Soluble Pack Yes No If "Yes" Package wgt. Other n – IV be contacted, if necessive latory Affairs Springer are true, accurate and	Reviewed E (aging No. per container 5. Location o On Labe On label ary, to process this ecialist complete. 1	3y:	t trea Coc x426 tion
	kaged In: Unit Packaging No If "Yes" Unit Packaging wgt. On 4. Size(s) Fainer o Product Littl Pa Ste Ctty below for identification Certific de on this form and all at	No. per container Retail Container hograph aper gtued enciled Section Title Regu Cation tachments thereto may be punishable 3. Title	n – III Water Soluble Pack Yes No If "Yes" Package wgt. Other n – IV be contacted, if necessive latory Affairs Springer are true, accurate and	Reviewed E (aging No. per container 5. Location o On Labe On label ary, to process this ecialist complete. complete.	By: CPCULUL 2. Type of Container Metal Plastic Glass Paper Other (Specifiy) f Label Directions Ing accompanying product sapplication) Telephone No. (Include A T17626-2125 6. Date A pplication State Received	t Trea Coc x426 tion

Regulatory Affairs 69 N. Locust Street P.O. Box 327 Lititz, PA 17543-0327 (717) 626-2125 Fax: (717) 626-1912

ł

July 12, 2005

U.S. Environmental Protection Agency Office of Pesticide Programs Document Processing Desk [NOTIF] Room 266A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

ATTENTION: Dr. Sheryl Reilly Biopesticide Branch (#90)

SUBJECT: Woodstream Corporation Deer Away® Concentrate Formula II : EPA Reg. No. 50932-15 Notification of Labeling Action

*l*oodstrear

Dear Dr. Reilly:

Please find enclosed Notification of labeling phrase changes per PR-Notice 98-10. Enclosed is 5 copies of our revised master label with additions highlighted.

Please relay all questions or comments to my attention at 717-626-2125 x426.

Sincerely, had !

Chad Mateer Regulatory Affairs

Enclosures:

Notification of labeling phrase changes 5 copies of revised master label



· · ·

ATTACHMENT TO NOTIFICATION DATED 07-12-05

OPP Identifier Number

NOTIFICATION OF LABEL ACTION PER PR-NOTICE 98-10:

Revised Label Statements-

Deletion of Product Name (Deer Away® Geneentrate Formula-II) in Body of Label Text / DIRECTIONS FOR USE section and Replacement with-

"this product"

Rewording of Reapplication Instruction ("Reapply <u>every 14 days or</u> as needed if the previous treatment appears to be fp "ng. ") / DIRECTIONS FOR USE section to read-

"Reapply as needed if the previous treatment appears to be fading"

This notification is consistent with the provisions of PR NOTICE 98-10 and EPA Regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this oduct. I understand that it is a violation of 18 USC Sec. 1001 to willfully make false statements to EPA. I ther understand that if this notification is not consistent with the terms of PR NOTICE 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Lad Mateer Regulatory Affairs Specialist

DEER AWAY® CONCENTRATE FORMULA II

Alternate Brand Names:

"Havahart® Deer Away® Deer and Rabbit Repellent Concentrate" "Havahart® deer & rabbit Deer Away® Concentrate"

For Residential Use Only Do Not Spray Directly On Plants Intended for Human Consumption


FOR ORGANIC GARDENING	(logo)	NOTIFICATION 829/05
OMRI TM LISTED Organic Materials Review Institute	(logo)	Date Reviewed: Reviewed By:

ACTIVE INGREDIENT:	BY WT.
Putrescent Whole Egg Solids	
OTHER INGREDIENTS:	<u>76.85%</u>
Т	OTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

(See back panel for additional precautionary statements and first aid)

Net Contents: 1 Gallon (3.791) [1 QT. (0.9461); 1 PT. (0.4731)]



.

-ON

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

	FIRST AID
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
-	t container or label with you when calling a poison control center or for treatment. Contact 1-800-858-7378 for emergency medical

treatment advice.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

GENERAL INFORMATION

Before applying, read and understand all label instructions. SHAKE WELL BEFORE MIXING! Do not spray directly onto plants intended for human consumption. This product can be applied using all types of hand or power sprayers. Read and carefully follow the instructions for the type of sprayer you use. Promptly clean all equipment after each use. Do not mix or apply this product with equipment that has been used for herbicidal applications. Properly dilute and spray Deer Away® Concentrate Formula II this product on treatment area. Do not apply excessively to seedlings.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

For home & garden use only. IMPORTANT: This product contains egg solids, which may cause allergic reactions in some individuals. Not for direct use on plants intended for

ł

Care of Equipment: Promptly discard leftover spray according to label directions. Rinse spraying equipment thoroughly with cold water immediately after use.

New Conifer Seedlings: New seedlings to be protected from winter browsing must be dormant and frost hardy before treatment. Once planted, retreat seedlings every 6 weeks during root establishment or as needed if previous treatment appears to be fading. Note: Browning and drop of old needles may occur on some evergreen species after using this product.

Established Conifer Seedlings: Treat each established seedling to be protected. Use a pressurized hand-held or backpack garden sprayer. Hold nozzle of spray want about 10" vertically above tip of terminal shoot. Spray the terminal and first whorl to run-off. Treat each seedling to be protected.

Yew, Scotch Pine, Arborvitae, Douglas Fir, Ornamental Crabapple, Hemlock, Honeysuckle, Azalea and Rhododendron:

<u>To protect against winter browsing</u>: apply repellent upon onset of browsing. If browsing extends beyond two months, seedlings may be re-treated. Apply only to vegetation that is within animals reach. Apply to the point of run-off. Reapply every 14 days or as needed if the previous treatment appears to be fading.

<u>To protect against spring browsing of new growth</u>: apply repellent upon onset of browsing, but preferably after bud break and before new shoots exceed 1" in length. Do not re-treat new growth. If spring browsing reaches unacceptable proportions before bud break, repellent may be applied to unopened buds, but must then be re-applied after new growth averages 4" in length if browsing still persists. Apply to terminal to point of runoff. For large trees, apply Deer and Rabbit Repellent-RTU-Formula II this product only to lateral branches that are within animals reach. Reapply every-14 days or as needed if the previous treatment appears to be fading.

<u>Note:</u> Browning and drop of old needles may occur on some evergreen species after using this product.

Ornamental Shrubs: Do not apply during bud break or flower bloom, as foliage injury and petal drop may occur. Apply only to areas of vegetation that are within animals reach. Apply to the point of run-off. Reapply every-14 days or as needed if the previous treatment appears to be fading.

Non-Bearing Fruit and Citrus Trees: For use on non-bearing fruit & citrus trees only. Use when trees are dormant, not when actively growing. Do not apply during bud break or flower bloom, as foliage injury and petal drop may occur. Apply only to vegetation

l

EPA Reg. No. 50932-15 EPA Est. No. 63416-MN-001

© 2004 Woodstream Corporation

Master Label EPA Reg. No. 50932-15 Notification of Revised Label Phrases Version (9) dated July 12, 2005 Page 5 of 6

that is within animals reach. Apply to the point of run-off. Reapply every 14 days or as needed if the previous treatment appears to be fading.

Landscape Gardens: Do not apply to landscape plantings during bud break or flower bloom, as foliage injury and petal drop may occur. Apply to areas of vegetation that are within animals reach. Apply to the point of run-off. Reapply every 14 days or as needed if the previous treatment appears to be fading.

Vegetable Gardens: This product is not for direct application to plants intended for human consumption (i.e. food plants). For use as a perimeter spray around the area where food plants are grown. To create a repellent barrier, apply this product to soil, ground cover, bark mulch, perimeter vegetation and non-food vegetation adjacent to food plants. Do not allow spray to drift from application site onto any part of the plant that is intended for human consumption. Reapply every 14-days or as needed if the previous treatment appears to be fading.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store only in a cool, dry area inaccessible to children and pets. Protect from freezing and heat. Keep container tightly closed to prevent evaporation.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Contact your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured By:

Wwoodstream

Woodstream Corporation 69 North Locust Street Lititz, PA 17543 For Information call 800-800-1819 Made in USA Printed in USA

EPA Reg. No. 50932-15 EPA Est. No. 63416-MN-001

© 2004 Woodstream Corporation

Master Label EPA Reg. No. 50932-15 Notification of Revised Label Phrases Version (9) dated July 12, 2005 Page 6 of 6

OPTIONAL MARKETING CLAIMS

FOR ORGANIC GARDENING (logo)

OMRI™ LISTED Organic Materials Review Institute (logo)

For repelling black-tailed deer (mule deer), white-tailed deer and Roosevelt elk that browse or uproot conifer seedlings.

Repels by odor

•

Repels rabbits from ornamentals & garden vegetables

Repels deer for up to 3 months

Long-lasting repellent

Creates an odor barrier to protect garden vegetables

Creates a protective barrier to repel deer and rabbits

Protects garden and landscape plantings

Protects ornamental trees and shrubs

(For 1 Gallon) Treats 300-360 ornamental shrubs 4 feet high.

(For 1 Quart) Treats 75-90 ornamental shrubs 4 feet high.

(For 1 Pint) Treats 36-45 ornamental shrubs 4 feet high.

(For 1 Gallon) Concentrate! Makes 5 Gallons

Guaranteed!

Effective!

It Works!

Non-Toxic Mode of Action