

OMNITECH INTERNATIONAL, INC.

HI KILL-X insect spray



DRY FORMULA

ACTIVE INGREDIENTS:

**Resmethrin [5 (phenylmethyl)-3 furanyl] methyl 2, 2-dimethyl-3 [(2 methyl-1-propenyl) cyclopropanecarboxylate	0.200%	w/w
Related Compounds	0.028%	
d trans Allethrin (allyl homolog of Cinerin I)	0.150%	
Related compounds	0.012%	
Aromatic petroleum hydrocarbons	0.272%	
Essential Oils	1.200%	
INERT INGREDIENTS	98.138%	
	100.000%	

*Cis/trans isomers ratio, max. 30% (cis and min. 70% trans).

*U.S. Patent Nos. 3,465,007 and 3,542,982.

*Penick's SBP 1162 (P) brand of resmethrin insecticide, Penick Corp., 1050 Wall Street West, Lyndhurst, NJ. 07071.

NET WT. 15 OZ. (425.25 G.)

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS:

CAUTION: Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove birds, pets and cover aquariums before spraying. Do not use on edible crops.

PHYSICAL OR CHEMICAL HAZARDS:

FLAMMABLE. Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION: It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling. Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

CONTROL HOUSEHOLD PESTS:

TO KILL HOUSEFLIES, MOSQUITOES AND GNATS: Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

OUTDOORS - TO PROTECT ORNAMENTAL PLANTS:

To control aphids, exposed thrips, adult whiteflies, leafhoppers, two spotted mites, plant bugs, spittlebugs and Japanese beetle on smaller rhododendrons, pines, spruce, hemlock, spirea, dogwood, palm, mimosa, toyon, viburnum, euonymus, oaks, maples, locust, forsythia and althea, and mimosa webworm larvae on mimosa, spray directly on insects. Hold container 18 inches from the infested plant. Spray in short bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

Spray peonies, iris, zinnia, snapdragons, ageratum, chrysanthemums, nasturtiums, daisy, geraniums, marigolds, daphne, fatsihedera, ivy, tobira, queen sago and broad leaf scarid for control of aphids, exposed thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above.

USE WITH CAUTION on steels, junipers, roses, including hybrid tea roses, flowering quince, ash and acacillae. These plants may be subject to leaf or flower burn under certain conditions of use. For adult whiteflies and two spotted mites be sure to direct spray to contact these pests. Thoroughly cover the infested area. Use several repeat applications at two day intervals if necessary.

TO KILL NUISANCE PESTS - ON OR ENTERING BUILDINGS:

WASPS: Applications should be made in late evening when insects are at rest spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.

STORAGE AND DISPOSAL:

STORAGE: Store in a cool area away from heat or open flame.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

EPA REG. 51033-63 EPA EST. NO. 51033-LA-1

FLAMMABLE

KEEP OUT OF REACH OF CHILDREN

CAUTION CONTENTS UNDER PRESSURE

SEE ADDITIONAL PRECAUTIONS ON BACK PANEL

MANUFACTURED BY

**OMNITECH
INTERNATIONAL, INC.**

THIBODAU, LOUISIANA

BEST AVAILABLE COPY

51033-63