

OMNITECH INTERNATIONAL, INC.

HI KILL-X
insect spray



DRY FORMULA

ACTIVE INGREDIENTS:

••Resmethrin [5-(phenylmethyl)-1-furanyl]	
methyl 2, 2-dimethyl-1-(2-methyl-1-propenyl)	
cyclopropanecarboxylate.....	0.2000 w/w
Related Compounds.....	0.0280
4-trace Allethrin (allyl homolog of Cinerin I).....	0.1500
Related compounds.....	0.0120
Aromatic petroleum hydrocarbons.....	0.2720
Essential Oils.....	1.2000
INERT INGREDIENTS.....	22.1280
	100.0000

*Cis/trans isomers ratio: max. 30% cis and min. 70% trans.
 •U.S. Patent Nos. 3,465,007 and 3,542,982.
 •Penick's 3DP-1382 (B) brand of Resmethrin insecticide.
 Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071.

NET WT. 15 OZ. (425.25 G.)

PRECAUTIONARY STATEMENTS:
HAZARD TO HUMANS:
CAUTION: Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove birds, pets and cover aquariums before spraying. Do not use on edible crops.
PHYSICAL OR CHEMICAL HAZARDS:
FLAMMABLE. Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.
DIRECTIONS FOR USE
GENERAL CLASSIFICATION: It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling. Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.
CONTROL HOUSEHOLD PESTS:
TO KILL HOUSEFLIES, MOSQUITOES AND GRATS: Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.
OUTDOORS - TO PROTECT ORNAMENTAL PLANTS:
 To control aphids, exposed thrips, adult whiteflies, leafhoppers, two spotted sites, plant bugs, spittlebugs and Japanese beetle on smaller rhododendrons, pines, spruce, hemlock, spires, dogwood, palm, mimosa, toyon, viburnum, euonymus, oaks, maples, locust, forsythia and althea, and mimosa webworm larvae on mimosa, spray directly on insects. Hold container 18 inches from the infested plants. Spray in short bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.
 Spray peonies, iris, zinnia, snapdragons, ageratum, chrysanthemum, nasturtium, daisy, geraniums, marigolds, dahlias, fatshedera, ivy, tohira, queen sage and broad leaf scacia for control of aphids, exposed thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above.
USE WITH CAUTION on azaleas, junipers, roses, including hybrid tea roses, flowering quince, ash and camellias. These plants may be subject to leaf or flower burn under certain conditions of use. For adult whiteflies and two spotted sites be sure to direct spray to contact these pests. Thoroughly cover the infested area. Use several repeat applications at two day intervals if necessary.
TO KILL NUISANCE PESTS - ON OR ENTERING BUILDINGS:
VAPOR: Applications should be made in late evening when insects are at rest spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.
STORAGE AND DISPOSAL:
STORAGE: Store in a cool area away from heat or open flame.
DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.


EPA REG. 51033-63 EPA EST. NO. 51033-LA-1

FLAMMABLE

CAUTION KEEP OUT OF REACH OF CHILDREN
 CONTENTS UNDER PRESSURE

SEE ADDITIONAL PRECAUTIONS ON BACK PANEL

OMNITECH INTERNATIONAL, INC.



BEST AVAILABLE COPY