

OMNITECH INTERNATIONAL, INC.

51033-64

PM 17

12/5/90

POWER KILL

residual insect spray

ACTIVE INGREDIENTS
RESIDUAL INSECTICIDE SPRAY

RESIDUAL INSECTICIDE SPRAY
FOR USE IN RESIDENTIAL, HOTEL, AND NON-FOOD
COMMERCIAL INSTITUTIONS, RESTAURANTS,
AND FOOD PROCESSING PLANTS

ACTIVE INGREDIENTS:

1. Resmethrin (5-(phenylmethyl)-3-furanyl)	
met. 2, 2-dimethyl-3-(2-methyl-1-propenyl)	0.350%
cyclopropanecarboxylate	0.048%
Related compounds	0.464%
Aromatic petroleum hydrocarbons	1.200%
Essential oils	7.938%
NET INGREDIENTS	100.000%

10% cis,trans isomers ratio, max. 30% cis and min. 70% trans.
U.S. Patent Nos. 3,465,007 and 3,542,928
Dermal SBP-1332(R) brand of Resmethrin insecticide.
Permethrin, 1050 Wall Street, West, Lyndhurst, NJ, 07071.
EPA Reg. No. 51033-64 EPA Est. 51033-LA-1

NET WT 15 oz. 425.25 G.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS: CAUTION:

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or on clothing. In the home, cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets, birds and cover fish aquariums before spraying. Do not use on edible crops. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

FIRST AID:

In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. For skin and eyes, call a physician.

PHYSICAL OR CHEMICAL HAZARDS:

FLAMMABLE. Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

DIRECTIONS FOR USE:

GENERAL CLASSIFICATION: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

KILLS: houseflies, mosquitoes, gnats, weevils, roaches, earwigs, grain mites, sowbugs, spiders, centipedes, ants, deer flies, horse flies.

DOUBLE ACTION INSECT KILLER—This is a dual purpose formulation that can be used as a contact spray against flying and crawling insects and as a residual insecticide providing up to 3 to 4 weeks of control of roaches.

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

HOUSEFLIES, MOSQUITOES AND GNATS:

Indoors: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

TO REDUCE ANNOYANCE FROM FLYING INSECTS:

Outdoors: Reduce mosquitoes, gnats, (midges), houseflies, biting flies and flying moths (millers) by spraying their resting areas. Follow precautions noted above. Hold container 18 to 24 inches from shrubs and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic foot of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

ROACHES, EARWIGS, GRAINMITES, SOWBUGS, SPIDERS AND CENTIPEDES:

Contact spray: Spray thoroughly into hiding places such as cracks, crevices, meat areas, openings around pipes and sinks, under refrigerators, baseboards, storage areas. Spray directly on insects where possible. Repeat as necessary.

Residual spray: Spray baseboards, cracks and crevices, around door and window frames and other hiding places such as closets, in back of and under appliances, sinks and cupboards in the kitchen and bathroom. In basements, spray hiding places in cracks, lower walls and dark places. Spray at the rate of 3 to 4 seconds per linear foot at a distance of 12 to 14 inches from the surface. Repeat as necessary.

WASPS. Applications should be made in the late evening when insects are at rest. Spray liberally into nesting and breeding places, contacting as many insects as possible. Repeat as necessary.

ANTS. Apply to ant trails and around door sills, window frames and other places where ants may enter.

Authorized by U.S.D.A. for use in federally inspected meat and poultry plants.

FLAMMABLE

KEEP OUT OF REACH OF CHILDREN

CAUTION CONTENTS UNDER PRESSURE

SEE ADDITIONAL PRECAUTIONS ON BACK PANEL


MANUFACTURED BY

OMNITECH INTERNATIONAL, INC.

TH BODALK, LOUISIANA

Not Reviewed. Registration claims to be in accordance with the registration of Permethrin, 1050 Wall Street, West, Lyndhurst, NJ, 07071, EPA Reg. No. 51033-64, EPA Est. 51033-LA-1.

BEST AVAILABLE COPY



2/2
BEST AVAILABLE COPY



X-IT

Industrial Strength Insect Spray

A PYRENONE[®] Insecticide

INDUSTRIAL STRENGTH-LOW DOSAGE REQUIRED

For use in Schools, Hospitals, Institutions, Hotels, Dairies, Supermarkets, Restaurants, Drive-ins, Motels, Drugstores, Food Plants and Animal Quarters.

Provides Rapid Control of Flies, Mosquitoes, Flying Moths (Millers), Gnats, Wasps and accessible stages of Roaches, Ants, Water Bugs, Silverfish, Flour Beetles, Weevils, Grain Mites and Spiders.

ACTIVE INGREDIENTS:

Pyrethrins 0.40%
*Piperonyl Butoxide, Technical 2.00%
Petroleum Distillate 7.40%

INERT INGREDIENTS: 90.20%
100.00%

*Equivalent to 1.6% (butylcarbitol)(6-propylpiperonyl) ether and 0.4% related compounds.

PYRENONE-Registered trademark of Fairfield American Corporation.
EPA Reg. No. 2d31-XX EPA Est. No. 2831-LA-1

NET WT. XX OZ. (XXXX GRS)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the following directions. **SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.** Hold container upright with nozzle away from you. Press valve to spray. To avoid possible staining of fabrics or surfaces, do not spray directly on them. **FLIES, MOSQUITOES, GNATS, WASPS and FLYING MOTHS (millers):** windows and spray room at the rate of 1 second per 1000 cubic feet of space. Repeat treatment as necessary.

ROACHES, WATERBUGS, SILVERFISH, CRICKETS, SPIDERS, COCKROACHES: Spray into hiding places such as crevices, behind baseboards and floors, around drains and plumbing, hitting insects as they fly. Repeat treatment as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where they are. Repeat treatment as necessary.

INDIAN MEAL MOTHS and ANGIOUSIS GRAM MOTHS: Close doors and windows. Spray into all parts of room especially around stored food products and in darkened areas.

Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed following treatment. Repeat application weekly or as needed.

CARPET BEETLES: Spray directly on beetles, baseboards, floors, etc. Repeat treatment as necessary.

CONFUSED FLOUR BEETLES, SAW-TOOTHED GRAM BEETLES, GRASSES, RICE WEEVILS, RED FLOUR BEETLES, GRAIN MITES: Spray into cracks, processing and handling equipment, around cartons or containers and other places where these insects tend to congregate. Spray 30 seconds for each 100 square feet. Keep area closed 45 minutes to 1 hour after treatment. Repeat application as necessary.

LICE: Spray on garments, bedding, mattresses, furniture, floors, carpeting, etc. First spray on inconspicuous area to test for possible staining. Inspect after drying, then proceed to spray entire area to be treated.

Hold can upright with nozzle away from you. Press button and spray from a distance of 10 inches. Spray each square foot for 3 seconds, directly on infested surfaces until moist.

For bedding: Make sure spray is directed into corners of fitted sheets and under pillow cases. In the case of garments and headgear, spray should be given to seams, collars, cuffs, and creases. After wash all garments must be either laundered in hot water or dry cleaned as recommended. For mattresses, furniture and carpeting. Direct spray into all folds, crevices of infested areas until moist. Allow all treated surfaces to dry before use.

BEDBUGS: Spray mattresses, particularly around tufts and seams. Spray into all joints. Treat baseboards, molding and frames. Repeat as necessary.

FLEAS: Spray sleeping quarters, bedding, floor and floor covering with flea powder. Repeat as necessary. Use only a recommended pet spray on pets.

DISPOSAL

Wrap container and put in trash collection. Do not incinerate.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Avoid breathing of vapor or contact with skin or eyes. Ventilate treatment and ventilate before reoccupying.

Avoid contamination of feed and foodstuffs. When using this product on plants, food should be removed or covered during treatment. All food products should be covered during treatment or thoroughly cleaned before use. In product in these areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near flame. Do not puncture or incinerate container. Exposure to temperature extremes may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not covered by directions given herewith.

KEEP OUT OF REACH OF CHILDREN
CAUTION: CONTENTS UNDER PRESSURE
SEE ADDITIONAL PRECAUTIONS ON BACK PANEL
MANUFACTURED BY
NAPASCO INTERNATIONAL
THIBODAU, LA