

yellow copy

PM 19 51036-26  
F 1/4

APR 22 1991

Ms. Dawn A. Smith  
Micro Flo Company  
P.O. Box 5948  
Lakeland, Florida 33807

Dear Ms. Smith:

Subject: Revised Labeling  
435 Soluble Oil  
EPA Registration Number 51036-26  
Your Application Dated December 17, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The Confidential Statement of Formula submitted with the application is acceptable. Note, however, that the EPA Registration Number of one of your sources for the active ingredient has been transferred. EPA Registration Number 239-2556 was cancelled on July 31, 1989 and transferred to EPA Registration Number 59639-32. Product manufactured before July 31, 1989 will have the old Registration Number, and product manufactured after that date will have the new one.

Sincerely yours,

Dennis H. Edwards, Jr.  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

**BEST AVAILABLE COPY**

234

**MICRO FLO  
435 SOLUBLE OIL**

This product meets the specifications for  
Florida Citrus Spray Oil FC 435-66

ACTIVE INGREDIENT:	BY WEIGHT
Petroleum	97.0%
INERT INGREDIENTS	3.0%
TOTAL	100.0%
Unsulfonated Residue of Petroleum Distillate .....	92% Minimum

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

---

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician immediately. Do not induce vomiting.

**IF INHALED:** Take victim to fresh air.

**IF ON SKIN:** Wash with plenty of soap and water.

**IF IN EYES:** Rinse with water for 15 minutes. Call physician.


See Additional Precautionary Statements Elsewhere On Label

---


EPA Reg. No. 51036-26

EPA Est. No. 51036-GA-1

Manufactured By  
**MICRO FLO COMPANY**  
P.O. BOX 5948  
LAKELAND, FLORIDA 33807



**BEST AVAILABLE COPY**



14

**PRECAUTIONARY STATEMENTS**  
**Hazards To Humans And Domestic Animals**

**CAUTION**

May be harmful if swallowed. May be injurious to eyes and skin. Do not take internally. Do not get in eyes or on skin. Do not smoke while using. Wash thoroughly after handling. Wash contaminated clothing before re-use. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Avoid breathing spray mist or vapors.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Keep out of lakes, ponds, or streams. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label. Protective information may be obtained from your Cooperative Agricultural Extension Service.

---

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**PESTICIDE DISPOSAL**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL**

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

---

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**CHEMIGATION PROHIBITION**

Do not apply this product through any type of irrigation system.

Consult the Florida Citrus Spray and Dust Schedule or your State Agricultural Experiment Station or State Extension Service Specialist for complete details on the spraying program best suited to your local conditions.

**RECOMMENDATIONS**

**BEST AVAILABLE COPY**

CITRUS (Florida) - Grapefruit, Lemons, Limes, Oranges, Tangelos and Tangerines.

Against Spider mites, Whitefly, Loosening scooty mold use 5 gallons per acre. Against Scale insects, Greasy spot, Citrus rust mite, use 10 gallons per acre. Apply in sufficient water to assure thorough coverage of leaves, twigs, and fruit.

Best results can be obtained when the oil is added to a partially filled spray tank under proper agitation and all foliage is thoroughly covered.

**PRECAUTIONS IN THE USE OF OIL INCLUDE:** Do not apply oil spray when trees are wilting or near wilting. Do not apply oil and sulfur within 3 weeks of each other. Oil spray applied after October 1 may increase susceptibility of trees to cold damage and may reduce the fruit crop the following year. Oil sprays applied in the fall may inhibit solids formation in the juice and retard coloring of fruit, and should not be applied within 60 days of anticipated harvest.

#### CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed. THE MANUFACTURER MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USE, WHICH EXTEND BEYOND THE DESCRIPTION ON THE LABEL. Read all directions carefully.

BEST AVAILABLE COPY

