

455 SOLUBLE OIL

ACTIVE INGREDIENT:

Petroleum Oil	97.0%
INERT INGREDIENTS	3.0%
TOTAL	100.0%

Unsulfonated residue (minimum) 92%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Call a physician immediately.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if necessary. Call a physician if irritation develops.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with water.

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

CAUTION

Avoid contact with eyes, skin and clothing. Harmful if swallowed.
Avoid breathing of spray mists or vapors. Wash hands after using.
Avoid contamination of food or food stuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


CHEMIGATION PROHIBITION

Do not apply this product through any type of irrigation system.

EPA Reg. No. 51036-27

EPA Est. No. 51036-GA-1

Manufactured By
MICRO FLO COMPANY
P.O. BOX 5948
LAKELAND, FLORIDA 33807



RE-ENTRY STATEMENTS

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Written or oral warnings must be given to workers who are expected to be in treated areas or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written warnings must include the following information:

CAUTION - Area treated with 455 Soluble Oil on (date). Do not enter without appropriate protective clothing until sprays have dried. In case of accidental exposure refer to Statements of Practical Treatment found on this product label.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry, locked area out of the reach of children. Keep oil container tightly closed in storage to prevent entry of water.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

METAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

APPLICATION INSTRUCTIONS

NOTE: All rates are calculated for mature trees with normal foliage cover. Rates should be adjusted downward proportionally for smaller immature trees. All applications should be made in sufficient water to insure thorough coverage without significant runoff. Minimum GPA for concentrate sprays is 10 to 20 for aerial application and 50 gallons for concentrate ground application. When tank mixing 455 Oil with other pesticides, check compatibility before mixing in application equipment. Follow all precautions and instructions on all pesticide labels being tankmixed.

<u>PEST</u>	<u>RATE/ACRE</u>	<u>COMMENTS</u>
Citrus Rust Mite	10 gals.	Does not control citrus Snow Scale
Spider Mites	5 gals.	
Scale Insects -Black Soft -Glover -Chaff -Yellow -Purple -Red -Brown Soft	5 gals. + 6 pints Ethion 4EC	Summer spray only. Observe all applicable precautions on Ethion label. Do not apply to Navel oranges.
Scale Insects -Black Soft -Glover -Chaff -Yellow -Purple -Red -Brown Soft	10 gals.	
Whitefly	5 gals.	
Greasy Spot (Grapefruit)	5 gals.	Tank mix with sufficient copper fungicide to provide 4 lbs/acre of metallic copper.
Greasy Spot (all other varieties)	5 to 10 gals.	If disease pressure is severe, tank mix 4 lbs (metallic) copper/acre. Do not exceed 5 gals. oil if copper used.
Loosening sooty mold	5 to 10 gals.	Use higher rate when disease pressure is heavy.

Best results can be obtained when the oil is added to partially filled spray tank under proper agitation and all foliage is thoroughly covered.

Precautions in the use of oil include: Do not apply oil spray when trees are wilting. Do not apply oil and sulfur within 3 weeks of each other. Oil spray applied after October 1 may increase susceptibility of trees to cold damage and may reduce the fruit crop the following year. Oil sprays applied in the fall may inhibit solids formation in the juice and retard coloring of fruit and should not be applied within 60 days of anticipated harvest. Sensitive foliage may be injured.

Consult the Florida Citrus Spray and Dust Schedule, or your State Agricultural Experiment Station or State Extension Service specialist for complete details on the spraying program best suited to your local.

CONDITIONS OF SALE

All statements concerning the use of this product apply only when used as directed.

THE MANUFACTURER MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USE, WHICH EXTEND BEYOND THE DESCRIPTION ON THE LABEL.

Read all directions carefully.

9 5 2 4 2